

Child Care Encounter

Date 11	20/19
District	
Name License No 3455	
Address 228 West Colley Street Center/Organization/Individual	
Purpose PR Director Many Lester	
Mileage Start Mileage End	
County Marshall Telephone No. 642-252-7860	
Time In 1:00 Time Out 2:30 Total Time	
Findings/Comments Here has PR inspection upon arrival I cente of trical	net
Womer Edirector Ryay Lestor.	
Please submit Application and fee online a www.healtyms.	Con
Using your pin # by Januar 30th 2020. Contacthours mus	st be
Please submit Application and fee online a www.healtyms. Using your pintt by January 30th 2020. Contact hours must Sent by February 15 2020. Fire Form & mens by January 30th 2	2020.
•	
Kitchenreceived an "A"	
Playsand - Rain 121 Children - I child needs updated 121 fm please submit u	ithin
14 days to Ashla. month & modh.ms. gov if the child does	n+ submit
all they may not return until the chilo receives a now	updated
121 frm.	
1 Staffmenter needs a 121 from they Staff member was a so	h. 16
254 2	m ste
Monday November 25= 2019, If worker is unable to submit 121 +	
Alach I II lebas me to a le Reserved in Metro	my my rest
Class land (luntations may result in a monthing penalty Repected which	my result
	my result



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Marshall	Date						
Facility Name The Nest	License Number 3455						
PurposePRCapacity							
All Items In Red Are Critical Qualified director present Proper staff to child ratio present In Out COS N/A In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A						
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair						
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,						
Waste water system approved and functioning	and functioning						
Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly						
Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet						
2\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good						
4\$	working order						
Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and						
1. (e + 1	in good working order						
2. 18 2 HZ H3	First aid kits stocked and easily accessible						
3. 9 fintent #4 H5 H6 4.	Playground area clean, shaded, well drained and equipped and fence in good repair						
5.	Playground equipment meets standards						
6	Pool area clean, fenced, and adequately maintained						
Center Director/Individual Chiland	Diaper changing stations adequate in number and each fully supplied (number)						
Center Director/Individual White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health	Child Care Representative Ully Man But 2-10-08						

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address		Date	
ter wedge	The West 2	Was Calley Sheet	11/20/19	
CRITICAL V	VIOLATIONS	CORRECTION PLAN AND SCHEDULE		
	Vilatoria torris		*	
	de la			
	"A"			
te e				
☐ 92020 Scheduled	☐ 92010 Permit No Charge	Certified Manager	Licence Number	
92030 Followup	92015 Permit 1 \$30.00	Continua Manager	Electice Number	
☐ 92040 Complaint	92011 Permit 2 \$100.00			
☐ 92050 Consultation	☐ 92012 Permit 3 \$150.00			
92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00			
☐ 92080 No Inspection ☐ 92090 Restaurant Training		Facility Signature	and our second	
Permit Date	Environmentalist Code	Environmentalist Signature		
Termit Date	Divionimentarist Code	Clery now	it Warriatory	
Please Remit within 10 days t	to:	White Copy - Facility Yellow Copy - PIMS	0	
		Pink Copy- Environmentalist		



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name	The west	License No. 3455	Date	11/20/19
Yes No 1.	N/A Policies and procedure Proof of Accident/Liab insurance is in effect {1} Approved arrival and decent and	es (Parent's Handbook) {Rule 1.4.1} ility Insurance or documentation that parent h Rule 1.4.1 (i) & (j)} eparture procedures {Rule 1.4.1 (2)} staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} children and staff {Rule 1.6.3 (1)} ster of children (includes date of birth) {Rule cludes date of birth & date of hire) {Rule 1.6.4 ich date, time, signature for 90 days {Rule 1.6.7 for Children and Staff {Rule 1.6.3 (8)} ach employee's records form) {Rule 1.6.4}	e 1.6.3 (2)} (3 (3)}	0
12.	Reports of serious occ Communicable disease Daily written reports pr Staff present who hold Age appropriate progra Required toys present in Required toys present in Required toys present pr Licensed pest control occ Pets present (proof of in Appropriate discipling Appropriate transport	e 1.6.5 & Rule 1.6.6} ch children's records form) {Rule 1.6.7} urences made as required {Rule 1.7.1} es reported as required {Rule 1.7.3} evided to parents for infants and toddlers {Rule 1.4 valid CPR and First Aid Certification {Rule 1.4 valid CPR and First Aid Certification {Rule 1.6.1 (2)} en toddler room {Rule 1.10.1 (2)} en toddler room {Rule 1.10.1 (3)} ereschool room {Rule 1.10.1 (4)} entractor {Rule 1.11.14} entranization as required, signed by veterinarial expolicy followed {Subchapter 14} extration policy followed {Subchapter 15} exposted (Appendix C, VII)	ule 1.8.1 (4) & (5)} oter 9}	
Comments	/Recommendations	Great Jib L		
☐ Fail	to be issued: Regular p within days	Probational Restricted Director Designee	Chita Care Representati	tive live in it

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator Form 2895W