



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District

9

Date

4.23.23

Name Child Development Lab School License No. 1065

Address 101 Hwy 11 N Poplarville, MS

Center/Organization/Individual

Purpose mid year

Director Megan Boles

Mileage Start

Mileage End

County Pearl River

Telephone No. 601.403.1256

Time In

Time Out

Total Time

Findings/Comments Mid year inspection conducted.

Classrooms in compliance
 Kitchen in compliance
 Records in compliance
 Playground in compliance

Inspection was conducted early due to facility
 last day for the summer break is April 28

Megan Boles

Center Director/Designee/Individual

Shawnto Bennett

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Pearl RiverDate 4.25.23Facility Name Child Development LabLicense Number 1065Purpose Mid YearCapacity 50

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Cabbage and garbage bins maintained	☒	☐	☐	☐
Ventor control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

Monetary Penalty

\$

\$

\$

\$

\$

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair ☒Lighting approved ☒Heating/cooling approved ☒Ventilation adequate ☒Glass approved and shielded ☒Telephone on premises, available, and functioning ☒Electrical outlets protected ☒Large appliances located properly ☒Sinks and toilets working properly ☒Hot water at all sinks, not to exceed 120° ☒Children barred from kitchen ☒Vending machine snacks meet nutritional guidelines, if present ☐Exits, doors and fastening devices single action approved and in good working order ☒Exits unobstructed ☒Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order ☒First aid kits stocked and easily accessible ☒Playground area clean, shaded, well drained and equipped and fence in good repair ☒Playground equipment meets standards ☒Pool area clean, fenced, and adequately maintained ☐Diaper changing stations adequate in number and each fully supplied (number 2) ☒

Room	Cap	Age/Child	# Staff
1	34	3	10
2	13	2	9
3	25	1	9

Center Director/Individual Megan BolesChild Care Representative Shaneetta Benno

White Copy - Facility File Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281