Crowns & Tiaras Academy Director: Celeste Maples 162 East Franklin Street Natchez MS 39120 601-653-3001 Lic #6149



Child Care Facility Inspection

County Adams	Date_
Facility Name	License Number
Purpose Renewal	_ Capacity
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A U U U U U U U U U U U U U U U U U U U
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning
Possible Monetary Penalty Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to
1\$ 2\$ 3\$	exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices
4\$	single action approved and in good working order
Age/Child/Staff Name 1. Infan+/3 Caregiver 1	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order
2. 2yR /9/5	First aid kits stocked and easily accessible
4	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
7.	Pool area clean, fenced, and adequately maintained
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number
White Copy - Facility File Yellow Copy - Facility Operator	Sordyler

Mississippi State Department of Health

12-10-08

Form No. 281



Child Care Encounter

District	Crowns & Tiaras Academy	care Error	Julie	Date - 38.30
Name	Director: Celeste Maples 162 East Franklin Street	 Li	icense No	
Address	Natchez MS 39120 601-653-3001 Lic #6149	$\bar{i}v$	ridual	
Purpose PC	newal	Director_	C.Maple	25
Mileage Start		Mileage End		
County Add	0M5	Telephone No	0	
Time In 10'.	Time Out_	1.45	Total Time	
The second secon	ents Arrived at		acility o	
met w				Irs. Maples
arrived	10 10: au. 8to	ated pu	irpose to	or visit
TIKene	wal" inspect	on.		
	1			
Jechn	ical Assistance	e was	provided	l or
Luie 1	18.3. L.O 00	served 3		not
not lak	seled. Directo	- labele	ed bottles	son site.
Directo	or/Caregiver w	ill moni	itor to e	nsure
compl	iance at all	times.		
		*		
Aaree	n Survey Car	d was	aiven to	
directo	or lawner.	V	9	
	R	ronds	"exceller)+
	V	tchen 1	1A11 1551	ied
Class Land Class	Il violations may result	10 61.	7	
	enalty. Repeated Lic	ense will be issued	once renewal	
	esult in the doubling of ap	olication, renewal t		
a monetary pen	alty, suspension, or su	vey form and cont	act hours are	
revocation of th	e license re	eived. Please com	plete 30 days pri-	
Acronym/Abbr	or eviation ——	to expiration date.	4.30.20	
LO-License Offi				
LOS-Letter of S		CODIO	FNEWINE	nuplancia
TA-Technical A	ssistance	-1/6 - 00	1000	i de di
COS-Corrected	WW	Kontu	- was pre	OVICE CI :
		Helper	Sheet.	
i	Thanks for	or all v	you do!	
Center Director/D	lesignee/Individual Child	Kucho Sa Care Representati	Indifer .	White Copy - Facility File Yellow Copy - Operator
	. A. C.			



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Crowns F. Tiaras License No. 49 Date 3.38.30		
A		
Academy		
Yes No N/A 1.		
Comments/Recommendations See Chounter		
Pass – License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative		

601-653-3001 Lic #6149 CRITICAL VIOLATIONS CORRECTION PLAN AND SCHEDULE No critical vidations the time of Certified Manager Licence Number 92020 Scheduled ☐ 92010 Permit No Charge ☐ 92030 Followup ☐ 92015 Permit 1 \$30.00 EXPIRES 92011 Permit 2 \$100.00 ☐ 92040 Complaint 1.12.21 ☐ 92012 Permit 3 \$150.00 ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training

Environmentalist Signature

Please Remit within 10 days to:

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist

Environmentalist Code

Permit Date

PIMS ID

Crowns & Tiaras Academy Director: Celeste Maples 162 East Franklin Street Natchez MS 39120 601-653-3001 Lic #6149

Cunu Care Licensure Playground Checklist

Center Name	Inspection Date 2
YES NO N/A	
0 0 1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
d □ □ 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
D 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
d 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
D 0 0 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
Q	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
tz 0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
□ □ 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
D □ 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
10. □ □ 10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
O O O 11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
	2.5.2, pg 1 & 5.3.8.1, pg 37)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
□ □ 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46
./	& CPSC 2.2.6, pg 6)
	Is playground area clean & free of hazards? If not, state deficiency. (Rate 1.11.11 (1), pg 61)
₫ □ □ 16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
Q 0 17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
□ □ 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Director O	Licensing Official Letwork a Sandifle