

MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Facility Inspection

| County Sun Hower | Date |
|--|--|
| Facility Name Little angels Day Care | License Number 6704PFA - 23333 |
| 1) 1 | pacity |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible | Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A U U U U U U U U U U U U U U U U U U U |
| License/complaint visible Certified food manager | Walls, ceilings, floors, toys, equipment clean and in good repair |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, |
| and functioning | and functioning |
| Possible Monetary Penalty Monetary Penalty | Electrical outlets protected Large appliances located properly Sinks and toilets working properly |
| 1 | Hot water at all sinks, not to exceed 120° |
| 3\$ | Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good |
| 5 | working order |
| 1. 15/3Choolage / C. Ward | Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order |
| 2. intants 8 / Clay 4 Cooper | First aid kits stocked and easily accessible |
| 3. One 8 Dristale & liggs 4. three 5 Winston 5. two 6 Freton Fair | Playground area clean, shaded, well drained and equipped and fence in good repair |
| 6. Luco /1/ Kenya/ Watson | Playground equipment meets standards |
| 7. | Pool area clean, fenced, and adequately maintained |
| Center Director/Individual Cola Ward | Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative |

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

| Child Care Encounter | 121, |
|--|--|
| District 3 | Date 7/19/17 |
| Name Little angels Day Care License No. 67C4PF | FA - 2333 |
| Address 1012 Roy Street Moorhead, MS 38761 Center/Organization/Individual | |
| Purpose Renewal Technical assistance Director Celia Ward | |
| Mileage Start Mileage End | |
| County Sun Hour Telephone No. 662.246.53 | 28 |
| Time In <u>9.19</u> Time Out <u>11.35</u> Total Time | |
| Findings/Comments This Visit is for renewal inspection. | |
| and playground was observed. | he building, kitchen |
| Technical Gissistance was provided on playground a fence closure to an opening that was and observed fence. The opening is for access to the school age pois not complete. It was recommended that some barrier was placed at opening to avoid hazards for | layground that |
| No deficiencies were observed with the Kitchen or bu | vilding. |
| Technical assistance was provided by giving information to third lare visits any and the process of the only are. | in on the changes ine process For Child |
| It any questions phase call 662.455.9429 or the chil I customer service card was provided to owner/Director Ce | ld lare of fice at 60/36/200 |
| Class I and II violations may result in a monetary per violations may result in the doubling of a monetary per pr revocation of the license," | nally. Repated |
| Colori Was d | White Copy - Facility File Yellow Copy - Operator |



MISSISSIPPI STATE DEPARTMENT OF HEALTH

| , ,,, a Child Care Progra | ım Review | J |
|--|-------------------------------|-----|
| Facility Name Little angels Day Care License | e No. 67C4PFA-3333 Date 7/19/ | 117 |
| | 77 | |

| Yes No 1. 0 2. 0 3. 0 4. 0 5. 0 6. 0 7. 0 8. 0 10. 0 11. 0 12. 0 13. 0 14. 0 15. 0 17. 0 18. 0 20. 0 21. 0 22. 0 23. 0 24. 0 25. 0 26. 0 | | Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records (attach children's records form) {Rule 1.6.7} Reports of serious occurrences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present preschool room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate transportation policy followed {Subchapter 14} Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII) |
|--|--------|--|
| Comments | s/Reco | ommendations |
| , | | |
| ☐ Fail | | in days |

Food Service Facility Inspection Results

| PIMS ID | Facility Name, Address / #/e | angels Day Care Date Date |
|--|---|--|
| 674PIA-2333 | Tota k | Congels Day Care Date Date Date Moorhead MS 7/19/17 |
| CRITICAL V | | CORRECTION PLAN AND SCHEDULE |
| No Critical Observed | violations | Kitchen received "A" |
| ☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. | 92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 | Certified Manager Licence Number |
| ☐ 92080 No Inspection ☐ 92090 Restaurant Training | | Facility Signature achae Ward |
| Permit Date | Environmentalist Code | Environmentalist Signature |
| Please Remit within 10 days to | | White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist |
| | 3 | |

Child Care Licensure Playground Checklist

| | | | | $\mathcal{A}_{\mathcal{A}}$ |
|-------------|-------|----------|------|---|
| Cent | ter N | ame | Litt | le argels Day Care Inspection Date 1/19/17 |
| | | | | |
| YES | | N/A □ | 1. | Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| | | | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| | | | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| | | | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| P | | | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| | | | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| | | | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| | | | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| | | | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3 4 3 5 ng 15) |
| <u> </u> | | | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| | | Þ | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency No Swings poserved at the present time (CPSC 3.2, pg13) |
| Ø | | | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) |
| | | 1 | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| | | | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| | | | 15. | Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49) |
| | | | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| | | | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| | | | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC |
| _ Direct | tor | Ce | lice | 2.5.5) Licensing Official |