

# MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

	2. 11/0/10
County Forest A.S.	Date_11   8   19
Facility Name The Family YMCA Program	License Number 0379
Purpose Renewal Ca	apacity_240
All Items In Red Are Critical In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Proper staff to child ratio present  Room and playground capacity met  Center capacity met  License/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
Water system approved and functioning  Waste water system approved and functioning	and functioning  Electrical outlets protected  Lorre appliances located properly
Possible Monetary Penalty  Monetary Penalty	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen
2	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good
3	working order
4\$ 5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and
Age/Child/Staff Name	in good working order
1. AS -45	First aid kits stocked and easily accessible \( \square\)
2. K.1 321	Playground area clean, shaded, well drained and equipped and fence in good repair
4.	Playground equipment meets standards
5. A.S29	Pool area clean, fenced, and adequately maintained
7.	Diaper changing stations adequate in number and each fully supplied (number)
Center Director/Individual	Child Care Representative MM (Q ' 18

Yellow Copy - Facility Operator White Copy - Facility File Yellow Cop. Mississippi State Department of Health

12-10-08

Form No. 281



### **Child Care Encounter**

Child Care Encounter
District VIII Date 118 19
Name The Family YMCA A.S. Program License No. 18CF1A - 0379
Address 3719 Veterans Memorial Dr. Hattusburg  Center/Organization/Individual
Purpose Renewal Director Nancy Jones
Mileage Start Mileage End
County Forust Telephone No. <u>1001-583-4000</u>
Time In 3:15 Time Out 5:00 Total Time
Findings/Comments A Survey was given to Mr. Nancy.
Technical assistance was given an menus. Menus must be approved by MSDH child care licensure. Dacility may only use menus that are approved during the licensure year. A minimum of 2 wks may be submitted, however, more can be submitted as needed.  Please Submit updated food manager certificate once once
Please Submit MSDH 121 forms for Staff with 14 days.  Please Submit MSDH letters of Suitability for Staff once approval is recieved. The staff cannot be left alone with Children at any time.
White Copy - Facility File Yellow Copy - Operator  Child Care Representative

Mississippi State Department of Health



#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Child Care Flogram Review
Facility Name The Family YMCA A.S. License No. 0379 Date 11819
Yes No N/A  1. Policies and procedures (Parent's Handbook) {Rule 1.4.1}  2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}  3. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}  3. Proof of Accident/Liability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (j)}  4. Proof of Accident/Liability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (j)}  5. Proof of Accident and Staff {Rule 1.6.3 (1)}  6. Proof of Current alphabetical roster of children and staff {Rule 1.6.3 (1)}  8. Proof of Includes date of birth) {Rule 1.6.3 (2)}  9. Proof of Fire/disaster drills {Rule 1.6.3 (8)}  10. Proof of Fire/disaster drills {Rule 1.6.3 (8)}  11. Proof of Fire/disaster drills {Rule 1.6.3 (8)}  12. Proof of Fire/disaster drills {Rule 1.1.1.1 (2)}  13. Proof of Fire/disaster drills {Rule 1.1.1.1 (2)}  14. Proof of Fire/disaster drills {Rule 1.6.3 (8)
Comments/Recommendations
Pass – License to be issued: Regular Probational Restricted  Fail Follow-up within days  Director Designee  Form 28

### **Food Service Facility Inspection Results**

PIMS ID Facility Name, Address The Fan		mily YMCA A.S. Program	Date
	3719 Veterans Mem		11/8/19
CRITICAL	VIOLATIONS	CORRECTION PLAN AN	D SCHEDULE
No deficiencies			
92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Cons 92080 No Inspection 92090 Restaurant Trainin Permit Date  Please Remit within 10 day	Environmentalist Code		Licence Number

## Child Care Licensure Playground Checklist

Cent	er Na	ame _	The	Family YMCA AS Center Inspection Date 1/8/19	
	NO	N/A	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair,	
B			2.	2 entrances/exits with one being remote from the building! (Nate 1.11.) (8), F8.	
Z			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)	
				AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)	
Z			4.	AC units, high-voltage caomig/ with a Market and the AC units, high-voltage caomig/ with a Market and a Marke	
X			5	No standing water present on playground of the control of the cont	
A	П	П	6.	in good rengir (none blokely detoilorating)	
V			7.	the stalling surface? (no trip liazards) (Cr 50 510, F8	
X			8.	All bolts on equipment & fence <2 threads beyond the flut: Are all order 47)	
V			9.	Tree limbs at least 7ft. above play surfaces? Is tence nee of orasmoverge.	
X			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)	
I		Ü	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg13)	
X.			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)	
	7,1 =	-	10	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)	
1			13. 14.	Are spring rockers a minimum of 6 to aper (22)  Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)	
1		U	14.		
1			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)	
<u> </u>			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)	
1			17.	social least 6" beneath the surface: (Rate 1.13.1 (1977)	
+	П		18.	Are concrete footings located at locate of the state of t	
		_		2 ( 5)	
rec	tor _	7	J	Licensing Official Mica We	