





MISSISSIPPI STATE DEPARTMENT OF HEALTH  
**Child Care Encounter**

District 7 Presbyterian Playschool Date 5-15-18.  
Director: Aretha Davis  
Name \_\_\_\_\_ License No. \_\_\_\_\_  
Address \_\_\_\_\_ 400 State Street Adams Co. \_\_\_\_\_  
Natchez, MS 39120  
License #0267 601-445-0700  
Center/Organization/Individual \_\_\_\_\_  
Purpose Renewal Director \_\_\_\_\_  
Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_  
County Adams Telephone No. \_\_\_\_\_  
Time In 10:50 Time Out 1:07 Total Time \_\_\_\_\_

Findings/Comments Arrived at facility met with director  
announced reason for visit.

T.A was given on having adequate hand washing  
facilities supplied & accessible.

L.O observed hand washing sink out of order  
maintenance was called and sink was fixed on site.

A green survey card was given to director.

"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."

Aretha Davis  
Center Director/Designee/Individual

Lekecha Andifseu  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

Presbyterian Playschool  
Director: Aretha Davis  
400 State Street  
Natchez, MS 39120  
License #0267

Adams Co.  
601-445-0700



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Program Review

Facility Name \_\_\_\_\_ License No. \_\_\_\_\_ Date 5-15-18.

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. <b>Policies and procedures (Parent's Handbook)</b> {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. <b>Medication record with date, time, signature for 90 days</b> {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. <b>Personnel records (attach employee's records form)</b> {Rule 1.6.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. <b>Children records (attach children's records form)</b> {Rule 1.6.7}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. <b>Reports of serious occurrences made as required</b> {Rule 1.7.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. <b>Communicable diseases reported as required</b> {Rule 1.7.3}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. <b>Staff present who hold valid CPR and First Aid Certification</b> {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. <b>Appropriate discipline policy followed</b> {Subchapter 14}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. <b>Appropriate transportation policy followed</b> {Subchapter 15}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Infant feeding schedules posted (Appendix C, VII)

**Comments/Recommendations** Pass regular - pending contact hours, Fire form #333 and submission of (2) menu's

☒ **Pass -**  
License to be issued: ☒ Regular ☐ Probational ☐ Restricted  
☐ Fail  
☐ Follow-up within \_\_\_\_\_ days

Aretha Davis ☒ Director ☐ Designee

Lekisha Sandiford ☐ Child Care Representative

# Food Service Facility Inspection Results

PIMS ID	Facility Name	Director: Aretha Davis 400 State Street Natchez, MS 39120 License #0267	Adams Co. 601-445-0700	Date 5-15-18
---------	---------------	--	---------------------------	-----------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p>All in compliance at time of visit</p> <p style="font-size: 48px; color: red; text-align: center;">A</p>	<p style="font-size: 48px; color: brown; text-align: center;">"A"</p> <p style="font-size: 24px; color: brown; text-align: center;">ISSUED</p>
---	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code CH7
Please Remit within 10 days to:	

Aretha Davis T3 2-24-23  
 Certified Manager Licence Number

Facility Signature	<u>Aretha Davis</u>
Environmental Signature	<u>Dekeha Saxdifer</u>

White Copy - Facility  
 Yellow Copy - PIMS  
 Pink Copy - Environmentalist

798

## Child Care Licensure Playground Checklist

Center Name Presbyterian Playschool  
Director: Aretha Davis  
400 State Street  
Natchez, MS 39120 Adams Co.  
License #0267 601-445-0700  
Inspection Date 5-15-18

YES	NO	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Playground equipment is at least 2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Is surfacing adequate? If not, where is it inadequate? (CPSC 2.4.2, pg 9-10 & 4.3)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Aretha Davis

Licensing Official

Ruksha Sandifer