**Small Blessings Preschool** 

453 Ulman Ave, Bay St. Louis, Ms 39520

Mississippi State Department of Health

228-463-0640 Lic. No.: 3392 Director: Denise Island/Niccole

Bodenschatz



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

County Hawall		Date 03-110-20	121		
Facility Name	Blessingo	License Number 33	12		
Purpose Police	,	Capacity 39			
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	A 体 体 体 体 体 体 体 体 体 体 体 体 体 体 体 体 体 体 体	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	<b>-</b> 0		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved		and functioning	0		
and functioning Food service approved  Possible Monetary Penalty		Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
1	Monetary Penalty	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	40		
3	\$\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order			
5	\$ \$	Exits unobstructed Required smoke detectors, carbon	40		
Age/Child/Star	ff Name	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<del></del>		
2.		First aid kits stocked and easily accessib	ole 📙 📋		
3. 4. ½ - 1 lo -		Playground area clean, shaded, well drained and equipped and fence in good repair			
5.		Playground equipment meets standards	-		
6. 7.		Pool area clean, fenced, and adequately maintained			-
Center Director/Individual	Jenise Elsla	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative			
White Copy - Facility File Yellow Co	opy - Facility Operator		rulle	1/ ) =	2

12-10-08

Form No. 281



### **Child Care Encounter**

District			Date_0
NameAddressPurpose	3	/ St. Louis, Ms 39520 No.: 3392	
Mileage Start		Mileage End	
County Haveock		Telephone No	
Time In 10:30	Time Out		
Findings/Comments			
all in comp	liance of a deficie	Jos Perowa	of Thopealiae
	Q .		
		0.11	

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File Yellow Copy - Operator



### Child Care Drogram Boyley

D 1111 >			Small Blessings Preschool				
Facility N	ity Name 453 Ulman Ave, Bay St. Louis, Ms 39520 Date Date						
			228-463-0640 Lic. No.: 3392				
			Director: Denise Island/Niccole				
Yes	No	N/A	Bodenschatz				
1.			Policies and procedures (Parent's Handbook) {Rule 1.4.1}				
2.			Proof of Accident/Liability Insurance or documentation that parent has been notified that no				
. ,			insurance is in effect {Rule 1.4.1 (i) & (j)}				
3.			Approved arrival and departure procedures {Rule 1.4.1 (2)}				
4.			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}				
5. 🖵			Attendance records for children and staff {Rule 1.6.3 (1)}				
6.			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}				
7.			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}				
8.			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}				
9.			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}				
10.			Immunization Records for Children and Staff {Rule 1.6.3 (8)}				
11.			Personnel records (attach employee's records form) {Rule 1.6.4}				
12.			Volunteer records {Rule 1.6.5 & Rule 1.6.6}				
13.			Children records (attach children's records form) {Rule 1.6.7}				
14.			Reports of serious occurences made as required (Rule 1.7.1)				
15.			Communicable diseases reported as required {Rule 1.7.3}				
17.	-		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}				
18.		ā	Age appropriate program of activities posted in each room {Subchapter 9}				
19.			Required toys present in infant room {Rule 1.10.1 (2)}				
20.			Required toys present in toddler room {Rule 1.10.1 (2)}				
21.			Required toys present preschool room {Rule 1.10.1 (4)}				
22.			Licensed pest control contractor {Rule 1.11.14}				
23.			Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}				
24.	-		Appropriate discipline policy followed {Subchapter 14}				
25.			Appropriate transportation policy followed {Subchapter 15}				
26. 🗆							
Comn	ents	Rec	commendations				
(A)							
	ss –	. 1					
1		to be	issued: Regular Probational Restricted				
☐ Fai			hin days In (I) Colored (I) Colored				
G Fol	10W-U	ip wit	Director Designee Child Care Representative				
			Director Designee Child Care Representative				

# **Food Service Facility Inspection Results**

PIMS ID	Facility 1	ΛŢ A J J			Date
CRITICAL VIOLATI		Director, Definse Island, Niccole		CTION PLAN AND SCHEDULE	
NOV 2		Bodenschatz			
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	9 9	22010 Permit No Charge 22015 Permit 1 \$30.00 22011 Permit 2 \$100.00 22012 Permit 3 \$150.00 22013 Permit 4 \$200.00	Certified Mana	ger L	icence Number
Permit Date  Please Remit within 10 days to		rironmentalist Code	White Copy - Fa Yellow Copy - P Pink Copy- Envir	cility IMS	20

## Child Care Licensure Playground Checklist

Cer	iter N	ame	3	Mare Blassing Inspection Date 03-10-200
	NO	_		(cub let attain and the tention
			1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
T			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg. 48)
-			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
-			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
		-0	9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
D			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		Ō.	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3, 6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)
0			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)
-			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
		]	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
	] 4	1	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Directo			len	2.5.5)    Ul Tilliand   Licensing Official   Licens