



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County ForrestSmart Start Community School, LLC
412 JC Killingsworth Rd., Hattiesburg, MSDate 4/9/18

Facility Name _____

601-545-9299 Lic. # 7228
Director: Shalonda Booth

License Number _____

Purpose midyearCapacity 50

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	<u>See 2nd encounter</u>
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Center Director/Individual _____

Child Care Representative _____

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 8Date 4/9/18

Name	Smart Start Community School, LLC	License No.	
Address	412 JC Killingsworth Rd., Hattiesburg, MS	Director/Individual	
	601-545-9299 Lic. # 7228	Director	
Purpose	<u>mid year</u>	Mileage Start	
		Mileage End	
County	<u>Forrest</u>	Telephone No.	
Time In	<u>9:40 am</u>	Time Out	<u>11:05 am</u>
		Total Time	

Findings/Comments

All in compliance, ~~no~~ no deficiencies observed.

Surveyor's business cards were given to director, S. Booth.

Shalonda Booth
Center Director/Designee/Individual

Linsay Lonsaint
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Smart Start Community School, LLC
 412 JC Killingsworth Rd., Hattiesburg, MS
 601-545-9299 Lic. # 7228
 Director: Shalonda Booth

Child Care Program Review

License No. _____

Date 4/9/18

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Policies and procedures (Parent's Handbook) {Rule 1.4.1} |
| 2. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} |
| 7. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} |
| 8. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Personnel records (attach employee's records form) {Rule 1.6.4} |
| 12. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Children records (attach children's records form) {Rule 1.6.7} |
| 14. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Licensed pest control contractor {Rule 1.11.14} |
| 23. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} |
| 24. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate discipline policy followed {Subchapter 14} |
| 25. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate transportation policy followed {Subchapter 15} |
| 26. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Infant feeding schedules posted (Appendix C, VII) |

Comments/Recommendations _____

- ☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

Director

☐ Designee

Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Smart Start Community School, LLC 412 JC Killingsworth Rd., Hattiesburg, MS 601-545-9299 Lic. # 7228 Director: Shalonda Booth	Date 4/9/18
---------	---	----------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>all in compliance; no deficiencies observed.</p>	<p>none required.</p> <div style="border: 1px solid black; border-radius: 50%; width: 150px; height: 150px; margin: 20px auto; text-align: center; line-height: 100px;"> <p>"A" issued.</p> </div>
---	--

<input checked="" type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

S. Booth
Certified Manager

Tummy Safe
Licence Number

Facility Signature <i>Shalonda Booth</i>
Environmental Signature <i>Krissey Sossaint</i>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalist

Smart Start Community School, LLC
412 JC Killingsworth Rd., Hattiesburg, MS
Center Name 601-545-9299 Lic. # 7228
Director: Shalonda Booth

Inspection Date 4/9/18

- | YES | NO | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 34) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pg 34) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director

Shalonda Booth

Licensing Official

J. Loussaint