

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Bolivare	Date 12/13/18			
Facility Name Rosedale Head Start	License Number_ <i>bloCF</i>	IHE-0	719	·
Purpose Kenewal Cap	pacity_172			
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,) QAQQ		
and functioning Food service approved	and functioning Electrical outlets protected Large appliances located properly			
Possible Monetary Penalty 1	Sinks and toilets working properly Hot water at all sinks, not to exceed 120°			
2	Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices			
4\$	single action approved and in good working order Exits unobstructed			
Age/Child/Staff Name	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and			
1. 3/15/2 Caregivers 3/14/2 Caregivers/teachers 2. 4/18/2 Caregivers 4/16/2 teachers	in good working order First aid kits stocked and easily accessible			
3. intants/le/2 Caregivers	Playground area clean, shaded, well drained and equipped and fence in good			
4. 1/3/2 (aregivers/teachers	repair			
6. intants/1/2 coregivers intants/5/2 caregives	Playground equipment meets standards Pool area clean, fenced, and adequately			
7. 1/8/2 caregivers/teachers	maintained			
Rolling Con	Diaper changing stations adequate in number and each fully supplied (number)		The second	
Center Director/Individual \ \ \(\)\ \(\)\ \(\)\ \\\\\\\\\\\\\\\	Child Care Representative	Mil)	_/

Form No. 281



Child Care Encounter

District 3	- and an	Date 12/13/18
Name Kasedale Head S.	10rf License No. 06CF	
Address 5001 Hwy 1 South		
Purpose Keneual	Director_Rochelle Gr	mstrong
Mileage Start	Mileage End	
County Bolivare	Telephone No. 662. 759.6	801
	Time Out 2.35 Total Time	
Findings/Comments This Visin	t is for Renewal of child car	e license.
The licensing official	or playground at time of vis	Ficiencies with
the Duilding, Kitchen	or playground at time of vis	5,7.
No deficiencies were	observed with staff and ch	ildren files.
and first aid certifice	licensing official with Current	copies of CPR
The HICLETY MS DOS	used inspection for a child a	are license.
1 Austomer Service Con	rd was provided to Director.	
77	/	7/:// 40 /:
agency at 662. 455.945	Concerns Dease Contact the Co	hild lare licensing
J		
"Class I and Class II	- violations may result in a	200 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Repeated violations ma	ay Result in the doubling of a	monetary penaty. Monetary penatry
Suspension, or revocation	of the license.	J / J/
Kroh. Dan Ala	C/A.	III'. C
Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care	Program Review , ,
Facility Name Tosedale Head Start	Program Review License No. OLCFIHE-0779 Date 12/13/18
Yes, No N/A	

Yes No N/A		
1. D Policies and procedures (Parent's Handbook) {Rule 1.4.1}		
2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no		
insurance is in effect {Rule 1.4.1 (i) & (j)}		
3. D Approved arrival and departure procedures {Rule 1.4.1 (2)}		
4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}		
5. Attendance records for children and staff {Rule 1.6.3 (1)}		
6. Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}		
7.		
8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}		
9.		
(2000 17010 (0))		
11. Personnel records (attach employee's records form) {Rule 1.6.4}		
12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}		
13. Children records (attach children's records form) {Rule 1.6.7}		
14. Reports of serious occurences made as required {Rule 1.7.1}		
15.		
16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}		
17. \square \square Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}		
18.		
19. Required toys present in infant room {Rule 1.10.1 (2)}		
20. Required toys present in toddler room {Rule 1.10.1 (3)}		
21. Required toys present preschool room {Rule 1.10.1 (4)}		
22. Licensed pest control contractor {Rule 1.11.14}		
23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}		
24. Appropriate discipline policy followed {Subchapter 14}		
25.		
26.		
20.72 Third rectains selectaics posted (Appendix C, 711)		
Comments/Recommendations		
Commences/Recommendations		
Pass –		
License to be issued: Regular Probational Restricted		
Fail ()		
Follow-up within days Ochell Will the free free free days		
Director Designee Child Care Representative		

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Roseda	le Head Stort Center Date
OloCFIHE-ON19	5001 Hu	19/500th Rosechky NS 38769 12/13/18
CRITICAL	/IOLATIONS	CORRECTION PLAN AND SCHEDULE
No Critical	iolations	No Correction Plan needed Kilchen Recened "A"
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training		Certified Manager Serv So Fe - 580 856 Licence Number
Permit Date Please Remit within 10 days	Environmentalist Code to:	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

-Center 1	Vame .	Tose	dale Head Start Center Inspection Date 12/13/18
YES, NO) N/A		
0		1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8). pg 60)
		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
		5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
0		6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
0		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
		8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
	Q/	9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
		10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
/			2.5.2, pg 1 & 5.3.8.1, pg 37)
Ø 0		12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
		13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
10 0		14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
	. 🗆	15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
10/ 17	П	16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
	D	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
(Director	$\frac{1}{2}$	Wh	2.5.5. pg by Licensing Official Mich