



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Pearl River</u>	Child Development Lab School	<u>1.21.21</u>
Facility Name _____	101 Hwy 11 North Poplarville, MS 39470	
	601-4031256 Lic. No.: 55CCGFE-1065	Number _____
Purpose <u>Mid year</u>	Director: CARRIE HALES	<u>50</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	<u>See 2nd Encounter</u>
5.	
6.	
7.	

Other Items - Must be corrected	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual Carrie Hales

Child Care Representative Shanetha Benson



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9Date 4.21.21

Name	Child Development Lab School	
Address	101 Hwy 11 North Poplarville, MS 39470	
	601-4031256	Lic. No.: 55CCGFE-1065
Purpose	Director: CARRIE HALES	
Mileage Start	Mileage End	
County	Telephone No.	
Time In	Time Out	Total Time

Findings/Comments Mid year inspection conducted.No deficiencies observed during inspection.Have A Great Summer!

"Class I and II violations may result in a monetary penalty. Repeated violation may result in the doubling of a monetary penalty, suspension or revocation of the license."

Carrie Hales
Center Director/Designee/Individual

Shanelle Benson
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 4.21.21

Child Development Lab School
101 Hwy 11 North Poplarville, MS 39470
601-4031256 Lic. No.: **55CCGFE-1065**
Director: CARRIE HALES

Facility Name _____ License No. _____

Room	Age	# Child	Staff
1	3	8	
2	1	7	
3	infant	8	

Carrie Hales
Center Director/Designee/Individual

Shanika Benson
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Center Name _____

Child Development Lab School
101 Hwy 11 North Poplarville, MS 39470
601-4031256 Lic. No.: **55CCGFE-1065**
Director: CARRIE HALES

Inspection Date 4.21.21

YES NO NA

☒ ☐ ☐

Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (3), pg 48) In good repair with no gaps? (Rule 1.11.9 (3), pg 48)

☒ ☐ ☐

2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (3), pg 48)

☒ ☐ ☐

Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8)

☒ ☐ ☐

AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)

☒ ☐ ☐

No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-3, pg 10)

☒ ☐ ☐

Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 3)

☒ ☐ ☐

Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)

☒ ☐ ☐

All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)

☒ ☐ ☐

Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)

☒ ☐ ☐

Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)

☐ ☐ ☒

If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 1)

☒ ☐ ☐

If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 3.6.4-5 pgs 3)

☐ ☐ ☒

Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)

☒ ☐ ☐

Is age-appropriate equipment being used? If not, state which pieces are inappropriate

(Rule 1.10.2, pg 1)

☒ ☐ ☐

Is playground area clean & free of hazards? If not, state deficiency.

(Rule 1.11.11 (1), pg 1)

☒ ☐ ☐

Is adequate shade present on the playground? (CPSC 2.1.1, pg 3)

☒ ☐ ☐

Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 3)

☒ ☐ ☐

Is wood smooth? Documentation provided that wood has been properly treated. (CI 2.5.5)

Director

Carrie Hales

Licensing Official

Shanellie Benson