



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Hinds Date 2/6/2020

Facility Name _____ License Number _____

Purpose Midyear Capacity 226

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	1yr olds / 6 / caregiver 1
2.	2yr olds / 10 / caregivers 2,3
3.	3yr olds / 12 / caregivers 4,5
4.	4yr olds / 9 / caregivers 6,7
5.	
6.	
7.	

Other Items - Must be corrected

Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual [Signature]

Child Care Representative [Signature]



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5

Date 2/6/2020

Name	Center for Family Life, Inc.
Address	Development Learning Ctr. License No.: 25CFRFA-0676 Director: Terry J. Collins 1000 W Ridgeway Street Jackson, MS 39213 Phone No.: 601-366-5463
Purpose	Midyear
Mileage Start	Mileage End
County	Hinds
Telephone No.	
Time In	8:30am
Time Out	11:30am
Total Time	

Findings/Comments Upon arrival licensing official met w/ Glenda Blout, director.

stated the purpose of the visit, to conduct a midyear inspection and to provide technical assistance.

Subchapter 6: Records

Rule 1.6.3 (8)- Each facility shall maintain a notebook containing copies of the MSDH certificate of Immunization Compliance for both staff and children at the facility. The certificates shall be filed in alphabetical order to match the current staff and child rosters.

Findings: Based on observations during record and review, licensing official observed (2) two staff w/ missing form 121's and (1) one child w/ a missing form 121. Children and staff may not return to the facility until form 121's are on file. It was also observed that (2) two children had expired form 121's. The facility has (14) days to submit current form 121's to the licensing official 2-26-2020

P.O.C

1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence? 3. What is the date of completion?

Director stated that for her staff she will check to make sure that the staff have the correct form 121 instead of the patient record before staff walk through the door. If not the director will send staff to get form or director will request form from MSDH. For the students director will check the immunization record book weekly to make sure forms are compliant instead of expired.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2/6/2020

Center for Family Life, Inc.
Development Learning Ctr.
License No.: 25CFRFA-0676
Director: Terry J. Collins
1000 W Ridgeway Street
Jackson, MS 39213
Phone No.: 601-366-5463

Facility Name

License No.

Director will be responsible for monitoring recurrence of violation. Completion date will be 2-7-2020.

Subchapter 11: Buildings and Grounds

Subchapter 11: BUILDINGS AND GROUNDS

Deficiency: Rule 1.11.1 (8) States in part, ceilings, floor, and/or floor covering shall be properly installed, kept clean and in good condition, and maintained in good repair.

Findings: Based on observations while touring the facility, the licensing official observed a ceiling tile missing from the girls restroom. Director/owner stated that the maintenance guy is working on the heating valve to get the right temp for the water. Maintenance guy should be completed w/ work by 2-10-2020. Licensing official also observed a stained ceiling tile in the hallway area. There are no leaks that facility knows of. The ceiling tiles will be changed today 2-7-2020.

Rule 1.11.1(12) Walls shall be kept cleaned and free of chipped paint.

Findings: Based on observations while touring the facility, licensing official observed chipped paint in the 2 yr old class as well as the 3 yr old class. Facility will set this painted and have it completed by 02-27-2020.

Licensing official observed a plug cover chipped in the 4 yr old classroom. Cover must be replaced. Director stated that she will get the cover for the plug and have work completed by 2-10-2020.

Rule: 1.11.8(9) Thermometers that do not present a hazard to children shall be placed on interior walls in every activity area at children's height.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2.6.2020

Center for Family Life, Inc.
Development Learning Ctr.
License No.: 25CFRFA-0676
Director: Terry J. Collins
1000 W Ridgeway Street
Jackson, MS 39213
Phone No.: 601-366-5463

Facility Name

License No.

Findings: Licensing official observed a Thermometer in The 2 yr olds Classroom posted by was not working. Director will purchase a Wall Thermometer today and put on the wall. Completion date 2.7-2020.

Subchapter 7: REPORTS

Deficiency: Rule 1.7.4

For infants and toddlers, the child care facility shall provide, to the child's parent, daily written reports that include liquid intake, child's disposition, bowel movements, and eating and sleep patterns.

Findings: Based on observations While touring the facility, licensing official observed no daily reports written out at the beginning of the day. licensing official explained to the director That

There must be daily reports printed and placed somewhere visible for the caregiver to start the reports at the beginning of the day.

P.O.C

1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence? 3. What is the date of completion?

Director Stated that she Switched teachers in The 1yr old room and she is in the process of hiring a new teacher for permanent. 1yr old teacher is

but on medical leave. Director printed daily sheets in the presence of the licensing official and will take them to the room for the teacher to complete to send to the parents daily.

Kitchen: Licensing official observed some drumsticks in the refrigerator. Licensing official asked how was the Chicken prepared. Cook stated that the Chicken is deboned and served to the children. Great Job!

Licensing official reminded cook on expiration of the Serv Safe. Cook stated that he will renew his Certification on 3.17.2020. Great Job! Director and Assistant Cook taking Serv Safe on Feb 27, 2020. The more the merrier.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2.6.2020

Center for Family Life, Inc.
Development Learning Ctr.
License No.: 25CFRFA-0676
Director: Terry J. Collins
1000 W Ridgeway Street
Jackson, MS 39213
Phone No.: 601-366-5463

Facility Name _____ License No. _____

Green Survey Card was left w/ Director.

A copy of the menu brochure and blank menu planning sheet was left w/ the director.

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

Center for Family Life, Inc.
Development Learning Ctr.
License No.: 25CFRFA-0676
Director: Terry J. Collins
1000 W Ridgeway Street
Jackson, MS 39213
Phone No.: 601-366-5463

PIMS

Date

2/06/2020

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No critical violations
cited on today's
visit

A

- ☒ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Willie Robinson ^{3/s} Exp: 03/30/2020
Certified Manager Licence Number

Facility Signature

Environmental Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name _____ Inspection Date 02/06/2020

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☒ ☐ ☐ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency no slides (CPSC 5.3.6.4-5 pgs 34-35)
- ☒ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☐ ☐ ☒ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director _____

Licensing Official _____