

# MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

Purpose Penulua   Capacity 3D    Other Items - Must be corrected   In Out COS N/A   Qualified director present   Proper staff to child reit operated   Plan of activities   Proper staff to child not operated   Plan of activities   Proper staff to child not operated   Plan of activities   Plan of activit	County Hinds		Date 7.1.2020			
Continue	Facility Name Templer Care	Preschool	License Number 25 K	BPFA-	1429	7
All Items In Red Are Critical In Out COS NA Qualified director present Room and playground capacity met Center capacity met License/complaint visible Certified food manager Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Waste system approved and functioning Waste water system approved In Constitute Silver S	The second secon		pacity_30			
Proper staff to child ratio present Room and playground capacity met Clear capacity met License/complaint visible Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Pood service approved  1. S S S S S S S S S S S S S S S S S S S	All Items In Red Are Critical	In Out COS N/A	Children's belongings separated/stored Evacuation plans posted Menus posted and served	In Out	cos	N/A
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Water water system approved and functioning Pood service approved  Nonetary Penalty  Monetary Penalty  S  S  S  Age/Child/Staff Name  1. Claru CloseD  Age/Child/Staff Name  1. Claru CloseD  Diaper changing stations adequate in number and each fully supplied (number — July supplied (number — Ju	Proper staff to child ratio present Room and playground capacity met		Walls, ceilings, floors, toys, equipment	<b>B</b>		
Carbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning Pood service approved Sinks and toilets working properly Sinks and toilets working	Certified food manager  Sanitation Approved		Heating/cooling approved Ventilation adequate			
Waste water system approved and functioning Food service approved	Vector control maintained		Telephone on premises, available.			
Possible Monetary Penalty  I. S. Wonetary Penalty  Children barred from kitchen	Waste water system approved and functioning		Large appliances located properly Sinks and toilets working properly			
2.		Monetary Penalty	exceed 120° Children barred from kitchen Vending machine snacks meet			
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order  1. Clatur Closed  2. Playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number)	2.	\$\$	Exits, doors and fastening devices single action approved and in good			
in good working order  I. CLATU CLOSED  First aid kits stocked and easily accessible P	4	S	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
Playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards  Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number)	Age/Child/Sta	off Name	in good working order			
drained and equipped and fence in good repair  A. Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied  (number)	1. Center CLOSE	0	The state of the s	ible 🔃 🗌		
Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number)	with Clastichton	DIRESENT	drained and equipped and fence in goo			
maintained  Diaper changing stations adequate in number and each fully supplied (number)				2 0,44		
7. Diaper changing stations adequate in number and each fully supplied (number)				y		4
Center Director/Individual Child Care Representative	7.		number and each fully supplied	Man I		Inch

Form No. 287



#### **Child Care Encounter**

District_0	Date 7.1.2020
Name Tender Care Preschool License No. 25R/BPFA-	1479
Address 3554 Rita Drive JackSon MS 39213 Center/Organization/Individual	
Purpose Virtual Renewal Inspection Director Lillie Robinson	)
Mileage Start Mileage End	
County Hivas Telephone No. 601-981-7354	¥
Time In 430 PM Time Out 5:20 Total Time	
Findings/Comments The purpose of this inspection is to a	'oinduct a
The facility was closed due to comb-19. No child present.	nen were
Technical assistance was given on Rule 1:11:4(6) 7 shall be present in the freezer.	hermometer
15 in The treaser and refrigurator at all for	monuter mes-She the Preever
The director signed a waiver form Stating T reviewed all of her records on the record that was sent by emoul.	hat She Checklist
Licensing official sent an email to the director Certified CPR-First teacher information. Director That she took The online CPR-First Aid According to Rue 1-8-1 (4+5) note, unline to internet ute. Is not acceptable. Training must to-face and hands on.	with a or started class. aining via be fave-
Center Director/Designee/Individual Child/Card Representative White Yello	e Copy - Facility File w Copy - Operator

Revised 6-24-09

Mississippi State Department of Health



Date 7 1 2020

Facility Name Tendercane Preschool License No. 25 RBPF	74-1429
Director has 3 months to get a valid ( Card by She has the option of getting) to take the face to face training that i the faulity at all times until direct confortable wi taking the face to to	OPR-First Aid a Start Member will be at or feels hee training
Class Land II violations may result in a mor Replated violations may result in the double Monetary penalty, suspension or revocation	retary penalty ing of a of the license.
	White Comy - Facility File
Center Director/Designee/Individual Child Care Representative	White Copy - Facility File Yellow Copy - Operator



## Facility Name Tendercare Preschool License No. #1429 Date 7:1-2020

	Yes	No	N/A		**************************************			
1.	ES	140		Policies and procedures (Parent's Handbook) {Rule 1.4.1}				
2.	9	$\overline{\Box}$		Proof of Accident/Liability Insurance or documentation that parent has been notified that no Dreet by how				
				insurance is in effect {Rule 1.4.1 (i) & (j)}	to Cultural T			
3.	9			Approved arrival and departure procedures {Rule 1.4.1 (2)}	Submitted 7,1,2000			
4.	9			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}	via email.			
5.			0	Attendance records for children and staff {Rule 1.6.3 (1)}				
6.				r and the first	i			
7.	320			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}	i			
8.	2			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}				
9.				Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}	1			
10.	State of the state			Immunization Records for Children and Staff (Rule 1.6.3 (8))				
	1. Personnel records (attach employee's records form) {Rule 1.6.4}							
			D D	Volunteer records {Rule 1.6.5 & Rule 1.6.6}	į.			
13.				Children records (attach children's records form) {Rule 1.6.7}				
42000000			3	Reports of serious occurences made as required {Rule 1.7.1}	ı			
			-00	Communicable diseases reported as required (Rule 1.7.3)				
	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}							
18.		ā	0	Staff present who hold valid CPR and First Aid Certification (Rule 1.8.1 (4) & Age appropriate program of activities posted in each room (Subchapter 9)	on online			
- P00000000					Certificate			
1	D'	_		1 2 1 ( ( ( (				
	9		ā	Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)}				
10000000	0			Licensed pest control contractor {Rule 1.10.1 (4)}				
23.			,					
24.	0			Appropriate discipline policy followed {Subchapter 14}	,			
25.	25. 🗹 🗖 Appropriate transportation policy followed {Subchapter 15}							
26.	26.   Infant feeding schedules posted (Appendix C, VII)							
Co	mme	ents	Reco	mmendations				
1-1-1-1	-							
	□ Pass −							
License to be issued: ☐ Regular ☐ Probational ☐ Restricted								
	Fail				011) 11			
	Foll	ow-u	p with	in days	YNUVODE			
				☐ Director ☐ Designee Child Care Re	presentative			

### **Food Service Facility Inspection Results**

PIMS ID Facility Name, Address		mie Prezion	Date	
1429	Facility Name, Address Tender 3554 KHA PINE,	ackson, 1715 39212	7-1-2020	
CRITICAL V		CORRECTION PLAN AND SCHEDULE		
No Critical VIV	lations cited			
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code	Certified Manager  Facility Signature  Environmentalist Signature	Licence Number	
Please Remit within 10 days t	0;	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist		

### Child Care Licensure Playground Checklist

Center N	ame	tende	rane Preschool Inspection Date 7.1.2020
OCHIOI I	-		
YES NO	N/A □	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
ia 🗆	П	2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
ry D	П	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
			No standing water present on playground or in/on playground equipment or walkways?
		5.	(CDCCC 2 / 2 2/5) 10 & Pale 1 11 11 (4), ng 61)
		6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	M	8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
		9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
	M	10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
D D	4	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14;  NO PAULINE S.3.8.1, pg 37)
	U	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)
пп	V	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 30-37)
		14.	Is age-appropriate equipment being used? If not, state which pieces are mappropriate (Rule 1.10.2, pg 46)
			& CPSC 2.2.6, pg 6)
	ΙП	15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)
	1 [	16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
	) <sup>[]</sup>	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)  Licensing Official Angle W. Dullwardt
Director			Licensing Official John W. M.