

Child Care Encounter

District III

Date 6/22/06

Name Once Upon A Life Time License No. pending

Address 2196 Hy 82 East Greenville, MS
Center/Organization/Individual

Purpose followup Director Loretha Sprauze

County Wash Telephone No. 662 334-3710

Time In 12:00 Time Out 12:25 Total Time _____

Findings/Comments This is a follow-up inspection - conducted by Cynthia Lewis

6:00 a.m. to 6:00 p.m.

OK to open 6/26/06 pending a zoning letter from the City of Greenville.

\$100.00 fee by check or money order made out to MSDH

[Signature]
Center Director/Individual

[Signature]
Child Care Representative

White Copy - Facility File
Yellow Copy - Encounter File
Pink Copy - Individual



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Data Sheet

Facility Name Once Upon A Lifetime Date 10/3/05Physical Address Hy 82Operator Loretta Sprague Daytime Telephone Number _____
☒ Commercial Facility ☐ Occupied Residence _____ Year Building was constructed
Total # of Floors 1 # of Floors Used for Child Care 1 # of Rooms 10 # of Rooms Used for Child Care 8Construction: Masonry _____ Brick _____ Frame ☒ Metal _____ Other _____

I. Building/Grounds

A. General

- ☐ 1. Install two (2) easily opened outward opening doors (minimum 32 inches wide) equipped with single action opening hardware.
- ☐ 2. Walls – ☐ clean ☐ repair ☐ paint ☐ replace
- ☐ 3. Floors – ☐ clean ☐ repair ☐ paint ☐ replace
- ☐ 4. Ceiling – ☐ clean ☐ repair ☐ paint ☐ replace
- ☒ 5. Install plug covers on all outlets.
- ☒ 6. Barriers installed as needed – ☒ kitchen ☐ stairways ☒ windows ☐ porches ☐ other _____
- ☐ 7. Handrails – ☐ steps ☐ landings ☐ toilets ☐ other _____
- ☐ 8. Heating/cooling – ☐ gas ☐ electric ☐ other _____
Note – Non-electric heat/cool systems or appliances require carbon monoxide monitors to be installed as well as smoke detectors. All gas heaters must be vented to outdoors.
- ☐ 9. Unapproved heaters must be removed.
- ☐ 10. Install adequate, proper heating and/or cooling systems.
- ☒ 11. Hang child safe thermometers at child level in every room utilized by children.
- ☐ 12. Install additional lighting. Note – All lights must be shielded.
- ☒ 13. Install telephone accessible to caregivers.
- ☒ 14. Install individual compartments or hooks for each child.
- ☐ 15. Provide diaper changing stations in all rooms housing children who are not toilet trained.
Note – Diaper changing stations must have hot and cold water and may not be used for any purpose except diapering. Number of diaper changing stations _____.
- ☐ 16. Approved – ☐ waste water ☐ water supply
- ☒ 17. Post emergency evacuation plan.
- ☒ 18. Hot and cold running water at all hand washing sinks.
- ☐ 19. Buildings constructed prior to 1977 shall be tested for lead.

B. Kitchen/Food Preparation Area

- ☒ 1. Install adequate refrigeration with thermometer provided.
- ☒ 2. Install adequate cooking appliances (stoves/microwaves/ovens).

Note – Number and type must be based on menu evaluation and number of meals to be prepared.

White Copy - Facility File Yellow Copy - Encounter File Pink Copy - Individual
Mississippi State Department of Health Revised 8-27-04

Form No. 286

B. Kitchen/Food Preparation Area (continued)

- ☐ 3. Install approved stove hood, vented to outside per fire codes.
- ☐ 4. Install separate freezer when 50+ children are served.
- ☒ 5. Install approved dishwater. _____
- ☐ 6. Install three (3) compartment sink.
- ☐ 7. Install food preparation sink.
- ☐ 8. Install mop sink.
- ☒ 9. Install handwashing sink. Note – All sinks must have hot and cold water.

C. Grounds

- ☒ 1. Install an approved play area with fence.
- ☐ 2. Remove all hazards including non-approved playground equipment.
- ☐ 3. Playground equipment must be approved before installation.
- ☐ 4. Playground evaluation must be completed before opening for business.
- ☒ 5. Safe arrival/departure areas.
- ☒ 6. Soil must be tested for lead.
- ☐ 7. Other _____

II. Furniture And Equipment**A. Furniture**

- ☒ 1. Appropriate
- ☒ 2. Child size
- ☒ 3. Adequate number

B. Furniture

- ☐ 1. Approved location of laundry equipment
- ☐ 2. Required toys available (see Section X, 10-1, Regulations Governing Licensure of Child Care Facilities)
- ☒ 3. Approved bedding – ☐ cribs ☐ cots ☐ pads

Note – 24 hour and night time care require bedding with minimum 3 inch mattresses.

III. Other

- ☒ Comply with local zoning, building and fire safety codes.

IV. Recommendations _____

Shirley Spruill
Operator/Center/Date

Cynthia Smith
Licensing Officer