Kiddie Corral Christian Learning Center

614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Lic.: 61C4PFA-5819 Director: Joanne Edmiston Child Care Facility Inspection

Child Care Facility inspection					
County CO	Date 09/2 /2	0//			
Facility Name	License Number				
Purpose Renewa T.A Cap	pacity				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A	
Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded	AND O			
Waste water system approved and functioning	Telephone on premises, available, and functioning				
Possible Monetary Penalty Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly				
1\$	Hot water at all sinks, not to exceed 120° Children barred from kitchen				
3\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices				
4	single action approved and in good working order	PO			
5\$Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers				
1. Intants. 2. M. Macon 2. 2 Jear. 5. A. Lewis	and thermometers placed properly and in good working order First aid kits stocked and easily accessil				
3. Jear 7. V. Dent 4. 3 Jear 9. D. Murphy	Playground area clean, shaded, well drained and equipped and fence in good repair				
5. A Jear 10. J. seamor Bior	Playground equipment meets standards			D	
6. 7.	Pool area clean, fenced, and adequately maintained			d	
Center Director/Individual Melisa Walla	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	emer		Stelle	

Yellow Copy - Facility Operator White Copy - Facility File Mississippi State Department of Health

12-10-08

Form No. 281

614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235 Lic.: 61C4PFA-5819

Director: Joanne Edmiston



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District	Child Care Encounter	Date 09 2 2017
	License No	
Address	Center/Organization/Individual Director	
Purpose Mileage Start	Director Mileage End	
County Co	Time Out C 2. M Total Time	
Findings/Comments JOON OF OLYPHON OF OPENANGE N	rival, the ucensing o	fficial met with
the purpose of inspection and pri	this visit is to conduction	to tenemal
Please fax 1. 8	tudent MSDH torm	121 Within 14
Green survey (Wellsog Wallace.	card provided to d	esignee,
		
riciass land II VIO penalty Repeate Jing of a mone vocation of the	olations may result in ed violations may re tany penalty, suspe e license.	n a mohetany sult in the doub- ension or re-
Molinia Wolface Center Birector/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287

614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235 Lic.: 61C4PFA-5819 Director: Joanne Edmiston



Child Care Program Review

License No. __

Facility Name _	License No Date O
Yes, No	N/A
1.	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	☐ Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	☐ Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9. 2	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	☐ Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	Personnel records (attach employee's records form) {Rule 1.6.4}
12. 🗆 🖸	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	Children records (attach children's records form) {Rule 1.6.7}
14.	Reports of serious occurences made as required {Rule 1.7.1}
15.	☐ Communicable diseases reported as required {Rule 1.7.3}
16.	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	Age appropriate program of activities posted in each room {Subchapter 9}
19.	Required toys present in infant room {Rule 1.10.1 (2)}
20.	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	Required toys present in total (100 (100)) Required toys present preschool room {Rule 1.10.1 (4)}
22.	Licensed pest control contractor {Rule 1.11.14}
23.	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
	Appropriate discipline policy followed {Subchapter 14}
' /	Appropriate transportation policy followed {Subchapter 15}
26.	☐ Infant feeding schedules posted (Appendix C, VII)
26. 🗖 🗆	infant reeding schedules posted (Appendix 6, 71)
Commonto	Recommendations Julity 40000 Ufinewall in Specifion
Comments	Recommendations Stocococococococococococococococococococ
appnd	Tha Jaw (1) NO Others the and althurnas
Jan U	May be well and the second of
Citod	OH ctodalys visit.
00140	or ways ver
	V
Pass –	n
S. 22.2	to be issued: Regular Probational Restricted
☐ Fail	
	up withindays / Peliasa Wallace & Meria Mille
ronow-t	Director Designee Child Care Representative
	1

Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator

Revised 12-19-13

Form 289

Food Service Facility Inspection Results

180	Kiddie Corral Christian Lea	arning Center
PIMS ID Facil	ity Nan 614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235	Date (0/12/2017)
CRITICAL VIOL	Lic.: 61C4PFA-5819	TION PLAN AND SCHEDULE
Observed Contical Vic	ATION Director: Joanne Edmistor	
	/-	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Please Remit within 10 days to:	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 Environmentalist Code Environmentalist Code 92013 Permit 4 \$200.00 92013 Permit 4 \$200	Certified Manager Licence Number Copy - Facility Yellow Copy - PIMS Pink Copy - Environmentalist

	_ ~~ 17.4
	Chil Kiddie Corral Christian Learning Center 614 Industrial Drive Richland, MS 39218 Chil Kiddie Corral Christian Learning Center 614 Industrial Drive Richland, MS 39218
Center Name	Ph.: 601-665-4235 Lic.: 61C4PFA-5819
YES NO N/A	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	2 entrances/exits, with one of the contract of
☑ □ □ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
	No standing water present on playground or in/on playground equipment
	(CPSC 2.4.2.2-5, pg 10) (cpsc 2.4.2.2-5, pg 10) (cpsc 2.4.2.2-5, pg 10) (cpsc 2.4.2.2-5, pg 10)
	Sidewalks provide smooth walking surface: (no day and fencing All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing All bolts on equipment & from the playground area? (Rule 1.11.9 (5), pg 47)
<u> </u>	All bolts on equipment & fence <2 threads beyond the flut; 710 days and form the playground area? (Rule 1.11.9 (5), pg 47) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
<u> </u>	Tree limbs at least 7ft. above play surfaces? Is fonce from 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
0 0 0 11	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5. 3. 6. 4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) 3. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
	4. Is age-appropriate equipment being used? If not, state
	5. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 45)
	6. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) 7. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) 8. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)
Director / /	