

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Talantechte Date 10-24-8020					
Facility Name West Talahatahle 1000 License Number 2558					
Purpose UNTUAL Renewal Capacity 210					
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved Heating/cooling approved	X			
Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning	Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning				
Possible Monetary Penalty Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to exceed 120°	XXX			
2\$ 3\$	Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				
4\$\$\$\$	working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	X			
Age/Child/Staff Name 1. 2.	and thermometers placed properly and in good working order First aid kits stocked and easily accessib	le 🗙			
3. No Children present 4.	Playground area clean, shaded, well drained and equipped and fence in good repair	X			
5.	Playground equipment meets standards	X			
6	Pool area clean, fenced, and adequately maintained				X
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	a a com	- Ma		

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District	Date 10-29-2020
Name West Ellahatchie Head S	Start License No. 2558
Address 10968 Sturd Want Box	d M/endorce anization/Individual
Purpose UN-tual Inspection	Director Sharron Herron
Mileage Start	Mileage End
County Tallahatchte	Telephone No. (462) 375-8396
Time In 11:00 AM Time Out	Total Time
Findings/Comments A UNHUCU JUNE 10-29-2020 WHK Sharvo	n Herron, Centa Director
The licensing official	received the following Homs:
Start roster Sign cachowledgment	
	1 day
Fitchen received let	tu grade H"
Playground / Building-	no antical violations.
) (1)	
Qn.	White Copy - Facility File

Center Director/Designee/Individual

Mississippi State Department of Health

Revised 6-24-09

White Copy - Facility File Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address	tolla at his Mica Sta Date
2558	9943	15 10-29-268C
	/IOLATIONS	CORRECTION PLAN AND SCHEDULE
No arch	cas urolations	
		4
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training		Certified Manager Licence Number Facility Signature Environmentalist Signature
Please Remit within 10 days	i Itis	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Och Talah	CHCh/O Lice	ense No. <u>2558</u>	Date 19-28-2020
M8	ad Start	,	
2. Proof of Accident/I insurance is in efferometric in efferometric insurance is in efferometric insurance is in efferometric insurance is in efferometric in efferometric insurance is in efferometric in efferometric insurance is in efferometric insurance is in efferometric in efferometric in efferometric insurance is in efferometric in effector in effector in effector in effector	dures (Parent's Handbook) { Liability Insurance or document ct {Rule 1.4.1 (i) & (j)} and departure procedures {Rule for staff {Rule 1.5.2 & Rule for children and staff {Rule 1 for children and staff {Rule 1 for children and staff {Rule 1 for disaster drills {Rule 1.6.6} for Children and Staff {R for Children and Staff {R fords for Children's records form for occurences made as required for statach children's records form for occurences made as required for staff {R for And First Ai for and First Ai for and First Ai for and for the form for the form for activities posted in e for an in toddler room {Rule 1.10 for an intended for an form for activities for a required, for an intended for a required	1.4.1 (2)} 1.6.4 (1) (f)} .6.3 (1)} date of birth) {Rule 1.6.3 (2} e of hire) {Rule 1.6.3 (3)} 3 (5)} or 90 days {Rule 1.6.3 (6)} ule 1.6.3 (8)} em) {Rule 1.6.4} d {Rule 1.7.1} Rule 1.7.3} nts and toddlers {Rule 1.8.1 ach room {Subchapter 9} 1 (2)} 1.1 (3)} 2.1 (4)} signed by veterinarian) {Rule 1.4} upter 14} ubchapter 15}	(4) & (5)}
Pass — License to be issued: Regular Fail Follow-up within days	☐ Probational ☐ Restricte ☐ Director ☐ Designee		Care Representative

Center Name	964 Sturdivant Road Glendora MS 38928
YES NO N/A	License # 2558 TALLAHATCHIE Inspection Date 1029-2020
,	Director : Sharon Herron
	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
6 , 0 0 3,	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
A 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
6 0 0 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
\mathcal{A} \square \square 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
3 0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
A 0 0 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
J - 9.	Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
4 0011.	If swings are present, are S-hooks in good repair? If not, state deficiency
Ø □ □ 12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency
3 0 0 13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
1 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
	is playground area clean & free of hazards? If not, state deficiency,
Image: color of the color o	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
A , 0 0 17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)
Director	Licensing Official holma Shooper