



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Smith Date 2/11/2021
 Facility Name First Baptist Preschool License Number 65CDRFMA-2692
 Purpose Mid-Year Capacity 91

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

	In	Out	COS	N/A
Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

	In	Out	COS	N/A
Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>3</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Connie Smith Child Care Representative L. Everett



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 6Date 2/11/2021Name First Baptist Preschool License No. 65CDRFMA-2692Address 154 Main Street Raleigh, MS
Center/Organization/IndividualPurpose Mid-Year Director Connie Smith

Mileage Start _____ Mileage End _____

County Smith Telephone No. 601 382 6890

Time In _____ Time Out _____ Total Time _____

Findings/Comments

The licensing official came to conduct a Mid-Year Inspection. The licensing official was greeted by Connie Smith, Director.

During records review (2) two children were found with no 121 form. Children with no 121 form may not return until valid 121 on file at facility.

Please submit 121 forms for (2) two children to licensing official.

Due to inclement weather a playground inspection was not conducted.

A follow up will be conducted in 14 days

Connie Smith
Center Director/Designee/Individual

L. Everett
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 65CDRFMA- 2692	Facility Name, Address First Baptist Preschool 154 Main St Raleigh, MS	Date 2/11/2021
------------------------------	--	-------------------

CRITICAL VIOLATIONS

No violations observed
during this inspection

CORRECTION PLAN AND SCHEDULE

A
///

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Linda Coleman 15780715
Certified Manager Licence Number

Expires 11/17/2022

Facility Signature

Connie Smith

Environmental Signature

L. Everett

White Copy - Facility

Yellow Copy - PIMS

Pink Copy- Environmentalist

Center Name First Baptist Preschool Inspection Date 2/11/2021

YES NO N/A

- | | | | | |
|--------------------------|--------------------------|--------------------------|----|--|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1 | Playground fence less than 3 1/2" from surface (Rule 1119 (8) pg 48) In good repair with no gaps? (Rule 1119 (8) pg 48) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2 | 2 entrances/exits, with one being remote from the building? (Rule 1119 (8) pg 48) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3 | Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 8) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4 | AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (5) pg 47) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5 | No standing water present on playground or in/on playground equipment or walkways? (CPSC 242 2-5, pg 10) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6 | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102 (2) pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7 | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36, pg 15) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8 | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5) pg 47) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9 | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 34, 35, pg 15) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10 | Are use zones adequate? If not, where are they inadequate? (CPSC 539 pg 40) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11 | If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 32 pg 13) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12 | If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 536 4-5 pgs 34-35) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13 | Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14 | Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1102, pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15 | Is playground area clean & free of hazards? If not, state deficiency
(Rule 1111 (1) pg 49) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16 | Is adequate shade present on the playground? (CPSC 211 pg 5) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17 | Are concrete footings located at least 6" beneath the surface? (Rule 1102 (2) pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18 | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 255) |

Director Commie Smith Licensing Official L. Everett

Due to inclement weather playground was not inspected