



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Facility Inspection Report

TODDLER TOWN INC.

License #: 6152

Director: CHARLENE STEED

Inspection Date: 08/23/2023

Annual/Mid Inspection

Inspector: Teresa Liggins

---

### Program Administration Violations Cited

No violations cited.

### Kitchen Violations Cited

No violations cited.

#### Plan of Correction

1. **POC:** The facility's Food Manager (Brenda Shorter) is no longer employed with the day care. The facility must submit a new Food Manager Certification within (30) days of today's date.

**Person Responsible:** Charlene Steed - Owner/Director **Date for Completion:** Within 30 Days Of Today's Date Which Will Be 09/23/2023

### Nutritional Guidelines Violations Cited

No violations cited.

### Playground Violations Cited

No violations cited.

#### Plan of Correction

1. **POC:** The licensing official observed grass growing in the surfacing on the playground area. Overgrowth of grass in surfacing should be removed.

**Person Responsible:** Charlene Steed - Owner/Director **Date for Completion:** Before The Next Facility Visit

## Infant Classroom Violations Cited

Infant Classroom - 9 Month Olds - Latoyia Cosie - Classroom Number: 1

No violations cited.

Infant Classroom - Classroom Number: 1

Infant Classroom - 2 Month Olds - Tammy Wright, Samantha Lofton - Classroom Number: 2

No violations cited.

Infant Classroom - Classroom Number: 2

## Toddler Classroom Violations Cited

Toddler Classroom - 1 Year Olds - Monica Washington - Classroom Number: 3

No violations cited.

Toddler Classroom - Classroom Number: 3

## Twos Classroom Violations Cited

Twos Classroom - 2 Year Olds - Tonya Fry - Classroom Number: 4

No violations cited.

Twos Classroom - Classroom Number: 4

Twos Classroom - 2 Year Olds - Rebecca Jinks - Classroom Number: 5

No violations cited.

Twos Classroom - Classroom Number: 5

## Preschool Classroom Violations Cited

Preschool Classroom - 3 Year Olds - Esther Eigenbroad, Julie Boykin - Classroom Number: 6

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 6

1. **POC:** The licensing official observed there was no classroom thermometer present on the wall. A classroom wall thermometer should be placed on the interior wall of each classroom utilized by children.  
**Person Responsible:** Charlene Steed - Owner/Director    **Date for Completion:** Before the Next Facility Visit

## Legend

- COS: Corrected on Site
- POC: Plan of Correction

**Child Care Director Signature**

Sammy Wright

**MSDH Licensure Representative Signature**

Jessie Leggin