

Wesson Baptist KinderKare
2083 Hwy 51
Wesson, MS 39191
(601)643-2603 Lic# 1292
Capacity 79



Facility Inspection

County Copiah Date 1.9.2020
Facility Name _____ License Number _____
Purpose Renewal Capacity _____

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	4/5 yrs old (4)
2.	3yrs old (10)
3.	3yrs old (7)
4.	2yrs old (4)
5.	2yrs old (6)
6.	
7.	

Other Items - Must be corrected	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Sharon King

Child Care Representative Sharon King



MISSISSIPPI STATE DEPARTMENT OF HEALTH

District 5 Wesson Baptist KinderKare **inter** Date 1.9.2020
 2083 Hwy 51
 Wesson, MS 39191
 (601)643-2603 Lic# 1292
 Capacity 79
 Name _____
 Address _____
 Center/Organization/Individual _____
 Purpose Renewal Director Sharon King
 Mileage Start _____ Mileage End _____
 County Coprah Telephone No. _____
 Time In 10:30 Time Out 12:15 Total Time _____

Findings/Comments Arrived at the facility met w/ director
acknowledge reason for today's visit was to conduct Renewal.
After a tour of the facility, no critical violations observed
during this inspection.

Green survey card was provided.

Need documents:

1. 2 week menu cycle on form 441
2. Fire Safety form 333
3. Contact hrs for staff

Great Job!! Happy New Year :)

"Class I and II violations may
 result in a monetary penalty.
 Repeated violations may result in
 the doubling of a monetary penalty,
 suspension, or revocation of the license."

Sharon King
 Center Director/Designee/Individual

[Signature]
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Wesson Baptist KinderKare
2083 Hwy 51
Wesson, MS 39191
(601)643-2603 Lic# 1292
Capacity 79



Program Review

License No. _____ Date 1.9.2020

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4}
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. Children records (<i>attach children's records form</i>) {Rule 1.6.7}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. Reports of serious occurrences made as required {Rule 1.7.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. Communicable diseases reported as required {Rule 1.7.3}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. Appropriate discipline policy followed {Subchapter 14}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. Appropriate transportation policy followed {Subchapter 15}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Infant feeding schedules posted (<i>Appendix C, VII</i>)

Comments/Recommendations _____

Reminders
Please send to LO before license expire:
Fire Safety Form
2 or 4 weeks menus
Contact hours for staff
**License will be made available when all document(s)
have been submitted and all violation(s) corrected.

☒ Pass -
License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☒ Fail
☐ Follow-up within _____ days

Sharon King
☒ Director ☐ Designee

[Signature]
Child Care Representative

Food Service Facility Inspection Results

Wesson Baptist KinderKare
2083 Hwy 51
Wesson, MS 39191
(601)643-2603 Lic# 1292
Capacity 79

Date

1.9.2020

CORRECTION PLAN AND SCHEDULE

No Critical violations
during inspection

A

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Brandi Heard
Certified Manager

TS exp 8.1.2023
Licence Number

Facility Signature

Environmental Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist

Wesson Baptist KinderKare
2083 Hwy 51
Wesson, MS 39191
(601)643-2603 Lic# 1292
Capacity 79

Assure Playground Checklist

Inspection Date 1.9.2020

YES NO N/A

- | | | | | |
|-------------------------------------|--------------------------|--------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg13) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 49) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director

Sharon King

Licensing Official

[Signature]