St. Peter Daycare & Christian School

1580 W. Ridgeway St. Jackson, MS 39213 License #: 25CDRF-1181

601-366-3713



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Hinds	Date 3.25 2019			
Facility Name	License Number			
0	Capacity_43			
Tulposo_vee v	Other Items - Must be corrected	In Out	cos	N/A
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities			
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved	and functioning			
and functioning Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
1. Rule 1.13.6(2) Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet			
2. \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4\$	working order			
5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers		, 🗆	
1. Infant-lyrolds 17/ Caregivers [+2	and thermometers placed properly and in good working order		× 🗀	
2. 2xv olds/8/ caregiver 3	First aid kits stocked and easily accessible			
3. 3 yr olds/8/ Caregiver 4 4. 4 yr olds/7/caregiver 5	Playground area clean, shaded, well drained and equipped and fence in good repair	d 0		
5.	Playground equipment meets standards			
6	Pool area clean, fenced, and adequately maintained			102
Center Director/Individual 1 Juna 1990	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	to a	Voc	Je -

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281

St. Peter Daycare & Christian School 1580 W. Ridgeway St. Jackson, MS 39213 License #: 25CDRF-1181 601-366-3713



Page	of

Child Care Encounter

District_5	Date 3.25.30[9
Name	License No
AddressPurpose_Ren	Center/Organization/Individual Director Mima Morris-Designee
Mileage Start	Mileage End Telephone No
Time In 9:0	
	nents Upon arrival to met W/ Ms. Morris, designee.
The purp	provide TA.
that sh	urrently does not have a director in place. Morris Stated without she was completed but noticed that she had mornis stated as more fests under that Morris stated that she had mornis stated that she has someone qualified as or tracy and will officially start work tonimorrow. Stated that she will send up a Copy of her information fax email as soon as possible.
Pule 1.13 They h Cass. U Complete Of LOO'	-6 (2) Facility has no Food Manager Morris Stated that ove a cook that is envolled in the tummy safe of gave Facility 4s Days to take the modules and e he test to tummysafe. Morns will send documentation k being envolled in class.
Appendix date. U	C: Bottles were not labeled W/ Child's norme nor o gave to on the importance of labeling Child's
Rule 1.7 Aid -No Mona	Haulity Staff in the Whant and Lyrold room H Varve duly written reports Started, Facility normally Mile Copy - Facility File Designee/Individual Child Care Representative White Copy - Facility File Yellow Copy - Operator

St. Peter Daycare & Christian School

1580 W. Ridgeway St. Jackson, MS 39213 License #: 25CDRF-1181

601-366-3713



Date 3.25.2019

Child Care Encounter (Continuation)

Facility Name	License No	
has an app that	then uses "Hi Momm	a". The app is current
down to Explained	to Morris that son	mething rileds to
be put into place	when they are	howing difficulties
W The app. Moms	priviled out some	negorts tor teachers
to fill out . KISD GV	vail hotes must be	avalible for LO
to see When inspec	tion is done.	
	8	
Rule 1.63 (5) Facility	has not been keepin	or a record of
monthly fire drills. I	acility must have a	Monthly firedul
according to regula	tions.	J
	2	
Kule 1.6.3(8) Pacility	has 3 expired Form	n 1213 for students
Morris has 10 days	to get Form #1215	supported to three
LO. I Staff Missing to	rm + 121, Staff May not	return until it's mfile
See Vo	3	
Kule 1.11.1(9) Facility	has some light by	ulbs blown Throughou
the taulity Rubs	must be Changed of re lo once completes	ut and documention
Trinst be suit to the	re completed	1
table line and in	at lair that deal de	100 D. 2 2 - 10 H
facility has one no	ew mre that doesn't	have a copy of their
TBI FEHEY on tipe.	Lo called the Firgure	rivet alpeorement
Wa Vernied Start C	05. It is valid with	The year of 2020.
10 asked Moms to a	get a copy and put a	m file?
Diamonounda Hinden Cons	thicken at the time of	Tradeville Di
mo the cide all t	truction at this time. S until Surfacing is but	- On Plan Structure.
14 Sugartra to 10	1 2 11	
brought out and	t Children play inside	1
Signistand to let	children know not to	Play on Play
Structure.	THUNK TO TE	
of herrio.		_ "Class I and II violations may result in a monetary penalty. Repeated violations
Frem Survey was left	W/ Mima Morris.	may result in the doubling of a monetary
Una CIAA	~ ~ ~ /	 penalty, suspension, or revocation of the license"
1 Juma 7 / Torris	Comesnicola	incerise
Center Director/Designee/Individual	Child Care Representative	

1580 W. Ridgeway St. Jackson, MS 39213 License #: 25CDRF-1181

601-366-3713



Child Care Program Review

		2 45 2016
Facility Nam	ie	License No Date 3.15.2019
Yes, N	o N/A	
1. 1		Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2. 🔽 🗆	ם נ	Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	_	insurance is in effect {Rule 1.4.1 (i) & (j)}
3.		Approved arrival and departure procedures {Rule 1.4.1 (2)}
4. 🗹		Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5. 12		Attendance records for children and staff {Rule 1.6.3 (1)}
6.		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
		, Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
	ו פּל	
		Immunization Records for Children and Staff (Rule 1.6.3 (8))
		Personnel records (attach employee's records form) {Rule 1.6.4} Needs at 1000
12.		Immunization Records for Children and Staff (Rule 1.6.3 (8)) 3 children explicitly 1947 Med Personnel records (attach employee's records form) (Rule 1.6.4) Needs a copy of Fol better Volunteer records (Rule 1.6.5 & Rule 1.6.6)
1		Children records (attach children's records form) {Rule 1.6.7}
		- NEWS NEWS - NEWS NEWS NEWS NEWS NEWS NEWS NEWS NEWS
		Communicable diseases reported as required {Rule 1.7.3}
		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Was provided
	3 0	Staff present who hold valid CPR and First Aid Certification (Rule 1.8.1 (4) & (5))
18.		Age appropriate program of activities posted in each room {Subchapter 9}
19.		Required toys present in infant room {Rule 1.10.1 (2)}
20.		Required toys present in toddler room {Rule 1.10.1 (3)}
21.		Required toys present preschool room {Rule 1.10.1 (4)}
22.		Licensed pest control contractor {Rule 1.11.14} Submit proof
23.		Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.		Appropriate discipline policy followed {Subchapter 14}
		Appropriate transportation policy followed (Subchapter 15)
26. 🖫 🗆		Infant feeding schedules posted (Appendix C, VII)
Commen	ts/Rec	ommendations Passed pending receipt of these items. Fire
1		(2)
	•	nus (2 or more weeks) Zoning letter, comprete online
		pay fee on or before April 30, 2019, and
remai	ninoy	Contact nows.
	,	
	4000	010(10
1 1/2	LIEN	DING

License to be issued:

D Regular □ Probational □ Restricted

Food Service Facility Inspection Results

St. Peter Daycare & Christian School 1580 W. Ridgeway St. Date Jackson, MS 39213 3.25.2019 License #: 25CDRF-1181 601-366-3713 CORRECTION PLAN AND SCHEDULE CRITICAL VIOLATIONS #2 Manager Certificate

(Facility has 45 Days to Mas been Signed up to take

get a current food manager the modules for turnysale.

on site) No Food Manager Licence Number 92010 Permit No Charge Certified Manager 92020 Scheduled \$30.00 92015 Permit 1 ☐ 92030 Followup \$100.00 92011 Permit 2 ☐ 92040 Complaint ☐ 92012 Permit 3 \$150.00 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training Environmentalist Signature Environmentalist Code Permit Date 3.25.2019 White Copy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

601-366-3713

Care Licensure Playground Checklist

,	Inspection Date 3.25.20[9
Center Name	95
YES NO N/A	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
	no gaps? (Rule 1.11.9 (8), pg 60) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) Note that the process of getting the getting the process of getting the getting the process of getting the process of getting the gettin
	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) No standing water present on playground or in/on playground equipment or walkways? No standing water present on playground or in/on playground equipment or walkways?
☑ □ □ 5.	No standing water present on playground of 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
	Toys & equipment in good 194. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
□ □ 7.	a development the nut? Are all botts and renorms
<u>r</u> □ □ 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
M	Tree limbs at least 7ft. above play surfaces? Is remove now
	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
	S.C.B. anart? (4STM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
	Are spring rockers a minimum of 6 ft. apart? (ADTIA > 4.0 Ft. apart? (ADTIA >
	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) (Rule 1.11.11 (1), pg 61)
☑ □ □ 16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
	Are concrete footings located at least 0 bottom CPSC 3.6, pg 16-17)
	- 2.5.5, pg 15)
Director	Man Jordan Licensing Official (1980)