



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IVDate 6/23/21

Name	<u>Clay County Head Start Center</u>	License No.	<u>13CFTH-2651</u>
Address	<u>287 W. Half Mile Street, West Point, MS 39773</u>		
	Center/Organization/Individual		
Purpose	<u>Technical Assistance</u>	Director	<u>Theresa Clayton</u>
Mileage Start	<u>2</u>	Mileage End	<u>46</u>
County	<u>Clay</u>	Telephone No.	<u>(662) 444-4985</u>
Time In	<u>12:45</u>	Time Out	
		Total Time	

Findings/Comments Here to conduct technical assistance regarding measurements for designated early head start classrooms.

Floorplan re-labeled to reflect change of classroom assignment.
Maximum capacity will be 233 children. See Form 28 pg 1-2.

EHS Classroom # 6, max. capacity is 18 children. Verified
diapering hand sink in physical classroom - operational.

Re-count of available handwashing sinks/Toilets.

New license will be issued for New capacity 233.

Child Care Questionnaire was provided to Mrs. T. Clayton ^{Caine} at the exit conference.

Theresa Caine
 Center Director/Designee/Individual

Paula Zierath
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator