



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Jackson Date Sep 8, 17

Facility Name St. John's Preschool License Number 1662

Purpose mid-year Capacity 50

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☐	☐	☐	☒

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☐	☐	☐	☒

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☐	☐	☐	☒
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number _____)	☐	☐	☐	☒

Center Director/Individual J. MartinChild Care Representative Anna L. Walker



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9Date Sept. 8, 17

Name <u>St. John's Preschool</u>	License No. <u>1662</u>
Address <u>611 Rayburn Ave. Ocean</u>	
Center/Organization/Individual	
Purpose <u>mid-year</u>	Director <u>Jean Matteson</u>
Mileage Start _____	Mileage End _____
County <u>Jackson</u>	Telephone No. <u>228-872-3343</u>
Time In <u>8:55</u>	Time Out <u>9:42</u>
Total Time _____	

Findings/Comments

Children's 121's in complianceStaff 121's and 205's in compliancePlayground - no violations observedBuilding - no violations observedA survey was provided

Jean Matteson
Center Director/Designee/Individual

Anna L. Walter
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator