



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 5 T&G SCHOLAR LEARNING ACADEMY  
 4450 RAYMOND RD Jackson, MS 39212  
 Name \_\_\_\_\_ Ph. 769-208-8147 License No. \_\_\_\_\_  
 or 601-807-4091 Lic: Pending  
 Address \_\_\_\_\_ Att: CHARLA DIXON  
 Purpose Possible Final / TA Center/Organization/Individual \_\_\_\_\_  
 Director \_\_\_\_\_  
 Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_  
 County Hinds Telephone No. \_\_\_\_\_  
 Time In 7:30 a.m. Time Out 8:30 a.m. Total Time \_\_\_\_\_

## Findings/Comments

The licensing official(s) met with the owner Gayle Miles and Tyeshia Miles

The purpose of the visit is to conduct a possible final and to provide technical assistance.

All corrections made on the following:

- Floor repaired in the kitchen
- Child safe thermometers at the child level in every room utilized by children.
- Adequate lighting
- Replaced glass light fixtures with plex-glass
- Replaced regular bulbs with shatter proof bulbs
- Thermometer place in infant's Classroom refrigerator
- Playground
- measure playground
- Ant bed x 2
- overgrowth in surfacing
- bolts cat back "2"

Tyeshia Miles  
 Center Director/Designee/Individual

A. Ellis / B. Jones  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator



T&G SCHOLAR LEARNING ACADEMY  
4450 RAYMOND RD Jackson, MS 39212  
Ph. 769-208-8147  
or 601-807-4091 Lic: Pending  
Att: CHARLA DIXON



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 5/8/18

Facility Name

License No.

Information needed for (owner Tyeshia Miles)

- 3 required state training certificates
- FB I letter Received on 5/7/18 - A.E.
- Facility will cater their food.
- Need copy of catering contact and Letter Grade
- Forms sign off:
- Licensing official will approve application and provide owner with the approval code to pay for initial license.
- \* Before license number can be issued the following is needed:
  - Need copy of catering contact & Letter Grade from the environmentalist. 5/8/18 A.E.
- \* Please take pictures of thermometer once place up and send to the licensing official. 5/8/18 A.E.
- \* Bolts cut back "2" threads

Green Survey card, Complaint Card, and licensing Official business card was left with the owner Gayle Miles Tyeshia Miles.

Class I II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of license.

*Tyeshia Miles*  
Center Director/Designee/Individual

*A. Eason / O'Hames*  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

3085

# Child Care Licensure Playground Checklist

T&G SCHOLAR LEARNING ACADEMY  
4450 RAYMOND RD Jackson, MS 39212  
Ph. 769-208-8147  
or 601-807-4091 Lic: Pending

Inspection Date 5/8/18

Center Name \_\_\_\_\_

YES NO N/A  
☒ ☐ ☐

Att: CHARLA DIXON  
1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)

☒ ☐ ☐

2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)

☒ ☐ ☐

3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)

Overgrowth in Surfacing

☒ ☐ ☐

4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)

☒ ☐ ☐

5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)

☒ ☐ ☐

6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)

☒ ☐ ☐

7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)

☐ ☒ ☐

8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)

☒ ☐ ☐

9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)

☒ ☐ ☐

10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)

☒ ☐ ☐

11. If swings are present, are S-hooks in good repair? If not, state deficiency  
(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)

☒ ☐ ☐

12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  
(CPSC 5.3.6.4-5 pgs 34-35)

☐ ☐ ☒

13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)

☒ ☐ ☐

14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate  
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)

☐ ☒ ☐

15. Is playground area clean & free of hazards? If not, state deficiency.  
Ant bed x2 (Rule 1.11.11 (1), pg 61)

☒ ☐ ☐

16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)

☒ ☐ ☐

17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)

☒ ☐ ☐

18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director J. Eshie Miles

Licensing Official A. Ellis / [Signature]