



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Washington</u>	Date <u>10/16/2019</u>
Facility Name <u>First Presbyterian Preschool</u>	License Number <u>76CDRF-0565</u>
Purpose <u>Renewal Inspection/TA</u>	Capacity <u>90</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	infants / 6 / caregiver #1, #2
2.	6-12 mon. / 8 / caregiver #3, #4
3.	18-24 mon. / 7 / caregiver #5
4.	1 yr. olds / 5 / caregiver #6
5.	3yr.-4yr. / 6 / caregiver #7, #8
6.	2yr. olds / 8 / caregiver #9, #10
7.	2yr.-3yr. olds / 14 / caregiver #11, #12

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair. NOT IN GOOD REPAIR	☐	☒	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number <u>04</u>)	☒	☐	☐	☐

Center Director/Individual

Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIIDate 10/16/19

Name <u>First Presbyterian Pre-school</u>	License No. <u>76CDRF-0565</u>
Address <u>1 John Calvin Circle, Greenville, MS 38701</u>	
Center/Organization/Individual	
Purpose <u>Renewal Inspection/TA</u>	Director <u>Christina Smith</u>
Mileage Start <u> </u>	Mileage End <u> </u>
County <u>Washington</u>	Telephone No. <u>662-332-1214</u>
Time In <u>9:19 a.m.</u>	Time Out <u>11:32 a.m.</u>
Total Time <u> </u>	

Findings/Comments The licensing official met with designee Carolyn Williams.The purpose for this visit was for a renewal inspection/TA visit.There were no deficiencies on today's visit.A green child care survey card was left with Carolyn Williams.Items received: current staff roster, current student roster, current CPR + First Aid Cards, director's qualificationsItems needed: current fire inspection form, current two week cycle menuClass I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.For future questions or concerns, please contact:

Teresa Higgins
Child Care Licensee
662-332-8177 office
662-378-2621 fax

Carolyn Williams
 Center Director/Designee/Individual

Teresa Higgins
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 0565	Facility Name, Address First Presbyterian Preschool John Calvin Circle, Greenville, MS	Date 10/16/19
-----------------	--	------------------

CRITICAL VIOLATIONS

-observed no violations

CORRECTION PLAN AND SCHEDULE

Facility received a grade of "A".

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☒ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code TL3
Please Remit within 10 days to:	

Mary Brazan
Certified Manager

Serv. Safe
Licence Number
Exp. 10/23/2019

Facility Signature <i>Mary Brazan</i>
Environmental Signature <i>Teresa Higgins</i>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name First Presbyterian Pre-school License No. 0565 Date 10/16/19

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1. | ☒ | ☐ | ☐ | Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1} |
| 2. | ☒ | ☐ | ☐ | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | ☒ | ☐ | ☐ | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | ☒ | ☐ | ☐ | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | ☒ | ☐ | ☐ | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | ☒ | ☐ | ☐ | Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)} |
| 7. | ☒ | ☐ | ☐ | Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)} |
| 8. | ☒ | ☐ | ☐ | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | ☒ | ☐ | ☐ | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | ☒ | ☐ | ☐ | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | ☒ | ☐ | ☐ | Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4} |
| 12. | ☐ | ☐ | ☒ | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | ☒ | ☐ | ☐ | Children records (<i>attach children's records form</i>) {Rule 1.6.7} |
| 14. | ☒ | ☐ | ☐ | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | ☒ | ☐ | ☐ | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | ☒ | ☐ | ☐ | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | ☒ | ☐ | ☐ | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | ☒ | ☐ | ☐ | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | ☒ | ☐ | ☐ | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | ☒ | ☐ | ☐ | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | ☒ | ☐ | ☐ | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | ☒ | ☐ | ☐ | Licensed pest control contractor {Rule 1.11.14} |
| 23. | ☐ | ☐ | ☒ | Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6} |
| 24. | ☒ | ☐ | ☐ | Appropriate discipline policy followed {Subchapter 14} |
| 25. | ☐ | ☐ | ☒ | Appropriate transportation policy followed {Subchapter 15} (<i>DOES NOT TRANSPORT</i>) |
| 26. | ☒ | ☐ | ☐ | Infant feeding schedules posted (<i>Appendix C, VII</i>) |

Comments/Recommendations Please renew license application and pay license fee online @ www.healthymississippi.com before 11/30/2019. Please submit current fire inspection form and two week cycle menus to the licensing official before 11/30/2019.

- ☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☒ Director

☐ Designee

☒ Child Care Representative

Child Care Licensure Playground Checklist

Center Name First Presbyterian Pre-school Inspection Date 10/16/19

YES NO N/A

- ☐ ☒ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) Observed playground fence broken on playground. Playground fence should be repaired before children utilize area.
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☐ ☒ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) Observed 6-9 inches of surfacing needed underneath the green slide and also underneath the yellow slide on playground area.
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☒ ☐ ☐ 11. If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate

(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☐ ☒ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
See #1 #3, Observed grass/weeds growing in surfacing on the play area around the green slide. Grass + Weeds should be removed.
(Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director Carol Wilcox Licensing Official Jenny Liggins