

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

Purpose Pl Capacity Purpose Pl Capacity All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning Food service approved Possible Monetary Penalty 1 Like S. Sheff ratio and Sinks are S. S	County Lee Date 12-15-20					
Purpose	License Number 448	5				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning Food service approved Possible Monetary Penalty License Complaint Age/Child/Staff Name Totals Children Require monoxis Age/Child/Staff Name Totals Totals Age/Child/Staff Name Totals Age/Children Playgro Grained repair Playgro Grained repair Playgro Pool are maintain Diaper on Play on Play on Buildin Buildin Walls. Colean an Buildin Walls. Colean an	129					
Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning Food service approved Possible Monetary Penalty 1. Lick 1. S. S. S. Monetary Penalty 2. S. Monetary Penalty 3. S.	r Items - Must be corrected en's belongings separated/stored ation plans posted s posted and served f activities	In Out	COS	N/A		
Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning Food service approved Possible Monetary Penalty 1 Link 1.8. Shaff refic and 8 Sinks are Hot water vending and single and single and working 4. Shaff refice and 8 Age/Child/Staff Name Thents, 7 Caregiver 1-3 Age/Child/Staff Name Thents, 7 Caregiver 1-3 First aid 1 July Caregiver 4 Playgro drained repair Playgro Children Age/Child/Staff Name Thents, 7 Caregiver 7 Playgro Thents, 7 Caregiver 7 Playgro Pool are maintain Diaper on number	ing and Grounds ceilings, floors, toys, equipment and in good repair ng approved ng/cooling approved					
Possible Monetary Penalty Luk S Staff ratio and single and working	ation adequate approved and shielded none on premises, available, nctioning					
Children Sasan Children Vending nutrition Exits, do single a working Exits un Require monoxia and ther in good First aid Playgro drained repair Playgro Playgro Playgro Children Playgro Pool are maintain Diaper of number	appliances located properly and toilets working properly atter at all sinks, not to					
Exits un Require monoxidand there in good Infents, 7, Caregiver 1-3 I [Caregiver 4] So, 15, Caregiver 9] So, 12, Caregiver 7 Playgrodrained repair	ren barred from kitchen ng machine snacks meet onal guidelines, if present doors and fastening devices action approved and in good					
in good Thents, 7, Caregiver 1-3 I Caregiver 4 I Caregiver 5 Substitute of the content o	ng order unobstructed red smoke detectors, carbon kide monitors, fire extinguishers ermometers placed properly and					
Playgro drained repair 9. 15, Caresiver 5 9. 15, Caresiver 9 15. 12, Caresiver 7 16. 12, Caresiver 7 Playgro drained repair Playgro repair	d working order					
Playgro W 6 Children Pool are maintain Diaper of number	aid kits stocked and easily accessible round area clean, shaded, well d and equipped and fence in good					
7. Diaper on number	round equipment meets standards					
Diaper of number	area clean, fenced, and adequately ained			Z		
Center Director/Individual Child White Copy - Facility File Yellow Copy - Facility Operator	r changing stations adequate in er and each fully supplied per) Id Care Representative	P Z) Di		

Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter Date 12-15-20
District 1
Name Kids World License No. 4495
Address 1403 W. Jackson St. Tuple MS Center/Organization/Individual
Purpose_PR Director_Melissa Bell
Mileage Start Mileage End
County U1 Telephone No. 662-350-3977
Time In 12:00 Time Out 2:15 Total Time
Findings/Comments Here to Conduct a program renewal inspection. [IDON arrival LO Met with the director, Melissa Bell. [Prication and fee must be Submitted by Jan. 31, 2070 Online at www. healthyms.com. Fire form, Menus, and Contact hours Can be Seet to Kimberly Clark & misch. ms. 50 V.
Please Submit a copy of each carned Certificate along with a Copy of Staff roster to the email address isted above.
Playground in Compliance Kitchen recid an A: No Critical Violations Staff and Children Files in Compliance.
Subchapter & Staffing Deticiency: Pute 1.8.1 (1) The Staff-to-Child ratio Shall be maintained at all times to include when children are arriving and departing the facility. Findings, Based on observations made white touring the facility Facility failed to Maintain Staff-to-Child ratio. There were eleven Children ages lyrolds in RM 3 with one Corrections This left the Glaffete Child ratio over by 8000
Caregiver. This left the Bleeff-to-Child ratio over by & copp Children.
POC: The Lo met with the director to correct deficiency. Correct 8 West into Rm 3 at 12:17 pm
White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/Individual Child Care Representative

Revised 6-24-09

Mississippi State Department of Health



Child Care Encounter (Continuation)

Date 12-15-20

Facility Name Kids World	icense No. 6485
Facility Name Kids World The following deficiency St 3 is now in Compliance To reoccurrence the facility will Co in extra floaters to ensure maintained at all times.	or Call Compliants 13 being
T.A. was provided on Appendix Gachild. Co Observed facility 3 Spray bottles Water, Bleach a will place in Each room that diapers to assure their Complete Freien Appendix Gach room that assuring the important of the important o	Missing adequate Supplies:
T.A. Was also provided on Re Child Care facility's are required notebook of current MSDH 121's Staff. Lo Observed two 121 Form. Facility Will Subr Dr.c. 29th x X	to Mantain an adequate
T.A. also provided on hy 1.11. I he replaced through facility. Please of madh.ms.sou by Dec. 29th, XX	(8) Ceiling tiles need to Send pictures to Kimberly, Clerka
Facility will Confact Lo for	updated Change to Floorplan
Lepenty Colations May result in the Suspension or few colons of the Men Center Director Designeex Individual Child Core Representative	or Vocalt in a monetary Penalty. I doublis of a monetary Penalty, White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Kido	Marid	Care	Program	Review		17-15-70
Facility Name MUS	VVORIQ		License No	4900	Date _	12-13 20

Yes No N/A 1. Policies and procedures (Parent's Handbook) {Rule 1.4.1} 2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (2)} 3. Approved arrival and departure procedures {Rule 1.6.4 (1) (ft)} 5. Description of Suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (ft)} 6. Description of Suitability for staff {Rule 1.5.2 & Rule 1.6.3 (1)} 7. Description of Current staff roster (includes due of birth (Rule 1.6.3 (2))} 8. Description of Current staff roster (includes due of birth) (Rule 1.6.3 (3))} 9. Description of Fire/disaster drills {Rule 1.6.3 (5)} 9. Description of Fire/disaster drills {Rule 1.6.3 (5)} 9. Description of Fire/disaster drills {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} 11. Description of Rule 1.6.4 12. Description of Suitability for Sule 1.6.5 13. Description of Sulfarent control (Rule 1.6.7) 14. Description of Sulfarent control (Rule 1.6.7) 15. Description of Sulfarent control (Rule 1.7.3) 16. Description of Sulfarent control (Rule 1.7.4) 17. Description of Sulfarent control (Rule 1.7.4) 18. Description of Sulfarent control (Rule 1.7.4) 19. Required toys present in infair room (Rule 1.10.1 (2)) 19. Required toys present in toddler room (Rule 1.10.1 (2)) 20. Required toys present in toddler room (Rule 1.10.1 (3)) 10. Required toys present in toddler room (Rule 1.10.1 (3)) 11. Description of Sulfarent Reports of Subchapter 15 11. Description of Sulfarent Reports of Subchapter 15 11. Description of Subchapter 15 11. Descr
Pass — License to be issued: Regular Designee Pass — License to be issued: Regular Designee Probational Designee Anild Care Representative

Mississippi State Department of Health White Copy - Facility File

Revised 12-19-13

Form 289

Food Service Facility Inspection Results

PIMS ID Facility Name, Address Kids	
1403 W. Jackson	St. Tuplo, MS 12-15-20
CRITICAL VIOLATIONS	CORRECTION PLAN AND SCHEDULE
-NO Critical Violations	
on today's visit.	*
11/11	
Pass	
□ 92020 Scheduled □ 92010 Permit No Charge □ 92030 Followup □ 92015 Permit 1 \$30.00 □ 92040 Complaint □ 92011 Permit 2 \$100.00 □ 92050 Consultation □ 92012 Permit 3 \$150.00 □ 92070 Plan Review/Const. □ 92013 Permit 4 \$200.00 □ 92080 No Inspection	M. Huckaby 485 Certified Manager Licence Number **Tummy Safee
☐ 92090 Restaurant Training Permit Date Environmentalist Code	Environmentalist Signature
Please Remit within 10 days to:	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Nam	ne \	Kids	World Inspection Date	2-15-20
VIEC NO N	7/4			
YES NO N	/A	W	layground fence less than $3\frac{1}{2}$ " from surface. (Rule 1.11.9 (8), pg 48) In gifth no gaps? (Rule 1.11.9 (8), pg 48)	
] 2	2. 2	entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
] 3	3. Is	s surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)	
	5	4. A	C units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
] 5	((To standing water present on playground or in/on playground equipment (CPSC 2.4.2.2-5, pg 10)	
] 6	5. T	oys & equipment in good repair? (none broken/deteriorating) (Rule 1.10	.2 (2), pg 36)
	J 7		idewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6,	
	3 [, tv	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts a wists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 4	(7)
	2 9	3.	ree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrows, 4, 3.5, pg 15)	
] 1	10. A	are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9,	pg 40)
	1	11. If	f swings are present, are S-hooks in good repair? If not, state deficiency	CPSC 3.2, pgl3)
600] 1	12. If	Sslide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.)	y 6.4-5 pgs 34-35)
	1	13. A	are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)	
100]]	l4. Is	s age-appropriate equipment being used? If not, state which pieces are in(Ru	appropriate le 1.10.2, pg 36)
100]]	15. Is	s playground area clean & free of hazards? If not, state deficiency(Rule 1.1)	11.11 (1), pg 49)
		.6. Is	s adequate shade present on the playground? (CPSC 2.1.1. pg 5)	
	J	17. A	are concrete footings located at least 6" beneath the surface? (Rule 1.10.2	? (2), pg 36)
]]	.8. Is	s wood smooth? Documentation provided that wood has been properly tr	eated. /CPSC
Director		NQ	Licensing Official	H
		,		