

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Rankin	Date 5.24.2
Facility Name Circle of Friends	License Number (10092
Purpose Renewal Car	pacity_125
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
Waste water system approved and functioning Food service approved	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly
1 Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet
3	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order
5 \$ Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and
1. See 2nd Encounter	in good working order
2.	First aid kits stocked and easily accessible \(\bigcup \)
 4. 	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
6	Pool area clean, fenced, and adequately maintained
Center Director/Individual Jawa M. 3 Vell	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

12-10-08

Form No. 281



Child Care Encounter

District	Date 524.21
Name Circle of Friends Leo	ming License No. WO92
NameCircle of Friends Leo Address 2000 Creek Cove Center/Org	Brandon, MS 39042
Purpose Renewal	Director Wells
Mileage Start	Mileage End
County Kankin	Telephone No. <u>UOI 825 . 2387</u>
	Total Time
Findings/Comments Arrived at the the direct J. Wells, 5-	tated purpose for
No critical violation	s at the time of visit.
A green survey card	was given to director.
Please send Fire Survaind contact has, to	rey Form #333, Menus, L.O. Jemeria. Davis @msdh. ms.gov.
Tranks for all you do	Class I II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of license.
enter Director/Designee/Individual Child Care Is	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Center Director/Designee/Individual

Revised 6-24-09

Form No. 287



Child Care Program Review

Learning Center II. License No. 10012 Date 5.24.2		
Yes No N/A 1.		
Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed {Subchapter 14} Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VIII)		
Comments/Recommendations		

0 00	Pass − License to be issued: □ Regular Fail Follow-up within days	Jany M. Wells	LutushaSondiku
		Director Designee	Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Circle	e of Friends Learning D	Pate
6092	2004 Creek Cove	Brancks Center I	5.24.21
CRITICAL VI	OLATIONS	CORRECTION PLAN AND S	3
No critical violations		COMMECTION FLAN AND S	CHEDULE
at the time of visit.			
		"A"Issued	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const.	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00		ce Number 3 22.
☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date	Environmentalist Code	Facility Signature Environmentalist Signature	ells
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Center Name	cle of Friends #4092 Inspection Date 5.24.21
YES NO NIA	orning Center II
	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
0 0 2.	2 entrances/exits, with one being remote from the building? (Rule 1.119 (8), pg 60)
Z 0 0 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, Z.4.2, pg 9-10 & 4.3)
Ø 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
<u>D</u> D D 5.	No standing water present on playground or in/on playground equipment or
D 0 0 6.	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
<u> </u>	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
D 0 8.	
	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
0 0 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
<u> </u>	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	If swings are present, are S-hooks in good repair? If not, state deficiency
	(CPSC 3.2, pg 14 2.5.2, pg 1 & 5.3.8.1, pg 37)
0 0 12.	is side is present, is exit height/exit zone adequate? If not, state deficiency
O O P 13.	Are spring rockers a minimum of 6 ft energy (ACTALO 5 1 2 a CIPSC 5 2 5
P 0 0 14.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate
	(Ride 1.10.2, pg 4
	& CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
	[Rale 1.11.11 (1), pg 5.
2 0 0 16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
7 0 0 17.	Fire concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &
_/ _	CPSC 3.6. pg 16-17)
1 2-	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director James M	Licensing Official Schush Sandifr