

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

	Cilila Care racin	cy mopeonom
	County SUNFLOWER	Date
	Facility Name WORME A Rainbow	License Number 4768 PtA - 1808
	Danial Len	acity
(All Items In Red Are Critical Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A U U U U U U U U U U U U U U U U U U U
I	Proper staff to child ratio present Com and playground capacity met Center capacity met Cicense/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
· (Certified food manager Canitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning
]	Waste water system approved and functioning \qquad \qqqqqqqqqqqqqqqqqqqqqqqqqqqqqqqqqqqq	Electrical outlets protected Large appliances located properly Sinks and toilets working properly
	Monetary Penalty Monetary Penalty Luci 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices
	4\$	single action approved and in good working order
	Age/Child/Staff Name	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order
M	1. Theres (S) I CHREGIVEN 2.	First aid kits stocked and easily accessible
	3. Plyeons (7) 1 CARGINER 4.	Playground area clean, shaded, well drained and equipped and fence in good repair
	5. 9-4 years (4) / CAMEGINER 6.	Playground equipment meets standards Pool area clean, fenced, and adequately maintained
	Center Director/Individual Luttre Hall	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

	Child Care Encounter	Date 1-U-WW
District 9		•
Name COOL MC A Lawbo	License No. (1) CB The June 14 MS 30751 Center/Organization/Individual Director WHICE MACE	YFA-1826
Purpose LENEWAL TA	Center/Organization/Individual	6
Mileage Start_	Mileage End	
County SUN HOWER	Telephone No. 660 TV)-	-1046
Findings/Comments The Author	Time Out OUM Total Time Total Time	twingsting
Findings/Comments 11 W 14/14	JUL VISIT ES PLE IV LUCINOCE	projection.
Subchaper 4: Facil	in plicy + percedues	
Pull 1.4.4 (Change) 5 Shall immediately mit? Affecting flithe of the	N FACILIE OPERATIONS SHAPE IN THE THE TOTAL OF ANY ME	ones, the openion
Finding: The licency of the license was mot be suppersulted to determine to determine to determine the license of the license	notified observed firelity with (mitified on any benovatives. Fre emine the capacity.	ingreta tenivaturs.
Plan of Cultiction: Per to Montago the LO IS matter the literal, becan licenson for All June	MS. MARK Shy Old not mant to a bury UD stated that I have to make the little mis made to the pure the pure to the pure the pure that the pure the p	distribution due be notified no contrate of the contrate of th
shallbe pritet Conspicer	INFOLMATION) STATES IN PART THE DULY IN THE CHILD CARE FACILITY ACRUMANT PULL.	following Items At All times.
Andine : licensong objections of the performance of	epied intoppation not posted IN my today 1-11-20. MIL GOT A 11 INTOPPATION AND ON MILLIAM CONTROLLARION CONTROLLA	CLASSEVIAS. PERE 1994 SELI CLASSEVIA SELI ENFILMATION.
Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator



Child Care Encounter (Continuation)

Date 1- U-WO

Facility Name Wol MEA	CAENDON	License No. 67CB PFA-	1808
Subchapter 14: Diage	rang 4 tojeting		
Pur I. II. i (Dispersing child Quaper incaring child Afus show I compa morels.	Chinada Alta)s ren plat shall ton in A fand washing	HARI IN PORT, EACH HUIT A CURVELING, ARA JAVANORY WHAY NOT Y	WIM IN Which
Finding: Licenstona ANA. Ochwaren hore	Observed classous of	1 (1+ 2 year old I with	out A dinjering
Finding: The strain willing. One see	4 Num duagering. 14 sinc was liber	sint was observed integral with	h not playcally
play of copyrights fabre by 1-4-4000	Per MS. Macic sho - Per Ms. Macic sho Alspan M. LO mutipue	I has been wang 4	eling sill and he dispeens as that.
DE MS. MADE SHE WY	nt Also Mate Sule Hed Immedially.	E that the dispersing.	me In the
technical Alarane	WAS provided on M	tifying licensing post	d material,
A gotten survey was	1094 W/ Ruthits	Mostly owner durable.)
Freiling unt be 2010	uned up on NA	mensurment of to ch	sed the well-din
CIAU I ON I V M primo May Jun	illators may lunder		MANY REPEATED
Luthil Juli	al Chifd Care Representat	Wh Y	ite Copy - Facility File ellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Yes/	No	N/A	
1			Policies and procedures (Parent's Handbook) {Rule 1.4.1}
A			Proof of Accident/Liability Insurance or documentation that parent has been notified that no
1		F***	insurance is in effect {Rule 1.4.1 (i) & (j)}
			Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
			Attendance records for children and staff {Rule 1.6.3 (1)}
1			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
	. 🗆		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
/			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
5.		2	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
1	. 🗆	0	Immunization Records for Children and Staff (Rule 1.6.3 (8))
1			Personnel records (attach employee's records form) {Rule 1.6.4}
		1	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
1		o.	Children records (attach children's records form) {Rule 1.6.7}
		1	Reports of serious occurences made as required {Rule 1.7.1}
0,		1	Communicable diseases reported as required {Rule 1.7.3}
Z,			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
1			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
			Age appropriate program of activities posted in each room {Subchapter 9}
1			Required toys present in infant room {Rule 1.10.1 (2)}
1			Required toys present in toddler room {Rule 1.10.1 (3)}
			Required toys present preschool room {Rule 1.10.1 (4)}
U -			Licensed pest control contractor {Rule 1.11.14}
4			
			Appropriate discipline policy followed {Subchapter 14}
			Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII)
cond	-	fine	
mm	ents	Re	commendations Needled Collectives: Put All Needed MARKILLEN
»I A	A > 10		As
'JH	PIU	MM	S. STUTALL duapelung area, the chapering smill
ZV I	3.		
			,

__ days

Director

☐ Designee

Child Care Representative

Follow-up within ____

Food Service Facility Inspection Results

PIMS ID Facil	ity Name, Address	Util St. Date
18/18 100	101 Me A 1/Linbu	I Indianola, nos sons 1-4-2020
CRITICAL VIOL		CORRECTION PLAN AND SCHEDULE
M Chitical Mi observal.) (otrans	not complaince
		Ancility levid a "A"
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Licence Number Pacility Signature
Permit Date Please Remit within 10 days to:	Environmentalist Code	Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Cen	ter N	lame .	Colo	In ME A WANTOW Inspection Date 1-4-7000
YES.	NO	N/A		
			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
1			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
		Z	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
7			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
Z			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
Z			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
K			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
Z			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- Add Carpet -				
		Z	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
			12.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
		2	12. 13.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
			12. 13.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
			12. 13. 14.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
			12. 13. 14.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
			12. 13. '14. 15.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &