



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

REACHING RAINBOWS

License #: 1999

Director: BETHANY WILLIAMSON

Inspection Date: 12/05/2022

Annual/Mid Inspection

Inspector: Thelma Shegog

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

1. **Out of Compliance:** Concrete footings are at least six inches below ground surface. (Rule 1.10.2(2) Page 46)

Infant Classroom Violations Cited

Infant - Classroom Number: 5

No violations cited.

Infant Classroom - Classroom Number: 5

Toddler Classroom Violations Cited

One/two - Classroom Number: 1

No violations cited.

Toddler Classroom - Classroom Number: 1

Toddler - Classroom Number: 3

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Toddler Classroom - Classroom Number: 3

Twos Classroom Violations Cited

Twos - Classroom Number: 2

1. **COS:** Daily schedule is posted in classroom. (Rule 1.4.6(b) Page 18)

Twos Classroom - Classroom Number: 2

Preschool Classroom Violations Cited

Four - Classroom Number: 6

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 6

Three - Classroom Number: 4

No violations cited.

Preschool Classroom - Classroom Number: 4

School Age Room Violations Cited

School Age - Classroom Number: 2


No violations cited.

School Age Room - Classroom Number: 2

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature

Phelma Shepp