

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection							
County County	Date 07. 07. 20	20					
Facility Name EXDIOPERS INC	License Number 52	289					
Purpose VIFTUA Renewal Inspector	acity						
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	Out	cos	N/A			
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair						
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,						
Waste water system approved and functioning and functioning	and functioning						
Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly	000					
Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet						
3	nutritional guidelines, if present Exits, doors and fastening devices						
4,\$	single action approved and in good working order						
5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers						
1. Infants: 9. Staff 1,2	and thermometers placed properly and in good working order	<u>d</u>					
2. Mear. g. Staff	First aid kits stocked and easily accessible						
3. A year. 3. Staff. 1 4. 4 year. 12. Staff. 1	Playground area clean, shaded, well drained and equipped and fence in good repair						
5. School 200 12 State	Playground equipment meets standards						
6. OCHOCITYE. 10. 014] + 1	Pool area clean, fenced, and adequately maintained						
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	200	th	rs.			

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

Form No. 287



Child Care Encounter

District Child Care Encounter Date Date Date
Name EXPLOYER'S Inc. Address 2001 EXECUTIVE DYIVE PEANINS 39208 Purpose VIRTUAL Renewal Industrial Director Katelynn Harvey
Mileage Start County RANKIN Telephone No. WO 1939. 5965 Time In 10:459 Time Out 1:279 Total Time Total Time
The Dupose of this visit was to conduct a virtual rehewal inspection.
The following was Observed: THE Was provided on Rule 1.11.4(6) Thermometer shall be present in the freezer.
Poc: The 10 gave the by letting the director thouse to be sure a thermometer is in the freezer and refrigerator, at all homes. The alrector explained that she will be sure to place a thermometer in the freezer and monitor weekly to make sure this there, note: There was a thermometer present in the remometer.
THEMS NEEDED FOR VENEUAL: Are form #333 CLASS I AND II VIOLATIONS MAY RESULT IN A MONETARY PENALTY. REPEATED VIOLATIONS MAY RESULT IN THE DOUBLING OF A LO- Licensing Official COS-Corrected on Site TA-Technical Assistance POC-Plan of Correction LOS-Letter of Suitability
MONETARY PENALTY, SUSPENSION OR REVOCATION OF THE LICENSE. White Copy - Facility File Yellow Copy - Operator Center Director/Designee/Individual Child Care Representative

Revised 6-24-09

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review
License No. 5289

Date 07.07. 2020

Yes No N/A		
Policies and procedures (Parent's Handbook) {Rule 1.4.1}		
2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no		
insurance is in effect {Rule 1.4.1 (i) & (j)}		
3.		
Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}		
5. Attendance records for children and staff {Rule 1.6.3 (1)}		
6. U		
7. Q \(\bigcup \) \(\bigcup \) Current staff roster (includes date of birth & date of hire) \(\text{Rule 1.6.3 (3)} \)		
Monthly records of fire/disaster drills {Rule 1.6.3 (5)}		
Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}		
10. Immunization Records for Children and Staff (Rule 1.6.3 (8))		
11. Personnel records (attach employee's records form) {Rule 1.6.4}		
2. U Volunteer records {Rule 1.6.5 & Rule 1.6.6}		
3.		
4. Reports of serious occurences made as required {Rule 1.7.1}		
5. Q Communicable diseases reported as required {Rule 1.7.3}		
6. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}		
7. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}		
18.		
9.		
20.		
21. 🛂 📮 Required toys present preschool room {Rule 1.10.1 (4)}		
22. Licensed pest control contractor {Rule 1.11.14}		
23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}		
24. Appropriate discipline policy followed {Subchapter 14}		
25. Appropriate transportation policy followed {Subchapter 15}		
26. Infant feeding schedules posted (Appendix C, VII)		
Comments/Recommendations		
Pass –		
License to be issued: Regular Probational Restricted		
Fail		
Follow-up within days		
☐ Director ☐ Designee Child Care Representative		

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address	reris Inc	Date
	2001 Executive	reris Inc Onve pearlims	107.07.2020
CRITICALV	TOLATIONS	CORRECTION PLAN AN	D SCHEDULE
Observed no untical viviation		Koun makas	trumm, i Cit
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection	□ 92010 Permit No Charge □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92013 Permit 4 \$200.00		Licence Number -2024
Permit Date Please Remit within 10 days	Environmentalist Code	Environmentalish Signature White Copy - Facility Yellow Copy - PIMS	
		Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Center N	ame _	EX	DOPER'S NC Inspection Date 07.07. 2020
YES NO	N/A	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
b 0		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
4		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
		4,	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
		5.	No standing water present on playground or in/on playground equipment or walkways?
		6.	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 62) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
		8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
		9.	Tree limbs at least 7ft_above play surfaces? Is fence free of brush/overgrowth? (CPSC
100		10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
a a		17.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14 2.5.2, pg 1 & 5.3.8.1, pg 37)
		12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
n n	T	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
		14.	Is age-appropriate equipment being used? If not, state which pieces are mappropriate (Rule 1.10.2, pg 4
			& CPSC 2.2.6, pg 6)
		15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 6.
b 0		16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
		10.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) Licensing Official Official
Director .			Licensing Official