McCall Head Start Center 300 Kirby Street Pelahatchie, MS 39145 Ph.: 601-854-8463 Lic.: 61CEIHE-2455

Director: Alexis Seaton

MISSISSIPPI STATE DEPARTMENT OF HEALTH

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Cankin Date 02.06.2020							
Facility Name License Number							
Purpose Renewal - Technical Capacity License Number Capacity							
All Items In Red Are Critical Qualified director present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A		
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair					
Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded					
Water system approved and functioning Waste water system approved		Telephone on premises, available, and functioning					
and functioning Food service approved		Electrical outlets protected Large appliances located properly Sinks and toilets working properly					
Possible Monetary Penalty 1	Monetary Penalty	Hot water at all sinks, not to exceed 120° Children barred from kitchen					
2.	\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices					
3		single action approved and in good working order					
5	\$ \$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers					
Age/Child/Sta	Mame	and thermometers placed properly and in good working order					
2. 2-34ear · 8. 8. 3. 4 4 Par · 6.	10ff 3,4	First aid kits stocked and easily accessible Playground area clean, shaded, well	le 🔽 🗆				
4. I-Durar 8	81911780	drained and equipped and fence in good repair					
5. 3-5 Vew · 20	5.814161	Playground equipment meets standards Pool area clean, fenced, and adequately					
6. 0-4 yeur · 16	5.01411 12/19	maintained			4		
	11-11	Diaper changing stations adequate in number and each fully supplied (number)		P	145		
Center Director/Individual	nepsion Turk	Child Care Representative	2	XON	M		
White Copy - Facility File Yellow C Mississippi State Department of Heal	44	2-10-08	The	orm No	. 281		

Director: Alexis Seaton

Mississippi State Department of Health



Page ____ of ____

Form No. 287

Child Care Encounter

District	Date_0 2.00.20
Name	License No
Address	Center/Organization/Individual
Purpose Renewal • TA	Director MW MM TUCKET
Mileage Start	Mileage End
County CONTIN	Telephone No
Time In U. Tim	e Out Z O Total Time
Findings/Comments JOON GYY	Jana Tuojan. Ing official met
the burnse of the	is visit was acknowledged.
LO- Licensing Official COS-Corrected on Site	IS VIDIT VV IS CONTINUED IN
TA-Technical Assistance	
LOS-Letter of Suitability	
to vecentied apply	of fire form #333.
preceived apy	
to dave director	copy of new child care
Meny John Tevi	sed on 01.02.2020.
H (, , , , , , , , , , , , , , , , , ,	
thank you for all	that you do.
Customer Survey Co	nd provided alrector show juana
	lass I and II violations may result in a monetary enalty. Repeated violations may result in the
	oubling of a monetary penalty, suspension or evocation of the license.
11/1/	White Copy - Facility File
Center Director Designee/Individual	White Copy - Facility File Yellow Copy - Operator

Lic.: 61CEIHE-2455 Director: Alexis Seaton



Child Care Program Review

License No Date Date
Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (ft)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed {Subchapter 14} Appropriate transportation policy followed {Subchapter 15}
Recommendations PLEASE SUBMIT ALL REQUIRED DOCUMENTATION FOR RENEWAL. APPLICATION SHOULD BE SUBMITTED ONLINE. SEND FIRE FORM #333 AND TWO WEEK MENUS AND OTHER CURRENT REQUIRED DOCUMENTATION FOR RENEWAL OF LICENSE. be issued: Regular Probational Restricted

Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator

Revised 12-19-13

Food Service Facility Inspection Results

PIMS ID Facil CRITICAL VIOL	Pelahatchie, MS 39145 Ph.: 601-854-8463	CTION PLAN AND SCHEDULE
Observed NO Chitical VIOI athor		Excursion Othigh Com Afro
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Please Remit within 10 days to:	92010 Permit No Charge	Certified Manager Licence Number 2023 Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licenson Dlayground Checklist

McCall Head Start Center Inspection Date 02.06.2020 300 Kirby Street Pelahatchie, MS 39145 Center Name Ph.: 601-854-8463 Lic.: 61CEIHE-2455 Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with Director: Alexis Seaton YES NO N/A 1. no gaps? (Rule 1.11.9 (8), pg 60) 2 entrances/exits, with one being remote from the building? (Rule 1.119 (8), pg 60) 2. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) 3. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) 4. No standing water present on playground or in/on playground equipment or walkways? 5. (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) б. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) 7. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) 8. Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? (CPSC 9. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) 3.4, 3.5, pg 16) 10. If swings are present, are S-hooks in good repair? If not, state deficiency 11. (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35) 12. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) 13. Is age-appropriate equipment being used? If not, state which pieces are inappropriate 14. (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. 15. (Rade 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 16. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & 17. CPSC 3.6, pg 16-17) Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 18. 2.5.5, pg 15) Licensing Officia Director