

MISSISSIPPI STATE DEPARTMENT OF HEALTH

### **Child Care Facility Inspection**

County Warren	Date 11.20.20	19				
Facility Name Blessings Learning Contor License Number 6660						
Purpose Benewall TA Capacity 68						
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	NAMA S	Out	cos	N/A	
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair					
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	NO NO				
Waste water system approved and functioning Waste water system approved and functioning Food service approved	and functioning  Electrical outlets protected  Large appliances located properly	戶景				
Possible Monetary Penalty  1	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	AN DE				
2	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				<b>p</b>	
5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	Ø				
1. 1-2yr·2· CG 1 2. 5chool age·1· CG2	in good working order  First aid kits stocked and easily accessib	le p				
4.	Playground area clean, shaded, well drained and equipped and fence in good repair	Ø				
5. 6. · · · · · · · · · · · · · · · · · ·	Playground equipment meets standards Pool area clean, fenced, and adequately maintained				Ø d	
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative	107	_ 	Ha	D)rm	

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator

12-10-08

Form No. 281

#### **Child Care Encounter**

	Child Care Elicounter	115/10
District		Date 11.2   19
Name Blessings Learn	ning Conter License No. 6660	
Address 4216 Halls Fer	My Pd Vicksburg MS Center/Organization/Individual	
Purpose Benewal ITA	Director Alison Cur	nningham
Mileage Start	Mileage End	
County Warren	Telephone No. 601. 630.	6660
Time In Ola.m.	Time Out 835am. Total Time	
Findings/Comments Upon an	rival Licensing officials m	net with
Caregiver, I.T.	U ,	
Subchapter 8 Sto	affina	
Deficiently: Rule 1.	8.1(3) States, in part, "Duni	
	g arrival and departure of	
Care tacility empt	oyee Shall be present to	
This employee she	all meet the minimum qu	valifications of
a director or director	ctor designee.	
Findings: Upon an	rival to facility, there we	as no director
or designee pres		ningham arrived
to facility at 7:	21 a.m. Caregiver called L	Director once
I arrived to info	irm her I was present.	
Pac: The owner di	irector will be responsible	for ensuring
that a qualified	director/designee is pres	ent, at all times
and have full kno	wledge of all operations of	and access to
a director design	ne is present at all time	e Porte AF
completion is to	day 11-21-2019	S. Dure Of
		A CONTRACTOR OF THE CONTRACTOR
$M \sim M$	Mara Itar	White Copy - Facility File
Myor unin	Jura Neuman	Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



Date 11.21.2019

Facility Name_Blessings	License No. 6660
Technical Assistance provide	
Lo advised caregiver and direction beside hand and 1-2 yrold classroom.	rector to move diaper dwashing sink in infant.
Rule 1.10.2(2) LO observed bro play toys on playground. Dire toys from playground today be responsible to be sure the daily playground checks and toys.	ector will remove broken 1. 11. 21. 2019. Director will is does not recurby doing I remove any broken
Director has newly appointed a copy of designees 121, Los Designee Must attend the no (Child care Regulations Direct Safety) 10 and Director will Calendar for next training of designees Los 121)	for Orientation Playaround
Helpful Hint: CPR/First Aid explaned cards once course is to	pires 12/19. Please send Lo Completed.
LO received Form 333 on to LO observed van on premises b does not utilize van.	•
My Slum Dra Dra Denier Director/Designee/Individual Child Care Representa	White Copy - Facility File Yellow Copy - Operator



Date\_//-21-19

Facility Name Blessings	License No. 6660
Please send in the following 7 Email: tera.german@msdk.m. fax: 601 636 8557	to LO via email or fax s.gov
* 4-6 WK menu * remaining contact hours	
Survey card was left w/ Direc	cter.
Follow up will be conducted.	
	Class I and II violations may result in a monetary penalty. Repeated violations may resulted in the doubling of a monetary penalty, suspension, or revocation of the license.
My Sluvy Center Director/Designee/Individual Child Care Representati	White Copy - Facility File Yellow Copy - Operator



# Child Care Program Review License No. 6660 Date 11.20.19

,						
	Yes	No	N/A			
1.	1			Policies and procedures (Parent's Handbook) {Rule 1.4.1}		
2.	1			Proof of Accident/Liability Insurance or documentation that parent has been notified that no		
	1			insurance is in effect {Rule 1.4.1 (i) & (j)}		
3.	⊿			Approved arrival and departure procedures {Rule 1.4.1 (2)}		
4.0	12			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}		
5.	16			Attendance records for children and staff {Rule 1.6.3 (1)}		
6.	1			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}		
7.	Z/			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}		
8.	1			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}		
9.	0.		010	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}		
10.	1		<b>'</b> a	Immunization Records for Children and Staff {Rule 1.6.3 (8)}		
11	1			Personnel records (attach employee's records form) {Rule 1.6.4}		
12.	1			Volunteer records {Rule 1.6.5 & Rule 1.6.6}		
13.	1			Children records (attach children's records form) {Rule 1.6.7}		
14	1.			Reports of serious occurences made as required {Rule 1.7.1}		
15.	1			Communicable diseases reported as required {Rule 1.7.3}		
16.	1			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}		
17.	A,			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}		
18	A,			Age appropriate program of activities posted in each room {Subchapter 9}		
19.	Z,			Required toys present in infant room {Rule 1.10.1 (2)}		
20	A	ū		Required toys present in toddler room {Rule 1.10.1 (3)}		
21,	A,		☐ Required toys present preschool room {Rule 1.10.1 (4)}			
22.	A			Licensed pest control contractor {Rule 1.11.14}		
23.						
24.	1		<u> </u>	Appropriate discipline policy followed (Subchapter 14)		
	25. Appropriate transportation policy followed {Subchapter 15}					
26.	A			Infant feeding schedules posted (Appendix C, VII)		
		4_	/D	ommendations See Encounters		
10	mm	ents	s/Kec	ommendations OCC DIROUTION		
1						
-						
-						
,						
-						
-	Pass	20	100			
			to be	ssued:   Regular Probational Restricted		
	Fail			la the land		
	Foll	low-u	ıp wıtl	nin days dust dust dust dust dust dust dust dus		
				Director Designee Child Care Representative		

### **Food Service Facility Inspection Results**

PIMS ID Fac	ility Name, Address  ESSINGS LEGITING ( PILOTE FEITY R	enter d. Vic Karvanis	Date 11-21-2019
CRITICAL VIOL	ATIONS	CORRECTION PLAN AN	D SCHEDULE
No critical vin		NA	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00  Environmentalist Code	Certified Manager  Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Licence Number

## Child Care Licensure Playground Checklist

Cent	er Na	me L	3/0	Sings Learning Center Inspection Date 11.21.19
MODE	NO	TAT / A		
A S	ОИ	N/A	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
d	П	П	2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
7		d	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
1			4	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
A			5 <sub>3</sub>	No standing water present on playground or in/on playground equipment or walkways?
	ď		6.	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)  Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
A			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
1			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
1	П		9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
K			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		1	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14,
			ü	2.5.2, pg 1 & 5.3.8.1, pg 37)
		1	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
			/12	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
d		9	14.	Is age-appropriate equipment being used? If not, state which pieces are mappropriate (Rule 1.10.2, pg 46)
				to the second se
A			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)
1	/ _		16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
1		. 0	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
	<u> </u>		18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
1		$\Delta$	1	NO pg 15)
Du	ector		00	Licensing Official Was Alleman