

Child Care Facility Inspection Report

TENDER AGES LEARNING CENTER

License #: 6106

Director: LEVADA LEE

Inspection Date: 05/12/2022

Annual/Mid Inspection
Inspector: Teresa Liggins

Program Administration Violations Cited

1. **Out of Compliance:** All staff members have mandatory 15 contact hours on file (no more than five hours of in-house training may be provided by the child care facility. Acceptable topics for training may include: (a) health and safety, (b) child growth and development, (c) nutrition, (d) planning learning activities, (e) discipline, (f) linkages with community services, (g) communications with families, (h) detection of child abuse, (i) advocacy for early childhood programs, (j) professional issues. (Rule 1.5.8 Page 25)

Plan of Correction

1. **POC:** The licensing official observed not all staff had completed the 15 staff development contact hours. The facility must submit the rest of the staff's contact development hours before the licensure period expires July 2022.

Person Responsible: Levada Lee - Owner/Director **Date for Completion:** Before The Licensure Period Expires July 2022

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

School Age - 4 Year Olds To 6 Year Olds - Kiesha Dotson, Arnette Smith - Classroom Number: 1

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 1

1. **POC:** The licensing official observed there were no classroom wall thermometers present on the interior wall of the classroom. A classroom wall thermometer is needed on the interior wall of the classroom before the licensure period expires July 2022.

Person Responsible: Levada Lee - Owner **Date for Completion:** Before the Licensure Period Expires July 2022

School Age Room Violations Cited

School Age - 6 Year Olds To 12 Year Olds - Yolanda Lowe, Lillian Patterson - Classroom Number: 4

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

School Age Room - Classroom Number: 4

1. **POC:** The licensing official observed there were no classroom wall thermometers present on the interior wall of the classroom. A classroom wall thermometer is needed on the interior wall of the classroom before the licensure period expires July 2022.

Person Responsible: Levada Lee - Owner **Date for Completion:** Before the Licensure Period Expires July 2022

School Age - 9 Year Olds To 11 Year Olds - Dekieba Lee, Levada Lee - Classroom Number: 2

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

School Age Room - Classroom Number: 2

1. **POC:** The licensing official observed there were no classroom wall thermometers present on the interior wall of the classroom. A classroom wall thermometer is needed on the interior wall of the classroom before the licensure period expires July 2022.

Person Responsible: Levada Lee - Owner **Date for Completion:** Before the Licensure Period Expires July 2022

School Age - No Students And No Staff Present - Classroom Number: 3

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

School Age Room - Classroom Number: 3

1. **POC:** The licensing official observed there were no classroom wall thermometers present on the interior wall of the classroom. A classroom wall thermometer is needed on the interior wall of the classroom before the licensure period expires July 2022.

Person Responsible: Levada Lee - Owner **Date for Completion:** Before the Licensure Period Expires July 2022

Legend

COS: Corrected on SitePOC: Plan of Correction

Child Care Director Signature

Lwada Le

MSDH Licensure Representative Signature

Attesa Lygins