

MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Facility Inspection

County_BOUVAL	Date	9	
Facility Name I'M TOHS Child Bev. CENT	License Number 660	EPFA-7254	
Dan allen	acity_ 3 5		
All Items In Red Are Critical Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out COS N/A	_
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning		
and functioning Food service approved Possible Monetary Penalty Monetary Penalty Superior Service approved Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen		
2\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order		/
Age/Child/Staff Name 1. 5 MM/S- WAR TO 3 CAPLATICA	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order		
2. Typas 8) Callyrel	First aid kits stocked and easily access Playground area clean, shaded, well	ible	
4. I- NUEAR (ID) 2 CARRETYCH 5 TURK - LUCAR (ID) 2 CARRETYCH	drained and equipped and fence in goo		
6. 4 mon-lup (8) 2 CARGINERS 7. 7 URABS (9) CARROTTERS	Playground equilibrium in the standard: Pool area clean, fenced, and adequated maintained	计	_
6 2 Jeans (II) I CARRESTICAL (III) I CARRESTIC	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	Comportanto)
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-1	_ Child Care Representative	Form No. 281	20

Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

n	Child Care Encounter
District 0	Date 1100011161
Name	DB Child Den Civille License No. Ob CEPFA-7254
Address	Center/Organization/Individual
Purpose Lond	
Mileage Start	Mileage End
County BOW	
Time In 1	Time Out 30 pm Total Time
Findings/Comm	ents the pulled for visit is for A personal INSPECTION.
SubChapt	at 11: Buildings & Grands
flue Ling	ig) states on part all parts of the children theiring used
Andino:	ichstra Observed clusing Maptine several classiners darked. It Asked to say signify open blinds or provide to Mightight Maptine.
Plan of C	reflection: Per many livingspor, ownceptureton she was provide
CONCUMENTAL CONCUMENTAL	Observed PACILIA MATHOUT ALL MANGATORY CONTrot hours. icunse captair on 8/3/2019. A tollowly Tik Recold WILLE
Preith v	MI ALSO Observed Without AN updated Food Manager
A childe	ARE Shrivey was left with MARY LIDINGSTON, cleretreformer.
DANAJ	mes for all concerns (lever) 887-4957 OR dara pros @ healthyms.com
Center Director	White Copy - Facility File Yellow Copy - Operator Operator Operator

Revised 6-24-09

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name TM 19th Child Dev. Carrier No. 2254 Date 7121019						
Yes No N/A 1.						
Comments/Recommendations Pass - License to be issued: Regular Probational Restricted Fail Follow-up within 20 days						
Director Designee Child One Byn Stripe						

Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID Facility Name, Address CRITICAL VIOLATIONS CORRECTION PLAN AND SCHEDULE SubCharrel 3: Mallan 4 Correction plan and schedule	
CRITICAL VIOLATIONS CORRECTION PLAN AND SCHEDULE	
CRITICIE	
Sunchappe 13° Mithhan &	
Subchapel 13: Mulliton of Maily Is to submit And Malling Is to submit And Manager Updated food manager Updated food manager Operational I week print to ficense exprendion. Though to submit And Updated food manager operation. Though the facility includes the facility was observed with a Chilifed food manager, the contraction of ficense exprendion. The submit And Updated food manager operation. The submit And Updated food manager operation.	2
□ 92020 Scheduled □ 92010 Permit No Charge □ Certified Manager □ Licence Number □ 92030 Followup □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92070 Plan Review/Const. □ 92013 Permit 4 \$200.00 □ 92013 Permit 4 \$200.00 □ 92090 Restaurant Training □ 92090 Restaurant Training □ Pacility Signature	Mrusr
Permit Date Environmentalist Code Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Cen	ter N	ame	TIM	JOTS CHILD OCY. CENTER Inspection Date 7/21/2019
YES	NO	N/A		
A			1.	Playground fence less than $3\frac{1}{2}$ " from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
Ø			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
		Ø	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
Z			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
		A	5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
D			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
L			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
Ø			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
		1	9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		\not	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
		1		2.5.2, pg 1 & 5.3.8.1, pg 37)
		A	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
		£,		Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
		Ø	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
_/	_			& CPSC 2.2.6, pg 6)
7			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
\not			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
Ø			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
		Z		Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Direct	or	M	any	Licensing Official Market Bernie