



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County HumphreyDate 8/22/2018Facility Name First Impressions DaycareLicense Number 27P4PFA-5062Purpose Renewal ITACapacity 44

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

	In	Out	COS	N/A
Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	Infants / 8 / 2 caregivers
2.	
3.	1-2 years / 7 / 2 caregivers
4.	
5.	
6.	
7.	

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

	In	Out	COS	N/A
Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Electrical outlets protected	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Playground area clean, shaded, well drained and equipped and fence in good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	In	Out	COS	N/A
Playground equipment meets standards	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	In	Out	COS	N/A
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

	In	Out	COS	N/A
Diaper changing stations adequate in number and each fully supplied (number <u>02</u> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Carol J. WallerChild Care Representative Dana Jones





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 3Date 8/22/18

Name First Impressions Daycare Center License No. 27R-4PFA-5062  
 Address 804 Jodie Thurman St. Belzoni MS 39038  
 Center/Organization/Individual  
 Purpose Renewal HA Director Carlie Walter  
 Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_  
 County humbly Telephone No. (662) 247-2005  
 Time In 147 pm Time Out 335 pm Total Time \_\_\_\_\_

Findings/Comments The purpose for visit is for a renewal inspection.

Licensing observed facility play area being renovated. Facility is approved to have active play in the classroom until the play area is complete. Please contact licensing once all renovations have been completed for measurement.

The facility kitchen has also been renovated by observation. Facility may use new kitchen, per LO approval. The kitchen will be measured at follow up visit. per ms. Walter, director she is unaware if all renovations have been completed. She will contact licensing once all renovations have been done.

### Subchapter 11: Building & Grounds

Rule 1.11.1(16) states in part unused electrical outlets shall be protected by a safety cover.

Finding: Licensing observed in the 1-2 year classroom with unused electrical outlets not protected. Facility is recommended to immediately cover all unused outlets.

per ms Walter she will make sure that each classroom is checked for protected unused outlets.

Carlie J. Walter  
Center Director/Designee/Individual

Dana Jones  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

Date 8/22/18Facility Name First Impressions DaycareLicense No. 2724 PFA-5062

RULE 1.1.1 STATES IN PART ALL CHILD CARE FACILITY BUILDINGS SHALL MEET ALL FIRE SAFETY STANDARDS.

FINDINGS: LICENSING OBSERVED THE FIRE DETECTOR BEeping. PLEASE REPLACE BATTERY OR DETECTOR IMMEDIATELY FOR FIRE SAFETY STANDARDS.

PER CARIE WALKER SHE WILL REPLACE FIRE DETECTOR BATTERIES.

LICENSING OBSERVED TOILET IN PRECHOOL ROOM (BLUE DOOR) NEED A GENERAL CLEANING. ACCORDING TO RULE 1.1.1(5) TOILETS SHALL BE CLEAN.

PER MS WALKER SHE WILL MAKE SURE THAT CLEANLINESS IS MAINTAINED IN THE RESTROOM.

LICENSING OBSERVED FIVE OR MORE TOILETS LINED ACROSS WALL OPENLY IN THE RESTROOM. FACILITY IS RECOMMENDED TO ADD PARTITIONS IN THE RESTROOM FOR PRIVACY & HEALTH REASONS.

TECHNICAL ASSISTANCE WAS PROVIDED ON MAINTAINING CLEANLINESS, FIRE SAFETY, AND PRIVACY.

A CHILD CARE SURVEY WAS LEFT WITH CARIE WALKER, DIRECTOR.

A CLASS I AND II VIOLATION MAY RESULT IN A MONETARY PENALTY. REPEATED VIOLATIONS MAY RESULT IN THE DOUBLING OF A MONETARY PENALTY, SUSPENSION, OR REVOCATION OF THE LICENSE.

Carrie J Walker  
Center Director/Designee

Dana Jones  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





## MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Program Review

 Facility Name First Impressions Daycare License No. 5062 Date 8/22/18

- |     | Yes                                 | No                                  | N/A                                 |  |
|-----|-------------------------------------|-------------------------------------|-------------------------------------|--|
| 1.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Policies and procedures ( <i>Parent's Handbook</i> ) {Rule 1.4.1}  |
| 2.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Approved arrival and departure procedures {Rule 1.4.1 (2)}   |
| 4.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}  |
| 5.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Attendance records for children and staff {Rule 1.6.3 (1)}   |
| 6.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Current alphabetical roster of children ( <i>includes date of birth</i> ) {Rule 1.6.3 (2)}   |
| 7.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Current staff roster ( <i>includes date of birth &amp; date of hire</i> ) {Rule 1.6.3 (3)}   |
| 8.  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Monthly records of fire/disaster drills {Rule 1.6.3 (5)}   |
| 9.  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}  |
| 10. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Immunization Records for Children and Staff {Rule 1.6.3 (8)}   |
| 11. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Personnel records ( <i>attach employee's records form</i> ) {Rule 1.6.4}   |
| 12. | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Volunteer records {Rule 1.6.5 & Rule 1.6.6}  |
| 13. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Children records ( <i>attach children's records form</i> ) {Rule 1.6.7}  |
| 14. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Reports of serious occurrences made as required {Rule 1.7.1}   |
| 15. | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Communicable diseases reported as required {Rule 1.7.3}  |
| 16. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}  |
| 17. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}  |
| 18. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Age appropriate program of activities posted in each room {Subchapter 9}   |
| 19. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Required toys present in infant room {Rule 1.10.1 (2)}   |
| 20. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Required toys present in toddler room {Rule 1.10.1 (3)}  |
| 21. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Required toys present preschool room {Rule 1.10.1 (4)}   |
| 22. | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Licensed pest control contractor {Rule 1.11.14}  |
| 23. | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Pets present ( <i>proof of immunization as required, signed by veterinarian</i> ) {Rule 1.12.6}  |
| 24. | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Appropriate discipline policy followed {Subchapter 14}   |
| 25. | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Appropriate transportation policy followed {Subchapter 15}   |
| 26. | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Infant feeding schedules posted ( <i>Appendix C, VII</i> )   |

DO NOT TRANSPORT

Comments/Recommendations

---



---



---



---



---

☒ Pass –License to be issued: ☒ Regular ☐ Probational ☐ Restricted☐ Fail☐ Follow-up within \_\_\_\_\_ days☐ Director ☐ Designee

Child Care Representative

# Food Service Facility Inspection Results

PIMS ID 5002	Facility Name, Address 804 Judie Thompson Belzoni Rd First Impressions Daycare & Learning	Date 8/22/2018
-----------------	---	-------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

NO critical violations  
Observed

Met compliance

Facility rec'd a "A"

CHARLIE WALKER  
Certified Manager

TURNING DATE  
Licence Number  
Exp: 6/1/2020

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code  
DJ3

Please Remit within 10 days to:

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmentalist



# Child Care Licensure Playground Checklist

Center Name First Impressions Daycare Inspection Date 8/22/18

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☐ ☐ ☒ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9, 10 & 4.3)  
Observed play area being renovated
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☐ ☐ ☒ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☐ ☐ ☒ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency  
\_\_\_\_\_  
(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  
\_\_\_\_\_  
(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☐ ☐ ☒ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate  
\_\_\_\_\_  
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☐ ☐ ☒ 15. Is playground area clean & free of hazards? If not, state deficiency  
Play area is being renovated see form # 28  
(Rule 1.11.11 (1), pg 61)
- ☐ ☐ ☒ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☐ ☐ ☒ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director Carrin J. Haller Licensing Official Dana Jones