

Child Care Facility Inspection

County_Tallahatchie	Date 09-24-20
Facility Name Eva Covington Head Start	License Number 68CFIFHE-4194
PurposeProgram Renewal	Capacity158
All Items In Red Are Critical In Out COS N/A Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A Cos N/A Location plans posted Location plans plan
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained X	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
Water system approved and functioning Waste water system approved and functioning Food service approved	and functioning \(\times \) \(
Possible Monetary Penalty Monetary Penalty 1	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen
2.	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good
-t. ,	working order
S. S. Age Child/Stait Name	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order
 2. 	First aid kits stocked and easily accessible Playground area clean, shaded, well
 4. 	drained and equipped and fence in good repair
5.6.	Playground equipment meets standards Pool area clean, fenced, and adequately maintained
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number)

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



Child Care Encounter

District			ie Liieodiitei	Date
_{ame} E	va Covington Head Start		License No. 68CI	FIFHE-4194
ldress_	1181 Teasdale Road, C	Charleston MS 389	21 nization/Individual	
rpose_	Program Renewal		Director Catherin	e Hubbard
ileage S	start		Mileage End	
			Telephone No. (662)647-53	352
me In	11:00	Time Out 11:30	Total Time	30 minutes
ndings/	Comments			
anga annanga a				
	Upon arrival licensure r Documents recieved fo	net with the director this virtual inspec	or. Here to complete a pro ction is approved.	· · · · · · · · · · · · · · · · · · ·
aggirina yang tan disebut di sebut di s	Form 333 and four wee	ks of menus need	ed to complete the renew	al process.
	Kitchen recieved an A.			
	Playground recieved no	violations.		
	Class I and II violations	may result in a m	onetary penalty. Repeate	d violations
ministra kanada madeksi dake kupa da kata k	may result in the doubli	ng of the penalty,	suspension or revocation	or the license.
and the special states of the state of the s				
and the second of the second o				

udolitendo que sumee protección en con-				
The state of the s				
		7.1		
		Mary	Hampton	White Copy - Facility File Yellow Copy - Operator



Child Care Program Review

Facility Name Eva	Covington Hea	d Start	License No. 68CF	FIFHE-4194 Date	09-24-20
Yes No N/A 1.	Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Current alphabetical roster of children and staff {Rule 1.6.3 (1)} Current staff roster (includes date of birth & date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in roddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.1.1.14}				
Appropriate transportation policy followed {Subchapter 15}					

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Eva Covington Head Start	Date
	1181 Teasdale Road, Charleston MS 38921	09-24-20

CRITICAL VIO	LATIONS	CORRECTION PLA	AN AND SCHEDULE
No Violations this site visit	during		
		Billie Gordon	Serv Safe
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const.	□ 92010 Permit No Charge □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92013 Permit 4 \$200.00 □ 92013 Permit 920.00 □ 92013 Permit 920.0	Certified Manager	Licence Number
☐ 92080 No Inspection ☐ 92090 Restaurant Training		Facility Signature	
Permit Date	Environmentalist Code MH4	Environmentalist Signature	Mary Hampton
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

				Inspection Date09-24-20_
Center Name Eva			Eva	Covington Head Start
YES	NO		1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
-			2.	and a region with one being remote from the building. (Mare 1122)
×			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
				AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
X			4.	AC units, high-voltage caoming/whics indoors and account of the standing water present on playground or in/on playground equipment or walkways? No standing water present on playground or in/on playground equipment or walkways?
\Rightarrow			5.	No standing water present on playground of intoh playground (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
×			6.	Toys & equipment in good repair? (none broken determine)
×			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-1/)
×			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing
		r==1	9.	twists/wires facing away from the playground the twists/wires facing away from the twist
\mathbf{R}				3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
X			10.	
×			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
×			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
				Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
X			13.	
Ż			14.	Is age-appropriate equipment being used? If not, state which process (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
K	([15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
				Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
X	_] 16.] 17.	continued located at least 6" beneath the surface: (11000 117)
\supset				. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
X] [18	Is wood smooth? Documentation provided that wood amount of the second smooth? Documentation provided that wood amount of the second sec
D.	recto	r		Licensing Official
יע	LUULU	<u> </u>		