



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Stone</u>	Liberty Preschool Academy 1625 Central Ave. West., Wiggins, MS 39577	Date <u>5/31/18</u>
Facility Name <u>601-928-0081</u>	Lic. No.: 66C4PFA-5094	License Number _____
Purpose <u>program renewal</u>	Director: Michelle Williams	Capacity <u>100</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

	In	Out	COS	N/A
Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>see 2nd encounter.</u>
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

	In	Out	COS	N/A
Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐

	In	Out	COS	N/A
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐

	In	Out	COS	N/A
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐

	In	Out	COS	N/A
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐

	In	Out	COS	N/A
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐

	In	Out	COS	N/A
First aid kits stocked and easily accessible	☒	☐	☐	☐

	In	Out	COS	N/A
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐

	In	Out	COS	N/A
Playground equipment meets standards	☒	☐	☐	☐

	In	Out	COS	N/A
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒

	In	Out	COS	N/A
Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	☒	☐	☐	☐

Center Director/Individual

Kelli Page

Child Care Representative

Ruby Jonsson



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9

Date 5/31/18

Name Liberty Preschool Academy
1625 Central Ave. West., Wiggins, MS
39577
Address 601-928-0081 Lic. No.: 66C4PFA-5094
Director: Michelle Williams

License No. _____
Organization/Individual _____

Purpose Program Renewal

Director _____

Mileage Start _____

Mileage End _____

County Stone

Telephone No. _____

Time In 10:10am

Time Out 1:30pm

Total Time _____

Findings/Comments

All in Compliance. No deficiencies observed.
All contact hours and online renewal
have been completed, as well as menus sub-
mitted for approval.

Please submit completed fire form to licensing
official when its complete to one of the
following - email → linsey.toussaint@msdh.ms.gov
fax → [601-731-2417](tel:601-731-2417)

Kelli Page
Center Director/Designee/Individual

Luisa Toussaint
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Liberty Preschool Academy
1625 Central Ave. West., Wiggins, MS
39577

601-928-0081 Lic. No.: 66C4PFA-5094

Director: Michelle Williams

Child Care Program Review

License No. _____

Date

5/31/18

- | Yes | No | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|---|
| ☒ | ☐ | ☐ | 1. Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1} |
| ☒ | ☐ | ☐ | 2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| ☒ | ☐ | ☐ | 3. Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| ☒ | ☐ | ☐ | 4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| ☒ | ☐ | ☐ | 5. Attendance records for children and staff {Rule 1.6.3 (1)} |
| ☒ | ☐ | ☐ | 6. Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)} |
| ☒ | ☐ | ☐ | 7. Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)} |
| ☐ | ☐ | ☐ | 8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| ☒ | ☐ | ☐ | 9. Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| ☒ | ☐ | ☐ | 10. Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| ☒ | ☐ | ☐ | 11. Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4} |
| ☒ | ☐ | ☐ | 12. Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| ☒ | ☐ | ☐ | 13. Children records (<i>attach children's records form</i>) {Rule 1.6.7} |
| ☒ | ☐ | ☐ | 14. Reports of serious occurrences made as required {Rule 1.7.1} |
| ☒ | ☐ | ☐ | 15. Communicable diseases reported as required {Rule 1.7.3} |
| ☐ | ☐ | ☐ | 16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| ☒ | ☐ | ☐ | 17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| ☒ | ☐ | ☐ | 18. Age appropriate program of activities posted in each room {Subchapter 9} |
| ☒ | ☐ | ☐ | 19. Required toys present in infant room {Rule 1.10.1 (2)} |
| ☒ | ☐ | ☐ | 20. Required toys present in toddler room {Rule 1.10.1 (3)} |
| ☒ | ☐ | ☐ | 21. Required toys present preschool room {Rule 1.10.1 (4)} |
| ☐ | ☐ | ☒ | 22. Licensed pest control contractor {Rule 1.11.14} |
| ☐ | ☐ | ☒ | 23. Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6} |
| ☒ | ☐ | ☐ | 24. Appropriate discipline policy followed {Subchapter 14} |
| ☒ | ☐ | ☐ | 25. Appropriate transportation policy followed {Subchapter 15} |
| ☐ | ☐ | ☐ | 26. Infant feeding schedules posted (<i>Appendix C, VII</i>) |

Comments/Recommendations

- ☒ Pass -
License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

Kelli Page
Director ☒ Designee

Amey Lonsaint
Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Liberty Preschool Academy 1625 Central Ave. West., Wiggins, MS 39577 601-928-0081 Lic. No.: 66C4PFA 5094 Director: Michelle Williams	Date 5/31/18
---------	--	-----------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

no deficiencies observed.	none required. "A" issued.
----------------------------------	---

☒ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code

Please Remit within 10 days to:

Tummy Safe
 Certified Manager

Kelli Page
 Licence Number

Facility Signature <u>Kelli Page</u>
Environmental Signature <u>Russell J. Janssen</u>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Liberty Preschool Academy
1625 Central Ave. West., Wiggins, MS
39577
601-928-0081 Lic. No.: 66C4PFA-5094
Director: Michelle Williams

Inspection Date

5/31/18

Center Name

YES NO N/A

☒ ☐ ☐

1

Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (3), pg 48) In good repair, with no gaps? (Rule 1.11.9 (3), pg 48)

☒ ☐ ☐

2

2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (3), pg 48)

☒ ☐ ☐

3

Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8)

☒ ☐ ☐

4

AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)

☒ ☐ ☐

5

No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)

☒ ☐ ☐

6

Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)

☒ ☐ ☐

7

Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)

☒ ☐ ☐

8

All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)

☒ ☐ ☐

9

Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)

☒ ☐ ☐

10

Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)

☐ ☐ ☒

11

If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 34)

☒ ☐ ☐

12

If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 3.3.6, 4.5, pg 34)

☒ ☐ ☐

13

Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)

☒ ☐ ☐

14

Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)

☒ ☐ ☐

15

Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 36)

☒ ☐ ☐

16

Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)

☒ ☐ ☐

17

Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)

☒ ☐ ☐

18

Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 3.5.5)

Director

Kelli Page

Licensing Official

Lisey Loussaint