



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County Hinds Date 4/25/19

Facility Name Prep Company Tutorial School Inc. License Number 25CDPFA-0461

Purpose Mid-year / T.A Capacity 77

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	Infants / 5 / staff # 1
2.	1 yr. - 2 yr. / 9 / staff # 2
3.	2 yr. - 3 yr. / 16 / staff # 3 & # 4
4.	3 yr. - 4 yr. / 13 / staff # 5
5.	School age / 25 / staff # 6
6.	
7.	

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair ☒ ☐ ☐ ☐

Lighting approved ☒ ☐ ☐ ☐

Heating/cooling approved ☒ ☐ ☐ ☐

Ventilation adequate ☒ ☐ ☐ ☐

Glass approved and shielded ☒ ☐ ☐ ☐

Telephone on premises, available, and functioning ☒ ☐ ☐ ☐

Electrical outlets protected ☒ ☐ ☐ ☐

Large appliances located properly ☒ ☐ ☐ ☐

Sinks and toilets working properly ☒ ☐ ☐ ☐

Hot water at all sinks, not to exceed 120° ☒ ☐ ☐ ☐

Children barred from kitchen ☒ ☐ ☐ ☐

Vending machine snacks meet nutritional guidelines, if present ☐ ☐ ☐ ☒

Exits, doors and fastening devices single action approved and in good working order ☒ ☐ ☐ ☐

Exits unobstructed ☒ ☐ ☐ ☐

Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order ☒ ☒ ☐ ☐

First aid kits stocked and easily accessible ☐ ☐ ☐ ☐

Playground area clean, shaded, well drained and equipped and fence in good repair ☐ ☐ ☐ ☒

unable to inspect due to the weather.  
Playground equipment meets standards ☐ ☐ ☐ ☒

Read above message.  
Pool area clean, fenced, and adequately maintained ☐ ☐ ☐ ☒

Diaper changing stations adequate in number and each fully supplied (number 2) ☒ ☐ ☐ ☐

Center Director/Individual

Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 5Date 4/25/19

Name	<u>Prep Company Tutorial School, Inc.</u>		License No.	<u>25CDPFA-0461</u>
Address	<u>5462 Watkins Dr. Jackson, MS 39206</u>			
	Center/Organization/Individual			
Purpose	<u>Mid-year / T.A</u>	Director	<u>Eulonda M. Garry</u>	
Mileage Start		Mileage End		
County	<u>Hinds</u>	Telephone No.	<u>601-362-2254</u>	
Time In	<u>2:18 pm</u>	Time Out	<u>4:26 pm</u>	Total Time

Findings/Comments Upon the A.D. arrival at 2:18pm we were met at the door by the Director designee Ms. Ethel Woodard. She A.D. stated the purpose of our visit which is the Mid-year inspection. The director Ms. Eulonda Garry arrived @ 2:45pm.

In the infant room staff noticed one infant with a bid on while sleeping and another infant sleeping with a pacifier in their mouth. T.A. was provided and the staff #1 corrected on site both items. T.A. was provided on removing items from infant beds while they are sleeping and also explained that there shouldn't be anything other than a fitted sheet in the baby bed. This is Rule 1:9:4(5) for the above T.A. observed in the infant.

T.A. was given on Rule 1.8.2 (3) about mixing school-age children with preschool children, because the director stated that she sometimes mix her school-age children with her preschool children.

T.A. was also provided on Rule 1.11.8 (9) Thermometers should be placed in all classroom that children occupy. However when the director arrived she showed where she had all the thermometers in her office because she was in the process of changing the batteries.

Eulonda Garry  
Center Director/Designee/Individual

Denise Gore  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date

4/25/19

Facility Name

Prep Company Tutorial School  
Inc.

License No.

25CDPEA-0461

Rule 1.11.1 (8) was given as T.A. to the director, because L.O. noticed the ~~tiles~~ tiles were buckle and hole in the floor of the girls and boys restroom. Both the director and designee stated a work order has been completed and someone will email the work order to the L.O. Also repairs are being completed Friday-Sunday according to the director Ms. Barry.

A green survey card was ~~complete~~ left with the director Ms. Edlonda Barry.

There were no critical violations in the kitchen.

7 days are given for Ms. Barry to get 1 child's 121 form and 14 days for 1 new hire FBI/Suitability letter. The director will email the above items ~~with~~ within the timeframe given above.

Please email Lisa Allen @ [lisa.allen@health.ms.com](mailto:lisa.allen@health.ms.com). If you have any questions please call 601-364-2821.

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Ms Barry provided LO with staff / children roster and current CPR / First Aid copies.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Prep Company Tutorial School 5462 Watkins Dr. Jackson, MS 39206	Date 4/25/19
---------	--	-----------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

No Critical  
Violations  
noted.

Facility receives  
a grade A

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

Eulonda M. Garry Tummy Safe  
 Certified Manager Licence Number  
 Exp: Oct. 18, 2021

Facility Signature <i>Eulonda M. Garry</i>
Environmental Signature <i>Deeise Bone/Deeise Allen</i>

White Copy - Facility  
 Yellow Copy - PIMS  
 Pink Copy - Environmentalist



## Playground Checklist

Center Name Prep Company Tutorial School, Inc. Inspection Date 4/25/19

Name of Licensing Official Denise Hove/Kisa Allen License # 25CDPFA-0461

YES NO

Unable to inspect the playground due to the weather.

1. Playground fence less than 3½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- N/A N/A 5. ~~Transformers located a minimum of 30 ft. from playground? (Rule 1.11.9 (5), pg 47)~~
6. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
7. Toys & equipment in good repair? (None broken/deteriorating) (Rule 1.10.2 (2), pg 36)
8. Sidewalks provide smooth walking surface? (No trip hazards) (CPSC 3.6, pg 15)
9. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
10. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
11. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
12. If swings are present, are S-hooks in good repair? If not, state deficiency  
\_\_\_\_\_  
(CPSC 3.2, pg13)
13. If slide is present, is exit height/exit zone adequate? If not, state deficiency  
\_\_\_\_\_  
(CPSC 5.3.6.4-5 pgs 34-35)
14. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
15. Is age-appropriate equipment being used? If not, state which pieces are inappropriate  
\_\_\_\_\_  
(Rule 1.10.2, pg 36)
16. Is playground area clean & free of hazards? If not, state deficiency.  
\_\_\_\_\_  
(Rule 1.11.11 (1), pg 49)
17. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
18. Are concrete footings located a minimum of 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
19. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director

Carlton W. Jones

Licensing Official

Denise Hove/Kisa Allen