Wee Care at First Baptist 127 S First Street Brookhaven MS 39601 (601) 833-9699 Lic # 0294



(601) 833-9699 Lic # 0294	acili	ity inspection			
County Lincoln		Date 2/6/202	0		
Facility Name		License Number		<i>V</i>	
Purpose Renewal MYT	Сар	pacity			
All Rens III Red / II e erreren	COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		COS	N/A
Qualified director present  Proper staff to child ratio present  Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning		Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning			
Waste water system approved and functioning Food service approved  Possible Monetary Penalty		Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to	444		
Monetary \$	y Penalty	exceed 120° Children barred from kitchen Vending machine snacks meet			
2\$\$		nutritional guidelines, if present Exits, doors and fastening devices			4
4\$		single action approved and in good working order	<b>2</b> 0		
5\$Age/Child/Staff Name		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and		Ц	
1. Hyrs old 6		in good working order			
2. Hyrs old 6	_	First aid kits stocked and easily accessi	ble 🔲		
3. Byrs old (9) 4. Byrs old (10)	_	Playground area clean, shaded, well drained and equipped and fence in goo repair	d PO		
5. Byrs old D		Playground equipment meets standards			
6. Zyrs old (6) 7. 1/2yrs old (7)	}	Pool area clean, fenced, and adequately maintained	,		Ð
8. Infant 5 9. 1/2yrs old 5 10. Knfant Center Director/Individual 1.4		Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative	Viffanu.	Har	<u> </u>

White Copy - Facility File Yellow Copy Facility Operator
Mississippi State Department of Health

12-10-08

Hany Stan Zelden Ellis Form No. 281



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

District	Wee Care at First Baptist 127 S First Street Brookhaven MS 39601 (601) 833-9699 Lic # 0294	ense No.	Date <u>B/6/2020</u>
Address	Center/Orga	nization/Individual	
Purpose Mid	Year Inspection (MYI)	2	ore
Mileage Start		Mileage End	
County Lina	dn	Telephone No	
Time In 9: 30	Time Out/0;		
Findings/Commen	nts <u>Querived</u> at the faci ir acknowledge reason s to Orduct a MYI,	ilitu, met	LO- Licensing Official COS-Corrected on Site TA-Technical Assistance POC-Plan of Correction LOS-Letter of Suitability
After a	tour of the facility	the facility was	in compliance
with no	critical violations for	und aluring this	inspection
Green Sur	vey card was provided		
	and the state of t		
**			
	result in Repeated	I and II violations may n a monetary penalty. I violations may result in ng of a monetary penalty, or revocation of the license."	
Center Director/D	1511	Representative	White Copy - Facility File Yellow Copy - Operator
Mississippi State De	partment of Health	Revised 6-24-09	Form No. 287

## Food Service Facility Inspection Results Wee Care at First Baptist

	127 S First Street	
PIMS Brookhaven MS		Date
	39601	6.0.2020
	(601) 833-9699 Lic # 0294	CORRECTION PLAN AND SCHEDULE
Constitution Const	O Critical Violations oserved on today's isit.	
92   92   93   94   94   95	2020 Scheduled 2030 Followup 2040 Complaint 2050 Consultation 2070 Plan Review/Const. 2080 No Inspection 2090 Restaurant Training mit Date       92010 Permit No Charge   92015 Permit 1 \$30.00   92011 Permit 2 \$100.00   92012 Permit 3 \$150.00   92013 Permit 4 \$200.00	Certified Manager  Licence Number  Facility Signature  Environmentalist Signature
Plea	ase Remit within 10 days to:	White Copy - Facility Yellow Copy - PIMS Pink Copy - Environmentalist
1		

## Wee Care at First Baptist 127 S First Street Brookhaven MS 39601 (601) 833-9699 Lic # 0294

## censure Playground Checklist

Inspection Date 2.6.2020

N/A Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, 1. with no gaps? (Rule 1.11.9 (8), pg 48) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) 2. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) 3. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) No standing water present on playground or in/on playground equipment or walkways? 5. (CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) 6. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing 8. twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 9. 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) 10. If swings are present, are S-hooks in good repair? If not, state deficiency 11. (CPSC 3.2, pg13) If slide is present, is exit height/exit zone adequate? If not, state deficiency 12. (CPSC5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) 13. Is age-appropriate equipment being used? If not, state which pieces are inappropriate 14. (Rule 1.10.2, pg 36) Is playground area clean & free of hazards? If not, state deficiency. 15. (Rule 1.11.11 (1), pg 49) Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) 16. Are concrete footing's located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) 17. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 18. 2.5.5) Licensing Official