

Child Care Facility Inspection

- Divila	Date)			
County MINIUS	License Number 1980	0			
Facility Name	License Number 1 10				
Purpose VITHUR Unspection	_ Capacity				
All Items In Red Are Critical In Out COS Qualified director present	Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out	cos	N
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	Ø			
Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded	NNNN			
Water system approved and functioning Waste water system approved	Telephone on premises, available, and functioning	Z			
and functioning Food service approved	Electrical outlets protected Large appliances located properly Sinks and toilets working properly	MAN			
Possible Monetary Penalty Monetary Penalt S	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	N			
2 \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				A
4\$	working order Exits unobstructed			П	
Age/Child/Staff Name	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order				
1. 10m1ns 31005 2 - Currenver 2	First aid kits stocked and easily accessibl	e 🏿	_		
2. 1/r-age 3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair	1	, ₋		
5.	Playground equipment meets standards				
6	Pool area clean, fenced, and adequately maintained				1
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative		r –	a	31760
White Copy - Facility File Yellow Copy - Facility Operat		C.		1	

Mississippi State Department of Health

12-10-08

Form No. 281



District_	cima care Encounter	X M
Name_(That Ita Vala Alila	Date 07-03-20
Address_	318 GM Street Surdi M 38 666	
	Untual Ingreation Center/Organization/Individual Director_Shari Small)
Mileage :	Mileage End_	
County_	11 Telephone No. 666 - 487-	2010
Time In_	Time Out Total Time	
SMI	Comments Will Welling William Whopection W	11th MRS.
The	following were in compliance on	1000116 10011
Apr	OUGH.	todays wark
Cla	cont appt tirat reid	
hita	hen beggi Abarti	
492	that have completed	
non	of Darimont Vice Grade	
940	192 2 children Roste mad	
m	EUM,	
Fr	Knowecliment agreement	
	and the state of t	
	amilia Bratader "	hite Copy - Facility File
Center Di	rector/Designee/Individual Child Care Representative	hite Copy - Facility File llow Copy - Operator

Mississippi State Department of Health



Facility Name July Mills Mills Care Program Review

Date 07-03-20

Yes	No	N/A					
1. 6			Policies and procedures (Parent's Handbook) {Rule 1.4.1}				
. Ø			Proof of Accident/Liability Insurance or documentation that parent has been notified that no				
1			insurance is in effect {Rule 1.4.1 (i) & (j)}				
. 0			Approved arrival and departure procedures {Rule 1.4.1 (2)}				
Z			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}				
N N N			Attendance records for children and staff {Rule 1.6.3 (1)}				
			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}				
Z			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}				
			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}				
. 0		Z	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}				
0. 🗷			Immunization Records for Children and Staff {Rule 1.6.3 (8)}				
1. 🗷			Personnel records (attach employee's records form) {Rule 1.6.4}				
2. 3 . 2	0		Volunteer records {Rule 1.6.5 & Rule 1.6.6}				
4.	0		Children records (attach children's records form) {Rule 1.6.7}				
5.	0		Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3}				
6.	0		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}				
7. 📈	0		Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}				
8.	0						
9.	ā		Required toys present in infant room {Rule 1.10.1 (2)}				
0.2	0		Required toys present in infant fooin {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)}				
1.	ā	0	Required toys present preschool room {Rule 1.10.1 (4)}				
22. 🗷			Licensed pest control contractor {Rule 1.11.14}				
23.			Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}				
4.		Ö					
5.			Appropriate transportation policy followed (Subchapter 15)				
6. 🗆		0	Infant feeding schedules posted (Appendix C, VII)				
		*	(
Comm	ents	/Rec	commendations				
Pas		n he	issued: Progular D. Brahatianal D. Bastriated				
☐ Fail	1		issued: Regular Probational Restricted				
Fol	iow-u	p wit	hin days				
			☐ Director ☐ Designee Child Care Representative				

Food Service Facility Inspection Results

PIMS ID Fa	cility Name, Address	\ A	Date
7	rust us Kids Chil	el Cline	07-63-20
CRITICAL VIC		CORRECTION PLAN	AND SCHEDULE
No Critica	- Tildlation		
	1		
	ocay's Visit.		
Facility F	ecid An		
LIFE.	11		
		A	Ando
	1	Shair Smen	Tummy Surc
92020 Scheduled	92010 Permit No Charge	Certified Manager	Licence Number
☐ 92030 Followup	☐ 92015 Permit 1 \$30.00		
92040 Complaint	☐ 92011 Permit 2 \$100.00		
92050 Consultation	☐ 92012 Permit 3 \$150.00		
☐ 92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00		
☐ 92080 No Inspection		Facility Signature	
92090 Restaurant Training		. womey organizate	
Permit Date	Environmentalist Code	Environmentalist Signature	ther
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Ce	nter N	lame	5	USE US Kidy Child Currespection Date 07-13-20
YE	SAO	N/A		
6			1	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8) pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
F,			2.	2 entrances exits, with one being remote from the building? (Rule 1 11 9 (8), pg 60)
6			3	Is surfacing adequate? If not, where is it inadequate? (CPSC 2 4 2 pg 9-10 & 4 3)
1			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 (3) pg 59)
K			5	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1 11.11 (4), pg 61)
K			6	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10 2 (2) pg 46)
6			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6-pg 16-17)
1			8	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 59)
X			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4.3.5. pg 16)
K			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2. pg 14 2.5.2. pg 1 & 5.3.8.1. pg 37)
		6	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3 6.4-5 pgs 34-35)
		1	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
مر			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate [Rule 1 10.2 pg 46]
/		П	15	& CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
/				(Rule 1.11.11+1), pg 61)
1			16	Is adequate shade present on the playground? (Rule 1.119 (7), pg 60 & CPSC 2.1.1. pg 5)
1			17	Are concrete footings located at least 6" beneath the surface? (Rule 1 10.2 (2), pg 46 & CPSC 3 6, pg 16-17)
1			18	Is wood smooth? Documentation provided that world has been properly treated. (CPSC 2.5.5. pg 15)
Direc	ctor _			Licensing Official / amiha Statcher