



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County JonesDate 01/19/2021Facility Name Angie'sLicense Number 3990Purpose Mid-YearCapacity 30**All Items In Red Are Critical**

| | In | Out | COS | N/A |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Qualified director present | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Proper staff to child ratio present | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Room and playground capacity met | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Center capacity met | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| License/complaint visible | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Certified food manager | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Sanitation Approved

| | | | | |
|---|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Garbage and garbage bins maintained | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Vector control maintained | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Water system approved and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Waste water system approved and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Food service approved | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Possible Monetary Penalty

| | Monetary Penalty |
|----------|------------------|
| 1. _____ | \$ _____ |
| 2. _____ | \$ _____ |
| 3. _____ | \$ _____ |
| 4. _____ | \$ _____ |
| 5. _____ | \$ _____ |

| | Age/Child/Staff Name |
|----|----------------------|
| 1. | _____ |
| 2. | _____ |
| 3. | _____ |
| 4. | _____ |
| 5. | _____ |
| 6. | _____ |
| 7. | _____ |

Other Items - Must be corrected

| | In | Out | COS | N/A |
|--|-------------------------------------|--------------------------|--------------------------|--------------------------|
| Children's belongings separated/stored | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Evacuation plans posted | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Menus posted and served | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Plan of activities | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Building and Grounds

| | | | | |
|---|-------------------------------------|--------------------------|--------------------------|-------------------------------------|
| Walls, ceilings, floors, toys, equipment clean and in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Lighting approved | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Heating/cooling approved | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Ventilation adequate | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Glass approved and shielded | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Telephone on premises, available, and functioning | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Electrical outlets protected | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Large appliances located properly | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Sinks and toilets working properly | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Hot water at all sinks, not to exceed 120° | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Children barred from kitchen | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Vending machine snacks meet nutritional guidelines, if present | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Exits, doors and fastening devices single action approved and in good working order | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Exits unobstructed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| First aid kits stocked and easily accessible | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Playground area clean, shaded, well drained and equipped and fence in good repair | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Playground equipment meets standards | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Pool area clean, fenced, and adequately maintained | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Diaper changing stations adequate in number and each fully supplied (number <u>1</u>) | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Center Director/Individual _____

Child Care Representative _____

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 8Date 01/19/2021

| | | |
|------------------------------------|-----------------------------------|------------|
| Name | License No. <u>34C3PFA-3990</u> | |
| Address <u>1603 Susie B Ruffin</u> | <u>Laurel, Ms 39440</u> | |
| Center/Organization/Individual | | |
| Purpose <u>Mid-Year</u> | Director <u>Angela Carmichael</u> | |
| Mileage Start | Mileage End | |
| County <u>Jones</u> | Telephone No. <u>601 651 2900</u> | |
| Time In | Time Out | Total Time |

Findings/Comments

The licensing official came to conduct a Mid-Year Inspection. The licensing official was greeted by Angela Carmichael, Director.

No violations observed during this inspection.

Awesome Job!


Center Director/Designee/Individual


Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

| | | |
|-----------------------------|--|--------------------|
| PIMS ID 34C3PFA- 3990 | Facility Name, Address Angie's Child Development Center | Date 01/19/2021 |
|-----------------------------|--|--------------------|

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No violations observed during this inspection

A
///

| | |
|--|--|
| <input type="checkbox"/> 92020 Scheduled | <input type="checkbox"/> 92010 Permit No Charge |
| <input type="checkbox"/> 92030 Followup | <input type="checkbox"/> 92015 Permit 1 \$30.00 |
| <input type="checkbox"/> 92040 Complaint | <input type="checkbox"/> 92011 Permit 2 \$100.00 |
| <input type="checkbox"/> 92050 Consultation | <input type="checkbox"/> 92012 Permit 3 \$150.00 |
| <input type="checkbox"/> 92070 Plan Review/Const. | <input type="checkbox"/> 92013 Permit 4 \$200.00 |
| <input type="checkbox"/> 92080 No Inspection | |
| <input type="checkbox"/> 92090 Restaurant Training | |

| | |
|-------------|--------------------|
| Permit Date | Environmental Code |
|-------------|--------------------|

Please Remit within 10 days to:

Erica Mayfield 178181477

Certified Manager

Licence Number

Expires 2/21/2024

Facility Signature

Environmental Signature

L. Everett

White Copy - Facility

Yellow Copy - PIMS

Pink Copy - Environmentalist

Center Name

Angie's Child Development

Inspection Date

01/19/2021

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 111.9 (8) pg 48) In good repair with no gaps? (Rule 111.9 (8) pg 48)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 111.9 (8) pg 48)
- ☐ ☐ ☒ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 8)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 111.9 (3) pg 47)
- ☒ ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkways? (CPSC 242 2-5 pg 10)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 110.2 (2) pg 36)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36 pg 15)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 111.9 (5) pg 47)
- ☒ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 34.35 pg 15)
- ☐ ☐ ☒ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 539 pg 40)
- ☐ ☐ ☒ 11 If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 32 pg 13)
- ☐ ☐ ☒ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 536 4-5 pgs 34-35)
- ☐ ☐ ☒ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 110.2 pg 36)
- ☒ ☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency _____ (Rule 111.11 (1) pg 49)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (CPSC 211 pg 5)
- ☒ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 110.2 (2) pg 36)
- ☒ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated (CPSC 255)

Director

Licensing Official

S. Everett