

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Washington				8	Date $3/11/2$	020				
Facility Name Peace - San			tart/E		License Number_		9			
Purpose Renewal Inc	nection	1-	A Car							
Purpose / Williams	DECTION		Ca ₁		r Items - Must be cor	roctod	In £) ref	COS	N/A
All Items In Red Are Critical Qualified director present	In Out	cos	N/A	Childr Evacu Menu:	ren's belongings separated action plans posted s posted and served of activities					
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager				Walls clean	ling and Grounds, ceilings, floors, toys, equand in good repair	iipment				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained				Heatin Ventil Glass	ing approved ng/cooling approved lation adequate approved and shielded hone on premises, availab	ıle,				
Water system approved and functioning Waste water system approved and functioning Food service approved				Electr	unctioning rical outlets protected e appliances located prope s and toilets working prop					
Possible Monetary Penalty	Monetar	y Pena	ılty	Hot v	water at all sinks, not to ed 120°	erry				
1	\$				lren barred from kitchen ing machine snacks meet		is a			
2	\$				tional guidelines, if preser , doors and fastening devi					
3	\$			single	e action approved and in a ing order					
5	\$ \$			Requ	unobstructed nired smoke detectors, carboxide monitors, fire exting	guishers				
Age/Child/Sta		#1	tto		thermometers placed propod working order	erly and				
	giver 1	1	#2 #4	First	aid kits stocked and easil	y accessible	e 🖢			
2. / yr. + 2yr. olds / 6	Care	giver	0, 1		ground area clean, shaded ned and equipped and fend ir					
5.				Play	ground equipment meets	standards				
6.				10. 10000000	area clean, fenced, and a attained	dequately				
7. Center Director/Individual	hann	Bu	hava	num (num	per changing stations adeq ber and each fully supplied the mber	d /	7 to	50	Lia	

White Copy - Facility File Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

	Child Care Encounter	
District		Date 3/11/2020
Name Peac	e-Sanders Head Start/EHS License No. 7	6CFIFHE-6359
Address 50.	5 W. Washington St. Hollandale, MS 38 Center/Organization/Individual	8748
	newal Inspection /TA Director Shar or	
Mileage Start_	,	
	ashington Telephone No. 662	-827-7414
Time In /O	:26 a.m. Time Out 12:24 p.m. Total	Time
Findings/Co	mments The liversing official met with,	liverter, Sharon Buchanan.
The pu	spose for this visit was for a renewal s	rspection/TA Visit.
There w	ere no deficience noted on todays visit	•
agree	whild care survey card was left with,	Sharon Buchanan.
For fu	ture questions or concerns, please contact	Child Care Accessive
-		662-332-8177 office
		662-378-2620 fax
Please ?	Visit the website at (WWW, healthy ms, co	om) for approved
Profes	OH approved Child care courses	
X Dear	urce Fuide for Child care Providers	
* Tra	ining organizations with Standing appr	oval
Class I Violat Supper	riend may result in the doubling of resion, or revocation of the liverse!	onetary penalty. Repeated a monetary penalty, White Copy-Facility File
Center Dire	ector/Designee/Individual Child Care Representative	Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

r) 5 1 115/17/15 1259 2.3/11/2-20
Facility Name	Peace Sanders HS/EHS License No. 6359 Date 3/11/2020
Yes No	N/A
1.	□ Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	☐ Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	☐ Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	☐ Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	☐ Attendance records for children and staff {Rule 1.6.3 (1)}
6.	☐ Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	☐ Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	Immunization Records for Children and Staff (Rule 1.6.3 (8))
11. 🖸 🗆	Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	Children records (attach children's records form) {Rule 1.6.7}
14.	Reports of serious occurences made as required {Rule 1.7.1}
15.	Communicable diseases reported as required {Rule 1.7.3}
16.	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	Age appropriate program of activities posted in each room {Subchapter 9}
19.	Required toys present in infant room {Rule 1.10.1 (2)}
20.	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	Required toys present preschool room {Rule 1.10.1 (4)}
22.	☐ Licensed pest control contractor {Rule 1.11.14}
23.	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	☐ Appropriate discipline policy followed {Subchapter 14}
25.	Appropriate transportation policy followed {Subchapter 15}
26. 🗆 🗖	Infant feeding schedules posted (Appendix C, VII)
C.	De til e e e
Comments	Recommendations rease henew application and pay there fees
some line	Recommendations Please senew application and pay liverse fees at (www. healthyms.com) before the liversure period expires
1 1	
5/31/20	020. Please submit fire inspection form #333 and current two
,	
weeki	ycle menus to the liversing of fried before 5/31/2020.
0	
Pass -	
THE MAKE CONTRACTOR	to be issued: Regular Probational Restricted

_ days

Follow-up within __

Fail

Food Service Facility Inspection Results

PIMS ID Facil	ity Name, Address peace-	sarles Heal Stort/EHS	Date
6359 505	W. Washington St.	, Hollandole, ME	3/11/2020
CRITICAL VIOL		CORRECTION PLAN AN	D SCHEDULE
-observed no cr	rtical violations	Facility received a a	vade of "A".
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const.	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager	Licence Number Exp. 10/22/2020
☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date	Environmentalist Code	Facility Signature Environmentalist Signature	chara
Please Remit within 10 days to:	123	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Cente	er Na	ıme _	Peace	e & Sanders Head Start/EltS Inspection Date 3/11/2020
YES,	NO	N/A		
Q/			1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
	U		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) Observed some craced worn areas in surfacing area on playground on the Head Start playground area.
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
D			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
V			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
	7255		5701000	
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	us erakin mer		10.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
AND THE PERSON NAMED OF THE	us erakin mer	es de America	THE STATE OF THE PARTY OF	If swings are present, are S-hooks in good repair? If not, state deficiency
AND THE PERSON NAMED OF THE	us erakin mer		11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
AND THE PERSON NAMED OF THE			11. 12.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
AND THE PERSON NAMED OF THE			11. 12.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
AND THE PERSON NAMED OF THE			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
AND THE PERSON NAMED OF THE			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1). pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Observed no Shading Present on Effs playground? (Rule 1.11.0.2 (2), pg 46 & Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &