

## MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Callan	Date 10 19 20									
Facility Name Tiny Tot Day Care License Number OTCOFA 4536										
Purpose Virtual Program Menuscan	pacity45									
All Items In Red Are Critical In Out COS N/A Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	IN NAMA	Out	COS	N/A					
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	7								
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning	A ANNUA								
and functioning Food service approved  Possible Monetary Penalty	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly	AL VIENE	,							
1 Monetary Penalty	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet		<b>'</b>							
3\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				P					
4.	working order  Exits unobstructed  Required smoke detectors, carbon monoxide monitors, fire extinguishers	A								
1. Lyc. S 1 17	and thermometers placed properly and in good working order First aid kits stocked and easily accessible	Z/	, 🗆							
2. Interst 5 2 10 3. 2-3yrs. 8 3 11	Playground area clean, shaded, well drained and equipped and fence in good repair									
5.	Playground equipment meets standards	7								
6	Pool area clean, fenced, and adequately maintained				7					
	Diaper changing stations adequate in number and each fully supplied (number)	A		ر						
Center Director/Individual	Child Care Representative	Tou	fre	te3	Migul					

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter
District Date W 19120
Name Ling of Day Care License No. OTCCPFA-4536
Address 1171 Crocker Street, Druce, (118 38915) Conter/Organization/Individual
Purpose Virtual Program Panewal Director helly White
Mileage Start Mileage End
County Calban Telephone No. 622- 983-2930
Time In 10:30 Time Out 10:59 Total Time
Findings/Comments Conclucted Virtual renewal inspection. Virtual inspection memo signed and received 10/14/2020.
Violations: No class I or II violations rerifical during todays virtual tour of the facility.
Proposted documentation, received: Copy of statt Children rosters W dates of birth, & tockey's sign-In sheet.
Must submit - Two-week cycle of mencies form # 4441, fire Survey form # 333, and sturt contact training holers that remain. Nine (9) hours verified during virtual inspation.
"Class I and II violations may result in a monetary penalty. Reported Violations may result in the elabling of the monetary penalty, suspension or revocation of the livense."
Center Director/Designee/Individual  White Copy - Facility File Yellow Copy - Operator  Child Care Representative



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

— Child Care Program Review				
Facility Name Tiny Tot Day Care Program Review  License No. 4536  Date 10/19/20				
Yes No N/A  1.				
Pass – License to be issued: Regular  Probational  Restricted Fail Follow-up within days Director  Designee  Child Care Representative				
Mississippi State Department of Health  Revised 12-19-13  Form 289  White Copy - Facility File				
Yellow Copy - Operator Virtual Inspection				

## Food Service Facility Inspection Results

PIMS ID Fa	cility Name, Address	(aree)	Date 19 20
CRITICAL VIC	DLATIONS	CORRECTION PLAN A	ND SCHEDULE
(Ass		Lunch Monn: Spagherei W/meat Sher Green Beans Pear Chunce Cracters Milk	
☐ 92020 Scheduled	92010 Permit No Charge	Certified Manager	Licence Number
☐ 92030 Followup	☐ 92015 Permit 1 \$30.00	1	Licence Number  Xpires: 10/11/2
☐ 92040 Complaint	92011 Permit 2 \$100.00		xoires: 10/11/2
☐ 92050 Consultation	☐ 92012 Permit 3 \$150.00		
92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00		
92080 No Inspection		Facility Signature	
☐ 92090 Restaurant Training			
Permit Date	Environmentalist Code	Environmentalist Signature	4
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	
Mississippi State Developer	Y Id	J. O Traced	70 Revised 2/15/08

Mississippi State Department of Health

## Child Care Licensure Playground Checklist

Cent	er Na	ime _		ny Tot Day Care Inspection Date 10/19/20			
YES	NO	N/A					
Ø			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)			
Ø			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)			
		7	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)			
Ø			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)			
ø			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)			
P			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)			
P			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)			
Ø			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)			
Ø			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)			
		7	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)			
		P	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)			
		P	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)			
		Ø	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)			
		Ø	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)			
Ø			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)			
ď			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)			
P			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)			
户			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)			
Direc	ctor_			Licensing Official PAULETTE ELLIOTT, CCFI II			

Virtual Inspection