Bright Minds Learning Center 5416 Lakeland Drive Flowood, MS 39232 Ph.: 769-218-0895 Lic.: 61CDPF-6591 Director: Ashley Lott



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County KMKIN				Date 0 26 202	20			
Facility Name	امدمطا	la c	m Och:					
Purpose VITUAL KO	KWAI	IN	PECTED	bacity				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out	cos	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	EXECUTE OF THE PERSON OF THE P	Out	cos	N
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	AKAN IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	P.			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning				Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,				
Waste water system approved and functioning Food service approved				and functioning Electrical outlets protected Large appliances located properly	Z			
Possible Monetary Penalty	Monetary	y Penal	ty	Sinks and toilets working properly Hot water at all sinks, not to	7			
1	\$			exceed 120° Children barred from kitchen	#			
2				Vending machine snacks meet statement nutritional guidelines, if present Exits, doors and fastening devices	/			
3. 4.	_ \$ _ \$			single action approved and in good working order	<u>≠</u>			
5	. \$			Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	F			
Age/Child/Staff	A			and thermometers placed properly and in good working order	\not			
2 2 4r. 9 · CE	2			First aid kits stocked and easily accessibl	e Z			
3. Infants 7 · C (3, 3,	+ =		Playground area clean, shaded, well drained and equipped and fence in good repair	b ,			
5. 314 year, 22.(6 6	, 7		Playground equipment meets standards	Ø			
6				Pool area clean, fenced, and adequately maintained		D		
				Diaper changing stations adequate in number and each fully supplied (number)	26		4 1	'. 仲 <i>〇</i>
Center Director/Individual				Child Care Representative	4.	M	U V	72
White Copy - Facility File Yellow C Mississippi State Department of Heal	Copy - Facility Ith	y Opera	<i>tor</i> 12-10	0-08		Form	n No. 2	281

Bright Minds Learning Center 5416 Lakeland Drive Flowood, MS 39232

Mississippi State Department of Health

Ph.: 769-218-0895 Lic.: **61CDPF-6591** Director: Ashley Lott



Page ___ of ___

Form No. 287

5	Child Care Encounter	Islac poor
District		Date 6 26 202
Name	License No	
Address		
Purpose VINTA Renewal	Center/Organization/Individual Director	
Mileage Start	Mileage End	
County KMKIN	Telephone No	
Time In 12:00 PM	Time Out 2: 28 PM Total Time	
Findings/Comments UDON The Windows	ne Start of Virtual renu	wal Inspection
ttee puervoe Af 1	laic mail-lance to Canduc	+ n \intra l
renewal inspection	his visit-was to conduc	1 Q VIIIQUI
to will need men	nus, fire form, updated	CPR/Istaid/
LO- Licensing Official COS-Corrected on Site TA-Technical Assistance POC-Plan of Correction LOS-Letter of Suitability		
Class I and II violations may result in a monetary benalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of the icense.		
	(XIMMA) HOUNS	White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/Individual	Child Care Representative	tenen copy - Operator

Revised 6-24-09

Food Service Facility Inspection Results

DIMCID	Pacility No. Bright Minds Learning Center	
PIMS ID F	5416 Lakeland Drive	Date
	Flowood, MS 39232 Ph.: 769-218-0895	labano
CDITICAL	Lic.: 61CDPF-6591	
CRITICALVI	OLATION Director: Ashley Lott	FION PLAN AND SCHEDULE
Charles		
UDSUMG		
ha		
110		
110		×1
untica		
U U U		
I vialanon	15	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		`
		V 5
		•
/ <i>/</i> ^		
	 	* 1
\ 1	\ /	
		Minito Thomas
	/	CUMMU TORIES TS
92020 Scheduled	2 92010 Permit No Charge	Certified Manager Licence Number
92030 Followup	☐ 92015 Permit 1 \$30.00	0.00 1001001
92040 Complaint	92011 Permit 2 \$100.00	exp: 08/28/2024
☐ 92050 Consultation	92012 Permit 3 \$150.00	00 20 2021
☐ 92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00	·
92080 No Inspection		Facility Signature
☐ 92090 Restaurant Training		
Permit Date	Environmentalist Code	Environmentalist Signature
	1 (105)	L. W. WALL W
Please Remit within 10 days to:	<u> </u>	White Copy - Facility
ways to.	8	Yellow Copy - PIMS
		Pink Copy- Environmentalist

Director: Ashley Lott



Child Care Program Review

		Ciliu Care Flogram Review
Facility Name		License No Date O 20 20
1. 2. 2	N/A	Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3. 4. 5. 6. 7. 8. 9. 101 12. 13. 14. 15. 18. 19. 14. 15. 16. 17. 18. 19. 14. 15. 16. 17. 18. 19. 14. 15. 16. 17. 18. 19. 14. 15. 16. 17. 18. 19. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	000000000000000000000000000000000000000	Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII)
Comments	/Reco	ommendations
☐ Fail		in days

Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator

Revised 12-19-13

Form 289

Bright Minds Learning Center 5416 Lakeland Drive Flowood, MS 39232 Ph.: 769-218-0895 Lic.: 61CDPF-6591

Director: Ashley Lott

d Care Licensure Playground Checklist

isine, com				10haloma
~				Inspection Date 10/20/2020
Cen	ter N	ame .		
YES	NO	N/A	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
A			2.	2 entrances/exits with one being remote from the building! (Rule 1.11.5 (5), pg 00)
7			3.	Is surfacing adequate? If not, where is it inadequate? [CPSC, 2.4.2, pg 9-10 & 4.5]
The state of the s	П	П	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
7			5	No standing water present on playground or in/on playground equipment of wateways.
7			6.	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 619 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
×			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush overgrowth. (ex se
Ż			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		Ø	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14 2.5.2, pg 1 & 5.3.8.1, pg 37)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35.
7				· · · · · · · · · · · · · · · · · · ·
d.			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 4)
P			14.	Is age-appropriate equipment being used: if 10.5, pg 4 & CPSC 2.2.6, pg 6)
200		17 -	2 to 1 to 2 to 2 to 2 to 2 to 2 to 2 to	
Ø			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 6.
d			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
A			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
/			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Direct	or			Licensing Official 1000000000000000000000000000000000000