First Baptist Church Child Care 301 East Street Mendenhall Ms 39114 (601) 847-2625 Lic# 1293 Capacity: 110



e Facility Inspection

County Simpson	Da	e 7.1.2020			
Facility Name	License Number				
Purpose Renewal	Capacity				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Children's Evacuation	belongings separated/stored plans posted ted and served	Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building Walls, ceili	and Grounds ngs, floors, toys, equipment n good repair	- -		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Ventilation Glass appro Telephone	olling approved adequate oved and shielded on premises, available,			
Waste water system approved and functioning Food service approved	and function	ning U			
Possible Monetary Penalty	Large appli Sinks and t	ances located properly oilets working properly tt all sinks, not to			
1	exceed 120 Children ba	ourred from kitchen			
2\$	nutritional Exits, doors	achine snacks meet guidelines, if present s and fastening devices			
4	working or				
5	monoxide r	tructed noke detectors, carbon nonitors, fire extinguishers meters placed properly and			
1. Infant 3	in good wo	rking order			
2. Tyrold (b) 3. 1/2 yrs 1/d (8)		s stocked and easily accessible area clean, shaded, well			
4. 2 yrs old 3		equipped and fence in good			
5. 3/4 yrs old (8)	Playground	equipment meets standards			
6. Aftersionovier (4) 7.	Pool area cl maintained	ean, fenced, and adequately			
		ging stations adequate in each fully supplied	-	<u>,</u>	
Center Director/Individual		are Representative	ny S	ay	
White Copy - Facility File Yellow Copy - Facility File Mississippi State Department of Health	cility Operator 12-10-08	100	Forr	n No. 2	281

Form No. 287



District5	First Baptist Church Child Care 301 East Street	Date 7. 1. 2020
DISTINCT CONTRACTOR OF THE PROPERTY OF THE PRO	Mendenhall Ms 39114	Date
Name	(601) 847-2625 Lic# 1293	
Address	Capacity: 110	
11. 1. 1. 1	Center/Organization/Individual	1 -1 1
Purpose VITTUAL RENEW	Val Inspection Director 1	lary Floyd
Mileage Start	Mileage End	
County SIMPSON	Telephone No	
Time In 9:30	Time Out_///1/0	Total Time
Findings/Comments Prain	virtual inspection wis	tha dup call to
provider. LO dis	cuss again with Dravia	ler the Dropess of hour
we will conduct	cuss again with provide the Virtual inspection	n.
After a virtual	Walk through the k	sullding the facility had
no <u>Critical</u> vi	olation found during	ullding, the facility had this inspection.
Item reviewed a	during virtual inspection	
Staff Chidren 121		
Staff LDS		
Staff CPR/FA		
Documents sent	in by provider before	virtual inspection to LO
Staff roster	J /1.017012 102011	The property of
Fire Safety Surm		
Fire drill log	11	Class Land II violetians may
Pest control		Class I and II violations may result in a monetary penalty.
4 weeks meny (a		peated violations may result in
medication log	the	doubling of a monetary penalty,
The breath the	susper	sion, or revocation of the license."
Needed documents		
Contact hours for	Staff (2 two WELKS to	Complete)
Insurance		The state of the s
Up)dated handbo	ok policy)	
Green survey card	will be sent to provid	ter by mail to complete.
	Duis 'W	White Copy - Facility File
Center Director/Designee/Individu	ial Enjid Gire Representative	White Copy - Facility File Yellow Copy - Operator
Mississippi State Department of Healt	th Revised 6-24-09	Form No. 287

First Baptist Church Child Care 301 East Street Mendenhall Ms 39114 (601) 847-2625 Lic# 1293 Capacity: 110



Program Review

	,	7	I MANA
License No.	Date	1.	· 2020
		_	

	Yes	No	N/A				
1.	4			Policies and procedures (Parent's Handbook) {Rule 1.4.1}			
2.	1			Proof of Accident/Liability Insurance or documentation that parent has been notified that no			
				insurance is in effect {Rule 1.4.1 (i) & (j)}			
3.	4			Approved arrival and departure procedures {Rule 1.4.1 (2)}			
4.	4			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}			
5.	W			Attendance records for children and staff {Rule 1.6.3 (1)}			
6.	1			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}			
7.	4			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}			
8.	12			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}			
9.				Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}			
10,				Immunization Records for Children and Staff {Rule 1.6.3 (8)}			
11,	M		Personnel records (attach employee's records form) {Rule 1.6.4}				
12.							
	3. Children records (attach children's records form) {Rule 1.6.7}						
14.	1			Reports of serious occurences made as required {Rule 1.7.1}			
15.	1222			☐ Communicable diseases reported as required {Rule 1.7.3}			
				Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}			
17.	A						
	-		g. affd bg (
19.	Required toys present in infant room {Rule 1.10.1 (2)}						
	Required toys present in toddler room {Rule 1.10.1 (3)}						
	21. Required toys present preschool room {Rule 1.10.1 (4)}						
	22. Licensed pest control contractor {Rule 1.11.14}						
	23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}						
	4			Appropriate discipline policy followed {Subchapter 14}			
25. Appropriate transportation policy followed {Subchapter 15}							
26.				Infant feeding schedules posted (Appendix C, VII)			
~			(D)	1.			
C	mm	ents	Kec / Kec	ommendations			
				Reminders Please send to LO before license expire;			
				Fire Safety Form			
				4 or ∆ weeks menus_			
-				Contact hours for staff **License will be made available when all document(s)			
	have been submitted and all violation(s) corrected.						
-							
_							
-							
	Pass						
License to be issued: Regular Probational Restricted							
ď	D. Fellow we within the days						
U	Follow-up within days						
				☐ Director ☐ Designee			

First Baptist Church Child Care 301 East Street Mendenhall Ms 39114 "ty Inspection Results

Date (601) 847-2625 Lic# 1293 Capacity: 110 CORRECTION PLAN AND SCHEDULE CRITICAL VIOLATIONS No Critical Violations during this virtual inspections 92010 Permit No Charge Certified Manager ☐ 92020 Scheduled ☐ 92015 Permit 1 \$30.00 ☐ 92030 Followup ☐ 92040 Complaint ☐ 92011 Permit 2 \$100.00 ☐ 92050 Consultation ☐ 92012 Permit 3 \$150.00 ☐ 92070 Plan Review/Const. ☐ 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training Environmentalist Signatu Permit Date Environmentalist Code Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

First Baptist Church Child Care 301 East Street Mendenhall Ms 39114 (601) 847-2625 Lic# 1293 Capacity: 110

sure Playground Checklist

Inspection Date 7.1.2020

YES NO N/A Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, 1. with no gaps? (Rule 1.11.9 (8), pg 48) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) 2. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) 3. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) 4. No standing water present on playground or in/on playground equipment or walkways? 5. (CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) 6. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) 7. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing 8. twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 9. 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) 10. If swings are present, are S-hooks in good repair? If not, state deficiency 11. (CPSC 3.2, pg13) If slide is present, is exit height/exit zone adequate? If not, state deficiency 12. (CPSC5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) 13. Is age-appropriate equipment being used? If not, state which pieces are inappropriate 14. (Rule 1.10.2, pg 36) Is playground area clean & free of hazards? If not, state deficiency. 15. (Rule 1.11.11 (1), pg 49) Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) 16. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) 17. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 18. 2.5.5) Licensing Official Director