

#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

County Leake		11 1	Date 8- 22-19				
Facility Name Winston				320	1		
Purpose Rinewal		C	apacity				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present		OS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In MANA	Out	COS	<b>N/A</b>
Room and playground capacity met Center capacity met License/complaint visible			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	$\square$			
Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	N SERIA			
Waste water system approved and functioning			and functioning				
Food service approved	Z		Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly				
Possible Monetary Penalty  1	Monetary Pe		Hot water at all sinks, not to exceed 120° Children barred from kitchen	A A			
2	\$,		Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good	V			
4	d'		working order	V			
5,	\$ \$		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	\(\psi'\)			
Age/Child/Sta	ff Name		and thermometers placed properly and in good working order	4			
2.			First aid kits stocked and easily accessible	e 🗹			
3.			Playground area clean, shaded, well				
4.			drained and equipped and fence in good repair	<b>d</b> .			
5.			Playground equipment meets standards				
6.			Pool area clean, fenced, and adequately maintained	□.			d
/-	7		Diaper changing stations adequate in number and each fully supplied (number)			П	
Center Director/Individual	2 WS			m	n.	Buen	4



#### **Child Care Encounter**

District	6						Date	8-22-19
Name	Winsto	n and	Dovic H	u dson	Lice	nse No		2329
Address	1305	High	way 16 Co	Cartha	ge Ms	39 05/		<u> </u>
Purpose	Benewo		,		Director	Charlotte	Sanders	
Mileage Sta					Mileage End_		Carrogra	
County	Leake				elephone No	601-267	-4205	
Time In_	11:30		Time Out	1	етерионе то		, , ,	
	comments	Cornet	J063	Nave	ala Hans	Total Time		
munigs/ C	.comments	Orgi	0037	140 011	sia Hons.			
		***						
		-						
$\bigcap$								
Mer/ enter Dire	Ctor/Designee	/Individual		M_ ld Care Re	il Bu presentative	<u>~</u>	White Copy Yellow Copy	- Facility File - Operator

Mississippi State Department of Health



## **Child Care Program Review**

Facility Name	Winson and Dovie Hydson	License No. 2329	Date 8-22-19
-			

	Yes	No	N/A			
1.	Ø			Policies and procedures (Parent's Handbook) {Rule 1.4.1}		
2.	0			Proof of Accident/Liability Insurance or documentation that parent has been notified that no		
"	5			insurance is in effect {Rule 1.4.1 (i) & (j)}		
3.	1			Approved arrival and departure procedures {Rule 1.4.1 (2)}		
4.	P			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}		
5.	A			Attendance records for children and staff {Rule 1.6.3 (1)}		
6.	A			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}		
7.	A C			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}		
8.				Monthly records of fire/disaster drills {Rule 1.6.3 (5)}		
9.	A,			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}		
10.				Immunization Records for Children and Staff {Rule 1.6.3 (8)}		
	A			Personnel records (attach employee's records form) {Rule 1.6.4}		
	A			Volunteer records {Rule 1.6.5 & Rule 1.6.6}		
	A			Children records (attach children's records form) {Rule 1.6.7}		
14.	4			Reports of serious occurences made as required {Rule 1.7.1}		
15.	9			Communicable diseases reported as required {Rule 1.7.3}		
	A			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}		
1/.	A			Staff present who hold valid CPR and First Aid Certification (Rule 1.8.1 (4) & (5))		
	4			Age appropriate program of activities posted in each room {Subchapter 9}		
	N	J		Required toys present in infant room {Rule 1.10.1 (2)}		
				Required toys present in toddler room {Rule 1.10.1 (3)}		
	DA A	0		Required toys present preschool room {Rule 1.10.1 (4)}		
	Z	0		Licensed pest control contractor {Rule 1.11.14}  Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}		
	4			Appropriate discipline policy followed {Subchapter 14}		
	A	<u> </u>		Appropriate discipline policy followed {Subchapter 14} Appropriate transportation policy followed {Subchapter 15}		
		ā	ā	Infant feeding schedules posted (Appendix C, VII)		
20.	6.					
Ct	mm	ents	/Rec	ommendations		
	,,,,,,,,,	CIRCO	ittee			
:(						
,						
	_					
100						
4	✓ Pass –					
(	License to be issued: Regular Probational Restricted					
	Fail			in days any		
	1011011 51 11111111					
				Director Designee Child Care Representative		

# **Food Service Facility Inspection Results**

PIMS ID	Facility Name, Address		Date
2329	Winston and Do	uc Hadson	8-22-19
CRITICAL V	IOLATIONS	CORRECTION PLAN AND	D SCHEDULE
No violation during this	s-observed inspection		
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days t	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code	Certified Manager  Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Tummy Safe

# C. 1d Care Licensure Playground Checklist

Cer	nter !	vam:	3	Winston and Dovie Hudson Inspection Date 8-22-19
VES	S NO	N/a	4	
7	П ж	□	{	Playground fence less than 3 1/2" from surface (Rule 1 11 9 (8) pg 48) in good repair, with no gaps? (Rule 1 11 9 (8) pg 48)
Z			2	2 entrances/exits, with one being remote from the building? (Rule 1 11 9 (8) pg 48)
×			3	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2 4 2, pg8)
X			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 (5) pg 47)
Z			5	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2 4 2 2-5, pg 10)
Z			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2) pg 36)
D			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3 6, pg 15)
Z			8	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1 11 9 (5), pg 47)
Z			9 15	Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? ICPSC
1			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
	<b>-</b>	7	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3 2, pg 13)
9 0			12:	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5 3 6 4-5 pgs 34-35)
ø c	J	]	13	Are spring rockers a minimum of 6 ft. apart? (ASTM 9 5.1 2 pg 15)
<b>d</b> c	3 6	]	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  [Rule 1 10 2, pg 36]
<b>d</b> =		I i	.5	Is playground area clean & free of hazards? If not, state deficiency  (Rule
		l t	6	Is adequate shade present on the playground? (CPSC 2 1 1 pg 5)
<b>d</b> , a		1	7	Are concrete footings located at least 6" beneath the surface? (Rule 1 10 2 (2), pg 36)
		71		Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
irector		1	4	Licensing Official Min Benon