



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Lee Date 6-10-21

Facility Name In His Hands License Number 6288

Purpose Midyear Capacity _____

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present <u>Vanessa Williams</u>	☒	☐	☐	☐
Proper staff to child ratio present <u>designer</u>	☒	☐	☐	☐
Room and playground capacity met	☐	☒	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

1. Rule 1.6.1 Records Monetary Penalty \$ _____
2. Rule 1.11.2 (1) over by 3 \$ _____
3. _____ \$ _____
4. _____ \$ _____
5. _____ \$ _____

	Age/Child/Staff Name
1. <u>Rm2</u>	<u>4, 12, Caregiver 1</u>
2. <u>Rm2</u>	<u>Infants, 5, Caregiver 2</u>
3. <u>Rm4</u>	<u>4, 14, Caregiver 3</u>
4. <u>Rm5</u>	<u>1, 5, Caregiver 4</u>
5. <u>Rm3</u>	<u>Infants, 4, Caregiver 5</u>
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☐	☒	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair <u>Not inspected</u>	☐	☐	☐	☒
Playground equipment meets standards <u>Not inspected</u>	☐	☐	☐	☒
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number _____)	☐	☒	☐	☐

Center Director/Individual [Signature] Child Care Representative [Signature]White Copy - Facility File Yellow Copy - Facility Operator
Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIDate 6-10-21

Name	<u>In His Hands</u>	License No.	<u>6288</u>
Address	<u>1221 W. Main St. Tupelo, MS</u>		
Purpose	<u>Midyear</u>	Director	<u>Linda Pinson</u>
Mileage Start		Mileage End	
County	<u>Lee</u>	Telephone No.	<u>662-841-0051</u>
Time In	<u>11:20</u>	Time Out	<u>1:45</u>
		Total Time	

Findings/Comments Here to conduct a Midyear inspection. Upon arrival the licensing met with designee, Vanessa Williams.

- Kitchen rec'd an A; No critical violations on today's visit.
- Playground was not inspected due to inclement weather.

Subchapter 11: Buildings and Grounds
Deficiency: Rule 1.11.2 (1) Every license shall set forth the licensed facility's
Maximum licensed Capacity, which shall be based upon a minimum
of thirty-five (35) square feet of usable indoor space per child.
Findings: Based upon observations made while touring the facility, Facility
failed to maintain room capacity in Rm 2. There were 12 children
age ranging 4yrs in Rm 2 with one caregiver. Room Capacity
for Rm 2 is 9 children; This left Rm 2 over by 3 children.

POC:

At 11:45 Rm 2 was in compliance with one
caregiver with nine children ages 4yr. The facility
understands compliance and following the MSDH Regulations.
The designee corrected the deficiency leaving Rm 2 now
in compliance. X

Subchapter 5: Personnel Requirements

Deficiency: Rule 1.5.7 (3) When the director designee is in
charge of the facility, they shall have full access to all
documents of the facility that are necessary for the licensing agency
to conduct an inspection or complaint.

Linda Pinson
 Center Director/Designee/Individual

Sara Pratt
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

 MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Encounter
(Continuation)

Date 6-10-21
 Facility Name In His Hands License No. 6288

These documents shall include, but are not limited to, Staff Records, Children's records, Safety inspections, and any other material or documents required by the inspecting official. Findings: Based on observations made while touring the facility the licensing observed the designee left in charge without access of facility Staff records, children records, and etc. The Licensing verbally gave T.A. on previous site visit regarding keeping records at the facility at all times.

POC:


The director Linda and designee Vanessa will have records at the facility by 6-14-21. The Staff records and children's record books with Letters of Suitability and Immunizations, Staff roster, and children roster will all be in a notebook. The licensing will follow up at the facility within the next 14 days to assure compliance.


T.A. provided on Rule 11.8(9) Thermometers that do not present a hazard to children shall be placed on interior walls in every activity area at children's height. 6 observed thermometers missing within classrooms and refrigerators.

POC:

The director/designee understands MSDH Compliance and will have the following corrected within next 14 days of follow up visit. The facility will complete monthly checklist to assure compliance.

T.A. provided on Appendix G the facility Procedure for Diapering A Child. 6 observed 3 spray bottles missing from classrooms Rm 1 and Rm 5. Facility will have bottles filled proper and labeled by next site visit within 14 days. Facility director will go on today and get bottles and place within classroom starting 6-11-21.


 Center Director/Designee/Individual


 Child Care Representative

 White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH



Child Care Encounter
(Continuation)

Date 6-10-21

Facility Name In His Hands License No. 6288
T.A. provided on Rule 1.6.3 (8) All Staff and children
Shel maintain a notebook with current MSDH 121's. 20
observed six children needing current MSDH 121's.
Facility will have 14 days to receive the current
records for the following children that were marked on
children roster. X

Questionnaire provided to the director, Linda Pinson

"Class I and II violations may result in a monetary penalty.
Repeated violations may result in the doubling of a monetary
penalty, suspension, or revocation of the license."


Center Director/Designee/Individual
Child Care RepresentativeWhite Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address <u>In His Hands</u> <u>1221 W. Main St. Tupelo</u>	Date <u>6-10-21</u>
---------	--	------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

- No Critical Violations On today's visit. "A" Pass	
--	--

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Linda K. Pinson 6288
Certified Manager Licence Number

* Tummy Safe

Facility Signature

Environmental Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name In His Hands

Inspection Date 6-10-21

YES NO N/A

- | | | | | |
|--------------------------|--------------------------|--------------------------|-----|---|
| ☐ | ☐ | ☐ | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| ☐ | ☐ | ☐ | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| ☐ | ☐ | ☐ | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| ☐ | ☐ | ☐ | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| ☐ | ☐ | ☐ | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| ☐ | ☐ | ☐ | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| ☐ | ☐ | ☐ | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| ☐ | ☐ | ☐ | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| ☐ | ☐ | ☐ | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| ☐ | ☐ | ☐ | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| ☐ | ☐ | ☐ | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13) |
| ☐ | ☐ | ☐ | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35) |
| ☐ | ☐ | ☐ | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| ☐ | ☐ | ☐ | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36) |
| ☐ | ☐ | ☐ | 15. | Is playground area clean & free of hazards? If not, state deficiency _____ (Rule 1.11.11 (1), pg 49) |
| ☐ | ☐ | ☐ | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| ☐ | ☐ | ☐ | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| ☐ | ☐ | ☐ | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director

Licensing Official

** Due to inclement weather playground was not inspected. (Raining*