



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County GreeneDate 1/12/18Facility Name Union/Greene Head Start Cntr.License Number 1079Purpose RenewalCapacity 99**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	2 ypr. - 5 - S. Phillips
2.	3 ypr. - 18 - R. Leverette
3.	3 ypr. - 16 - S. Franks
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>1</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Shirley GriffinChild Care Representative Jerica Neap

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

1/12/18

District VIIIDate 1/12/18

Name <u>Union/Greene Head Start Center</u>	License No. <u>2/C4/HF-1079</u>
Address <u>37765 Hwy 63 N, Richton</u>	
Center/Organization/Individual	
Purpose <u>Renewal</u>	Director <u>Shirley Griffin</u>
Mileage Start _____	Mileage End _____
County <u>Greene</u>	Telephone No. <u>601-989-2734</u>
Time In <u>10:30</u>	Time Out <u>12:30</u>
Total Time _____	

Findings/Comments Please Submit application, fire form 333, renewal fee, and a 2 wk cycle of menus by March 31, 2018. Application & renewal fee can be submitted online. Fire form & 2 week cycle of menus can be submitted to Jessica Heap by:
 Fax: 601-425-1080
 email: jessica.heap@msdh.ms.gov
 mail: 5168 Hwy 11 N, Ellisville

Please Submit remaining contact hours by March 31, 2018.
 You may use any of the contact information above to Submit to Jessica Heap, as well.

A survey was given to Ms. Shirley Griffin, director

No deficiencies were observed during the inspection.

Shirley Griffin
 Center Director/Designee/Individual

Jessica Heap
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH



Child Care Program Review

Facility Name Union/Greene Head start License No. 1079 Date 1/12/18

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1}
2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4}
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Children records (<i>attach children's records form</i>) {Rule 1.6.7}
14.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reports of serious occurrences made as required {Rule 1.7.1}
15.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Communicable diseases reported as required {Rule 1.7.3}
16.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate discipline policy followed {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate transportation policy followed {Subchapter 15}
26.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Infant feeding schedules posted (<i>Appendix C, VII</i>)

Comments/Recommendations _____

☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days


 
☒ Director ☐ Designee Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address <u>Union / Greene Head Start Cntr</u> <u>37765 Hwy. 63 N, Natchez</u>	Date <u>1/12/10</u>
---------	---	---------------------


CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p><u>No deficiencies observed.</u></p>	
---	--

<input checked="" type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmentalism Code <u>JSP</u>
Please Remit within 10 days to:	

Charlotte Whaddon Tummy Safe
 Certified Manager Licence Number

Facility Signature 
Environmentalism Signature <u>Jenna Neap</u>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalism

Child Care Licensure Playground Checklist

Center Name Union Greene Head Start Cntr. Inspection Date 1/12/18

- | YES | NO | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director [Signature] Licensing Official Jemina Neap