



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County	<u>Lauderdale</u>	Date	<u>1/10/2020</u>
Facility Name	<u>Creative Kids</u>	License Number	<u>6422</u>
Purpose	<u>Mid-year</u>	Capacity	<u>132</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>3</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Ms. L. Pugh Child Care Representative Lakisha Everett

White Copy - Facility File Yellow Copy - Facility Operator

Mississippi State Department of Health 12-10-08 Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 6Date 1/10/2020

Name <u>Creative Kids</u>	License No. <u>38CEPFA-6422</u>
Address <u>5920 Old Hwy 80 West Meridian, MS</u>	
Center/Organization/Individual	
Purpose <u>Mid-year</u>	Director <u>Lenora Pruitt</u>
Mileage Start	Mileage End
County <u>Lauderdale</u>	Telephone No. <u>601 482 0520</u>
Time In	Time Out
Total Time	

Findings/Comments

The licensing official came to conduct a Mid-year inspection. The licensing official was greeted by Lenora Pruitt, Director.

No violations observed during this inspection.

Awesome Job!

Ms. L. Pruitt
Center Director/Designee/Individual

Lakisha Everett
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID <i>6422</i>	Facility Name, Address <i>Creative Kids 5920 Old Hwy 80 West Meridian</i>	Date <i>1/10/2020</i>
------------------------	--	--------------------------

CRITICAL VIOLATIONS

No violations observed during this visit.

CORRECTION PLAN AND SCHEDULE

A

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

Lenora Pruitt *Tummy Safe*
 Certified Manager Licence Number

*Expires
5/14/2023*

Facility Signature <i>Ms. L. Pruitt</i>
Environmental Signature <i>Lakisha Everett</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name Creative Kids Inspection Date 1/10/2020

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 1119 (8) pg 48) in good repair, with no gaps? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 1119 (8) pg 48)
- ☐ ☐ ☒ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 8)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (5) pg 47)
- ☒ ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkways? (CPSC 2422-5, pg 10)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36, pg 15)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5) pg 47)
- ☒ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☐ ☐ ☒ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 539, pg 40)
- ☐ ☐ ☒ 11 If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 32, pg 13)
- ☐ ☐ ☒ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5364-5 pgs 34-35)
- ☐ ☐ ☒ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1102, pg 36)
- ☒ ☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency
(Rule 11111 (1) pg 49)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (CPSC 211 pg 5)
- ☐ ☐ ☒ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1102 (2) pg 36)
- ☐ ☐ ☒ 18 Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 255)

Director Ms. L. Pratt Licensing Official Lakisha Everett