

# MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Le. Hore			Date 10/16/19			
Facility Name MVSU De	velopment	Cente	License Number 42CD	GF-486	69	
Purpose Kenewal	,				-	
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning Food service approved			and functioning  Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly			
Possible Monetary Penalty  1	Monetary Pen	alty	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet			
3	\$	<u> </u>	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order			
5Age/Child/Staf	\$f Name		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
1. Three 5 one teach	her		and thermometers placed properly and in good working order  First aid kits stocked and easily accessible			
3. 4.		1, 2	Playground area clean, shaded, well drained and equipped and fence in good repair			
5.			Playground equipment meets standards			
6			Pool area clean, fenced, and adequately maintained		-	
Center Director/Individual	rbiralsk	Men	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative		Z	//

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



### Child Care Encounter

District 9	Date 10/10/19
Name MISU Developme	ent Center License No. 42 CDGF-4869
Address Robert Clark	Drive THa Bena, MS 38941  Center/Organization/Individual
Purpose Kenewal	Director D. Minor
Mileage Start	Mileage End
County Le Hore	Telephone No. 662.254.3375
Time In	Time Out Total Time
Findings/Comments This Vic	sit is for Renewal inspection for Children license.
	Hicial did not observe any converns during Iding, Witchen, or playgrand.
No Concerns obs	erved with the students or staff Decords
	Child Care license can be issued.
a rustomer Bervie	ce and was provided to the Director.
It any questions agency at 662.455	s or concerns Please contact the Child care licensing
Please Continue -	to Provide great services to the children of lettere
Repeated violations Suspension or revoca	The state of the s
Center Director/Designee/Individual	White Copy - Facility File Yellow Copy - Operator



#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name MVSU Development Center License No. 42CDS F-4869 Date 10/10/19

Yes No N/A				
1. Policies and procedures (Parent's Handbook) {Rule 1.4.1}				
2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no				
insurance is in effect {Rule 1.4.1 (i) & (j)}				
3.  Approved arrival and departure procedures {Rule 1.4.1 (2)}				
4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}				
5. Attendance records for children and staff {Rule 1.6.3 (1)}				
6. Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}				
7. Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}				
8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}				
11. Personnel records (attach employee's records form) {Rule 1.6.4}				
12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}				
13. Children records (attach children's records form) {Rule 1.6.7}				
14. P Reports of serious occurences made as required {Rule 1.7.1}				
15. Communicable diseases reported as required {Rule 1.7.3}				
16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}				
17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}				
18.				
19.  Required toys present in infant room {Rule 1.10.1 (2)}				
20. Required toys present in toddler room {Rule 1.10.1 (3)}				
21.  Required toys present preschool room {Rule 1.10.1 (4)}				
22.  Licensed pest control contractor {Rule 1.11.14}				
23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}				
25.				
26.				
Comments/Recommendations				
Pass -				
License to be issued: Regular Probational Restricted				
□ Fail				
Follow-up within days				
☐ Director ☐ Designee   Child Care Representative				

# **Food Service Facility Inspection Results**

PIMS ID Faci	lity Name, Address // 1/9/	Development Center	Date
42CD3F-4869	Robert	Development Center Clock Dr I Ha Bena MS	10/10/19
CRITICAL VIOL	ATIONS	CORRECTION PLAN AT	ND SCHEDULE
No Critica		PASS "A"	
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training  Permit Date  Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code	Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Licence Number Rec. 1/6/17

## Child Care Licensure Playground Checklist

Cent	er Na	ame _	MVE	BU Development Center Inspection Date 10/10/19
YES				
			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)  No Playround Agripment
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
D			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35,
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  No Playaround Equipment (Rule 1.10.2, pg 36)
D			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)
D.			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
□ Direc	□ tor <u>/</u>	1/1	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)  Licensing Official
		/		