



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

BOGUE CHITTO EARLY CHILDHOOD CENTER

License #: 3654

Director: NORMA WILLIS

Inspection Date: 12/10/2021

Annual/Mid Inspection

Inspector: Miski Brown

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

1. **Out of Compliance:** Plumbing is properly installed including proper backflow devices. (Rule 1.11.5 Page 56)

Plan of Correction

1. **POC:** During the facility review the garbage disposal sink is leaking and not draining proper. A bucket was placed under the sink to help catch the water. The director/owner called tribal maintenance to get the sink repaired. The director /owner will develop a policy to repair all items in the facility in a timely manner. The director /owner will develop a maintenance policy and send the policy to the licensing official. The director/pwner will be responsible for making sure the garbage disposal is repaired. A follow-up inspection will be conducted with-in 14 days.

Person Responsible: Norma Willis **Date for Completion:** 14

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Class room 1 - Classroom Number: 1

No violations cited.

Infant Classroom - Classroom Number: 1

Toddler Classroom Violations Cited

Class room 2 - Classroom Number: 2

No violations cited.

Toddler Classroom - Classroom Number: 2

Twos Classroom Violations Cited

Class room 5 - Classroom Number: 5

No violations cited.

Twos Classroom - Classroom Number: 5

Preschool Classroom Violations Cited

class room 5 - Classroom Number: 5


No violations cited.

Preschool Classroom - Classroom Number: 5

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature

