

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection				
County (HC)	Date 2-03-20			
Facility Name 114 P 1163	License Number 5846			
Donoison	apacity			
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities			
Qualified director present  Proper staff to child ratio present  Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved  Heating/cooling approved  Ventilation adequate  Glass approved and shielded			
Water system approved and functioning Waste water system approved	Telephone on premises, available, and functioning			
and functioning Food service approved	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly			
Possible Monetary Penalty  Monetary Penalty	Hot water at all sinks, not to			
1	Children barred from kitchen Vending machine snacks meet			
3	nutritional guidelines, if present  Exits, doors and fastening devices single action approved and in good			
4	working order			
5\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
Age/Child/Staff Name  1. 41/6000 US - 9 - Urcaiver	and thermometers placed properly and in good working order			
2. Dugues C. V. On a contract	First aid kits stocked and easily accessible			
3. 34000105- 5 - Caregiver	Playground area clean, shaded, well drained and equipped and fence in good repair			
5. 1 1/emo 1011-01 - Caregner	Playground equipment meets standards			
6. Expeditions as fureeners	maintained			
mle	Diaper changing stations adequate in number and each fully supplied (number)			
Center Director/Individual	Child Care Representative Child Care Representative			

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

	Child Care Encount	er in the man
District		Date 18-03-20
Name OHIC TOUG	License ?	Palis
Address 5 ACL	CV / Jen Helpick	M9 38668
Purpose henewa	Center/Organization/Individual Director	Shley Lucius
Mileage Start	Mileage End	
County	Telephone No.	UB-562-848K
Time In 3	Time Out	Total Time
Findings/Comments 1-1970	to Commit of	thereo ingreation.
Springing a	nd britished of the	e at healthyms.com
7	<b>V</b>	
A Du		
The following	Joseph Jamble	eine Un todays visit?
TUYCH MAST	TO Emotoles H	Staff and Children
William Disc	tothis the High	a Charletier
THENEN DEC	a BU ANTU	
110 How	mad DOA Makery	ect anne to watere
COLLEGE LON	B (publife"	
The Ediciona	Recial	
DOST CONTR	B / Co	
11000	iza antika zaman	
Mohild	000	and the second second
Tirectorin	323 Marilla 5	La Maria Com To VIII
Center Director/Designee/Indiv	idual Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287

ivitopipotppi State Department of Health

Revised 07-27-09

Form No. 277



Facility Name Otto Mell Care Program Review

License No. 500 Date Date

_				
1	Yes	No	N/A	
1	. D			Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2	. 🙇			Proof of Accident/Liability Insurance or documentation that parent has been notified that no
١.	1		_	insurance is in effect {Kule 1.4.1 (1) & (1)}
3	. Д			Approved arrival and departure procedures {Rule 1.4.1 (2)}
5				Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
2			_	Attendance records for children and staff {Rule 1.6.3 (1)}
7				Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
ا ا		0	0	Current start roster (includes date of birth & date of hire) [Rule 1 6 3 (3)]
9	-	ם	3	MUMILIN ICCORDS OF Tire/disaster drille (Dule 1 6 2 (5))
1 -	0. <b>Z</b>	٥	<b>~</b>	Medication record with date; time, signature for 90 days {Rule 1.6.3 (6)}
1 -	1. 🗖		0	minumization Records for Children and Staff (Rule 1.6.3 (8))
	2. 🗖			Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6}
	3. 🗖		$\widetilde{\Box}$	Children records (attach children's records form) {Rule 1.6.7}
	4. 🗖			Reports of serious occurences made as required {Rule 1.6.7}
1	5. 🗖			Communicable diseases reported as required {Rule 1.7.1}
1	6. 🗷		<b>O</b>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
1	7. 🙀			Staff present who hold valid CPR and First Aid Certification {Rule 1.7.4}
1	8. <b>Z</b>			Age appropriate program of activities posted in each room {Subchapter 9}
	9. 🔼			Required toys present in infant room {Rule 1.10.1 (2)}
1	0. <b>Z</b>			Required toys present in toddler room {Rule 1.10.1 (3)}
	1:20	, $\square$		Required toys present preschool room {Rule 1.10.1 (4)}
	2.			Licensed pest control contractor {Rule 1.11.14}
	3.			Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
1 4	4. <b>1</b>		_	Appropriate discipline policy followed {Subchapter 14}
	6. <b>Z</b>	<u> </u>		Appropriate transportation policy followed {Subchapter 15}
1	0. <b>Z</b>	_		Infant feeding schedules posted (Appendix C, VII)
1	omn	nent	s/Par	commendations
]`		icit	3/1101	
١.				
-				
1				
-				
L				
Γ				
	100.00	ss –		
Γ.			to be	issued: Regular Probational Restricted
	☐ Fa			mimildad & Talatan
	☐ Fo	llow-	up wit	thin days $\backslash$

Designee

Director

Child Care Representative

## Food Service Facility Inspection Results

inty runic, riduress	(17.11)(11.11)(11.11)(11.11)(11.11)(11.11)
ility Name, Address	05 Hall CV Sencialbo Date 12-03-14
ATIONS	CORRECTION PLAN AND SCHEDULE
ce Villation foctor	
92010 Permit No Charge   92015 Permit 1 \$30.00   92011 Permit 2 \$100.00   92012 Permit 3 \$150.00   92013 Permit 4 \$200.00   Environmentalist Code	<u> </u>
	Particular   Par

Child Care Licensure Playground Checklist

(	Center N	J lame	1	IHLE TULES ILC Inspection Date 100300
1	ES NO	N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with
				no gaps? (Rule 1.11.9 (8), pg 60)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
	] o		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
	] [		5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
			11.	If swings are present, are 5-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14.
				2.5.2. pg 1 & 5.3.8.1. pg 37)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7 pg 36-37)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  [Rule 1.10.2. pg 46]
				& CPSC 2.2.6, pg 6)
			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)
			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Dir	ector _	1		Licensing Official MMINO 3/10001